PACCAR PARTS

TRAILER PARTS CATALOGUE



VOLUME 3

Suspension

TRANSPEC · Fuwa K HITCH · YORK · SAF Holland · HENDRICKSON The World Rides On Us · TRP · Cummins Meritor

OUR COMMITMENT TO YOU



AVAILABILITY

With more than 250,000 available truck & trailer parts and accessories, if there's a part you need, chances are we have it. Highly efficient inventory management, investment in innovative warehousing technologies and our extensive dealer network ensure we can deliver on our commitment to having parts available to you throughout Australia.



QUALITY PARTS

You can count on us to deliver the highest quality truck & trailer parts and accessories for all models of Kenworth, DAF and most European and US drivelines. The brands we partner with support this commitment.



TECHNICAL EXPERTISE

Our people know parts, like you know trucks. We're not just a market-leading truck & trailer parts distributor, we're also an industry leader in technical expertise.

PACCAR PARTS PROUD HISTORY EXCITING FUTURE

PACCAR is well known for its long history of manufacturing heavy duty trucks in Australia, Europe, and the United States.

In fact, in 2023, PACCAR Parts celebrated its 50th anniversary globally and in 2024 PACCAR's aftermarket brand TRP celebrated its 30th Anniversary.

Here at PACCAR Parts Australia, we're proud to continue this tradition as a leading, well established, distributor of truck and trailer components, stocking original equipment parts as well as aftermarket lines from a global network of trusted suppliers.

However, its not just our history we're excited about. PACCAR is an industry leader in innovation and new technology. PACCAR is at the forefront of the emerging alternative power system solutions, that are an integral part of the future of road transport. Just as fast as trucks are evolving to meet today's challenges, trailers are changing too. Whether it's road friendly suspensions, integration with truck electronics or axle generators, trailer technology isn't being left behind.

Looking to the future but not losing sight of the important things that make us your trusted Trailer Parts partner.

At PACCAR Parts, our staff's comprehensive knowledge of the technology and parts required to maintain today's sophisticated trailers ensures that your investments stay on the road, not in the workshop.

The wide network of PACCAR Dealers across Australia and New Zealand go the extra mile to ensure you find the right part, at the right time to keep your trailer well maintained, thus maximising uptime.



www.PACCARparts.com.au

PACCAR PARTS
TRAILER CATALOGUE

Volume 3 — Suspension



SUSPENSION
Mechanical, Air Bag & Components

INTRODUCTION

With a continued focus on supporting our customers' needs, we are proud to release Volume 3 of our PACCAR Parts Trailer Catalogue. This edition features a comprehensive range of trailer suspension products to suit a variety of applications.

Thanks to the support of leading manufacturers, PACCAR Parts offers you the most current information in the pages to follow. This catalogue includes colour-coded chapters, part numbers, descriptions and dimensions. Additionally, you will find clearly articulated drawings, tables, notes and a cross reference aligning parts with page numbers, enabling technicians to quickly locate the right information.

Our dealer network also continues to expand, with additional TRP stores opening each year, allowing for more convenient access to parts needed to maintain your equipment, whether in Australia, New Zealand or Papua New Guinea.

On behalf of PACCAR Parts Australia, we trust you find Trailer Catalogue Volume 3 as valuable as Volumes 1 and 2.

Best regards,

Mark Santschi
General Manager
PACCAR Parts Australia



TRUCK & TRAILER CONFIGURATION GUIDE

		Description	Max Length (m)	MRM under GML (t)	MRM under CML (t)	MRM under HML (t)
1. COMMON RIGID TRUCKS - GENERAL ACCESS						
(A)	 6.0t 9.0t	**2 Axle Rigid Truck**	≤ 12.5	15.0	CML does not apply	-
(B)	 6.0t 16.5t	**3 Axle Rigid Truck**	≤ 12.5	22.5	23.0	-
(C)	 6.0t 20.0t	**4 Axle Rigid Truck**	≤ 12.5	26.0	27.0	-
(D)	 10.0t* 16.5t	**4 Axle Twinsteer Rigid Truck**	≤ 12.5	26.5	27.0	-
(E)	 10.0t* 20.0t	**5 Axle Twinsteer Rigid Truck**	≤ 12.5	30.0	31.0	-
2. COMMON SEMITRAILER COMBINATIONS - GENERAL ACCESS						
(A)	 6.0t 9.0t 9.0t	**3 Axle Semitrailer**	≤ 19.0	24.0	-	-
(B)	 6.0t 9.0t 16.5t	**4 Axle Semitrailer**	≤ 19.0	31.5	32.0	32.0
(C)	 6.0t 9.0t 20t	**5 Axle Semitrailer**	≤ 19.0	35.0	36.0	37.5
(D)	 6.0t 16.5t 16.5t	**5 Axle Semitrailer**	≤ 19.0	39.0	40.0	40.0
(E)	 6.0t 16.5t 20.0t	**6 Axle Semitrailer**	≤ 19.0	42.5	43.5	45.5

MRM = Maximum Regulatory Mass m = metres t = tonnes

* Add one tonne if twinsteer axle group is load sharing.''The mass of a dog trailer shall not exceed the mass of the towing vehicle under Schedule 1, Part 1, section 2(4) of the Heavy Vehicle (Mass, Dimension and Loading) National Regulation.

Please note, additional limits are allowed for steer axles under Schedule 1, Part 2 of the Heavy Vehicle (Mass, Dimension and Loading) National Regulation. Table published with kind permission from National Heavy Vehicle Regulator.

©Copyright National Heavy Vehicle Regulator 2019, creativecommons.org/licenses/by-sa/3.0/au


		Description	Max Length (m)	MRM under GML (t)	MRM under CML (t)	MRM under HML (t)
3. COMMON RIGID TRUCK AND TRAILER COMBINATIONS (General access when complying with prescribed mass & dimension requirements)						
(A)	 6.0t 9.0t 9.0t** 9.0t**	**2 Axle Truck & 2 Axle Dog Trailer**	≤ 19.0	30.0	-	-
(B)	 6.0t 9.0t 15.0t	**2 Axle Truck & 2 Axle Pig Trailer**	≤ 19.0	30.0	CML does not apply	-
(C)	 6.0t 16.5t 9.0t 9.0t	**3 Axle Truck & 2 Axle Dog Trailer**	≤ 19.0	40.5	41.0	-
(D)	 6.0t 16.5t 15.0t	**3 Axle Truck & 2 Axle Pig Trailer**	≤ 19.0	37.5	CML does not apply	-
(E)	 6.0t 16.5t 9.0t** 16.5t**	**3 Axle Truck & 3 Axle Dog Trailer**	≤ 19.0	42.5	43.5	-
(F)	 6.0t 16.5t 18.0t	**3 Axle Truck & 3 Axle Pig Trailer**	≤ 19.0	40.5	CML does not apply	-
(G)	 6.0t 16.5t 16.5t** 16.5t**	**3 Axle Truck & 4 Axle Dog Trailer**	≤ 19.0	42.5	43.5	-
(H)	 10.0t* 16.5t 9.0t 16.5t	**4 Axle Truck & 3 Axle Dog Trailer**	≤ 19.0	42.5	43.5	-
(I)	 10.0t* 16.5t 16.5t** 16.5t**	**4 Axle Truck & 4 Axle Dog Trailer**	≤ 19.0	42.5	43.5	-
4. COMMON B-DOUBLE COMBINATIONS - CLASS 2						
(A)	 6.0t 16.5t 16.5t 16.5t	**7 Axle B-double**	≤ 19.0	55.5	57.0	57.0
(B)	 6.0t 16.5t 20.0t 16.5t	**8 Axle B-double**	≤ 26.0	59.0	61.0	62.5
(C)	 6.0t 16.5t 16.5t 20.0t	**8 Axle B-double**	≤ 26.0	59.0	61.0	62.5
(D)	 6.0t 16.5t 20.0t 20.0t	**9 Axle B-double**	≤ 26.0	62.5	64.5	68.0

MRM = Maximum Regulatory Mass m = metres t = tonnes

* Add one tonne if twinsteer axle group is load sharing.**The mass of a dog trailer shall not exceed the mass of the towing vehicle under Schedule 1, Part 1, section 2(4) of the Heavy Vehicle (Mass, Dimension and Loading) National Regulation.

Please note, additional limits are allowed for steer axles under Schedule 1, Part 2 of the Heavy Vehicle (Mass, Dimension and Loading) National Regulation.
Table published with kind permission from National Heavy Vehicle Regulator.
©Copyright National Heavy Vehicle Regulator 2019, creativecommons.org/licenses/by-sa/3.0/au




TRUCK & TRAILER CONFIGURATION GUIDE

		Description	Max Length (m)	MRM under GML (t)	MRM under CML (t)	MRM under HML (t)
5. COMMON TYPE 1 ROAD TRAINS - CLASS 2						
(A)		**9 Axle A-Double**	≤ 36.5	72.0	74.0	74.0
(B)		**11 Axle A-Double**	≤ 36.5	79.0	81.0	85.0
(C)		**12 Axle A-Double**	≤ 36.5	82.5	84.5	90.5
(D)		**12 Axle Modular B-Triple**	≤ 35.0	82.5	84.5	90.5
(E)		**12 Axle B-Triple**	≤ 36.5	82.5	84.5	90.5
(F)		**14 Axle AB-Triple**	≤ 36.5	99.0	101.0	107.5
(G)		**15 Axle AB-Triple**	≤ 36.5	102.5	104.5	113.0
(H)		**11 Axle Rigid Truck & 2 Dog Trailers**	≤ 36.5	88.5	90.5	91.0

MRM = Maximum Regulatory Mass m = metres t = tonnes

* Add one tonne if twinsteer axle group is load sharing. ** The mass of a dog trailer shall not exceed the mass of the towing vehicle under Schedule 1, Part 1, section 2(4) of the Heavy Vehicle (Mass, Dimension and Loading) National Regulation.

Please note, additional limits are allowed for steer axles under Schedule 1, Part 2 of the Heavy Vehicle (Mass, Dimension and Loading) National Regulation.
Table published with kind permission from National Heavy Vehicle Regulator.
©Copyright National Heavy Vehicle Regulator 2019, creativecommons.org/licenses/by-sa/3.0/au

		Description	Max Length (m)	MRM under GML (t)	MRM under CML (t)	MRM under HML (t)
6. COMMON TYPE 2 ROAD TRAINS - CLASS 2						
(A)		**16 Axle A-Triple**	≤ 53.5	115.5	117.5	124.5
(B)		**18 Axle A-Triple**	≤ 53.5	122.5	124.5	135.5
(C)		**15 Axle AB-Triple**	≤ 47.5 – Classified by the NHVR as Type 1 when L ≤ 36.5m	102.5	104.5	113.0
(D)		**13 Axle Rigid Truck & 2 Dog Trailers**	≤ 47.5 – Classified by the NHVR as Type 1 when L ≤ 36.5m	95.5	97.5	102.0
(E)		**17 Axle BAB-Quad**	≤ 53.5	119.0	121.0	130.0
(F)		**18 Axle BAB-Quad**	≤ 53.5	122.5	124.5	135.5
(G)		**17 Axle ABB-Quad**	≤ 53.5	119.0	121.0	130.0
(H)		**18 Axle ABB-Quad**	≤ 53.5	122.5	124.5	135.5

MRM = Maximum Regulatory Mass m = metres t = tonnes

* Add one tonne if twinsteer axle group is load sharing.**The mass of a dog trailer shall not exceed the mass of the towing vehicle under Schedule 1, Part 1, section 2(4) of the Heavy Vehicle (Mass, Dimension and Loading) National Regulation.


Please note, additional limits are allowed for steer axles under Schedule 1, Part 2 of the Heavy Vehicle (Mass, Dimension and Loading) National Regulation.
Table published with kind permission from National Heavy Vehicle Regulator.
©Copyright National Heavy Vehicle Regulator 2019, creativecommons.org/licenses/by-sa/3.0/au

PACCAR PARTS

TRP

PRIVILEGES PLUS

THE ALL NEW PRIVILEGES PLUS



Become a member and receive exclusive access to member discounts, track your savings and view the latest promotions!

KEEP AN EYE OUT FOR THE P SYMBOL IN THE CATALOGUE FOR MEMBER SAVINGS!

Joining is easy & membership is completely FREE!

SCAN ME

Sign up today at paccarparts.com.au/privileges

Terms & conditions apply, see website for details.

TABLE OF CONTENTS

	TRAILER SUSPENSION SYSTEMS INFO	19
	MECHANICAL SUSPENSIONS	29
	AIR BAG SUSPENSIONS	79
	SUSPENSION COMPONENTS	329

TO VIEW THE DIGITAL VERSION
OF THE PACCAR PARTS
TRAILER CATALOGUE
SCAN HERE!



PACCARPARTS

VOLUME 3
INDEX

SUSPENSION		PAGE
TRAILER SUSPENSION SYSTEMS INFO		**19**
16.1	Part Identification	21
16.2	Overslung vs Underslung Suspensions	22
16.3	Axle Spread	23
16.4	Ride Height	24
16.5	Mechanical Suspension	25
16.6	Air Bag Suspension	26
16.7	Bolt Grades	27
MECHANICAL SUSPENSIONS		**29**
17.1	Mechanical Suspension Detailed List	31
17.2.1	General Purpose	32
17.2.2	General Purpose	36
17.2.3	Fruehauf 'F' Type	42
17.2.4	Freighter TAA49	46
17.2.5	Freighter VA35	50
17.2.6	Freighter VE50	54
17.2.7	Reyco 21B Overslung	58
17.2.8	Reyco 21B Underslung	62
17.2.9	Reyco-Transpro Model 88 & 89	66
17.2.10	ROR	70
17.2.11	Hutch H900	74

AIR BAG SUSPENSIONS		79
18.1	Air Bag Suspension Detailed List	81
18.2.1	BPW AL	84
18.2.2	BPW SL	88
18.2.3	BPW SL	92
18.2.4	BPW HD	96
18.2.5	BPW AL2	100
18.2.6	BPW AL2	102
18.2.7	BPW AL2	104
18.2.8	BPW AL2	106
18.2.9	BPW AL2	108
18.3.1	Hendrickson HT	112
18.3.2	Hendrickson HT	114
18.3.3	Hendrickson HT	116
18.3.4	Hendrickson Intraax	120
18.3.5	Hendrickson Intraax	124
18.3.6	Hendrickson MAXITRAAX	126
18.3.7	Hendrickson T9-106	128
18.3.8	Hendrickson T15 / T17	130
18.3.9	Hendrickson	132
18.4.1	Holland Euro	134
18.4.2	Holland Euro	136
18.4.3	Holland Euro	138
18.4.4	Holland HD	140
18.4.5	Holland HD	142
18.4.6	Holland HD	144
18.4.7	Holland Ultra Lite	146
18.4.8	Holland Ultra Lite	148
18.4.9	Holland Ultra Lite	150
18.5.1	Fuwa K-Hitch	154
18.5.2	Fuwa K-Hitch	158
18.6.1	Meritor/ROR	164
18.6.2	Meritor/ROR	168
18.6.3	Meritor/ROR	172
18.6.4	Meritor/ROR	176
18.6.5	Meritor/ROR Flexair	180

AIR BAG SUSPENSIONS		
18.7.1	Neway	184
18.7.2	Neway	186
18.7.3	Neway	188
18.7.4	Neway	190
18.7.5	Neway	192
18.8.1	Reyco	196
18.8.2	Reyco	198
18.9.1	RFS Series 2000	200
18.9.2	RFS Series 2000	204
18.9.3	RFS Series 2000	208
18.9.4	RFS Series 2000	212
18.9.5	RFS Series 2000	216
18.9.6	RFS Series 2000	220
18.9.7	RFS Series 2000	224
18.9.8	RFS Series 2000	228
18.9.9	RFS Series 2000	232
18.9.10	RFS Series 2000	236
18.10.1	Ridewell Monopivot	242
18.10.2	Ridewell Monopivot	244
18.11.1	SAF-Holland	246
18.11.2	SAF-Holland	248
18.11.3	SAF-Holland	250
18.11.4	SAF-Holland	252
18.11.5	SAF-Holland	260
18.11.6	SAF-Holland	268
18.12.1	Weweler	274
18.12.2	Weweler	276
18.12.3	Weweler	280
18.12.4	Weweler	282
18.13.1	York	286
18.13.2	York	292
18.13.3	York	296
18.13.4	York	300
18.13.5	York	306

AIR BAG INFORMATION		314
19.2	Air Bag Dimensions	314
19.3	Air Bag Cross Reference	320
SHOCK ABSORBERS		**329**
20.1	Shock Absorber Quick Reference	330
20.2	Shock Absorber Bush and Sleeve Quick Reference	334
SPRINGS AND COMPONENTS		**339**
21.1	Springs	339
21.2	Spring Leaves	341
21.3	Centre Bolts	343
22.1	Paccar U-Bolt Part Numbers	344
22.2	U-Bolts	345
23.1.1	Torque Rods and Components	349
23.1.2	Torque Rods and Components	349
23.1.3	Torque Rods and Components	349
23.1.4	Torque Rods and Components	350
24.1	Equalisers Bushes	352
24.3	Equaliser and Torque Rod Bolts and Nuts	354
24.4	Suspension Equalisers	357
PART NUMBER CROSS REFERENCE		**358**
25.1	Cross Reference Index	358
25.2	BPW Transpec	358
25.3	Colrain	359
25.4	Freighter	362
25.5	Iveco	362
25.6	Krueger	363
25.7	Reyco	364
25.8	SAF Holland and York	364
25.9	Sinclair	366
25.10	SX Trailers	368
25.11	Wabco	368
25.12	Watts	369
PART NUMBERS INDEX		**371**

NOTES


METRIC CONVERSION

Inch (Fraction)	Inch (Decimal)	mm
1/64	0.0156	0.397
1/32	0.0313	0.794
3/64	0.0469	1.191
1/16	0.0625	1.587
5/64	0.0781	1.984
3/32	0.0938	2.381
7/64	0.1094	2.778
1/8	**0.125**	**3.175**
9/64	0.1406	3.572
5/32	0.1563	3.969
11/64	0.1719	4.366
3/16	0.1875	4.762
13/64	0.2031	5.159
7/32	0.2188	5.556
15/64	0.2344	5.953
1/4	**0.25**	**6.35**
17/64	0.2656	6.747
9/32	0.2813	7.144
19/64	0.2969	7.541
5/16	0.3125	7.937
21/64	0.3281	8.334
11/32	0.3438	8.731
23/64	0.3594	9.128
3/8	**0.375**	**9.525**
25/64	0.3906	9.922
13/32	0.4063	10.319
27/64	0.4219	10.716
7/16	0.4375	11.113
29/64	0.4531	11.509
15/32	0.4688	11.906
31/64	0.4844	12.303
1/2	**0.5**	**12.7**

Inch (Fraction)	Inch (Decimal)	mm
33/64	0.5156	13.097
17/32	0.5313	13.494
35/64	0.5469	13.890
9/16	0.5625	14.287
37/64	0.5781	14.684
19/32	0.5938	15.081
39/64	0.6094	15.478
5/8	**0.625**	**15.875**
41/64	0.6406	16.272
21/32	0.6563	16.669
43/64	0.6719	17.065
11/16	0.6875	17.462
45/64	0.7031	17.859
23/32	0.7188	18.265
47/64	0.7344	18.653
3/4	**0.75**	**19.05**
49/64	0.7656	19.447
25/32	0.7813	19.884
51/64	0.7969	20.240
13/16	0.8125	20.637
53/64	0.8281	21.034
27/32	0.8438	21.431
55/64	0.8594	21.828
7/8	**0.875**	**22.225**
57/64	0.8906	22.622
29/32	0.9063	23.019
59/64	0.9219	23.415
15/16	0.9375	23.812
61/64	0.9531	24.209
31/32	0.9688	24.606
63/64	0.9844	25.003
1	**1**	**25.4**

NOTES

NOTES


1472301 AD
THIS SIDE IN

TRAILER SUSPENSION

TRAILER SUSPENSION SYSTEMS INFO

PART IDENTIFICATION 21

OVERSLUNG VS UNDERSLUNG SUSPENSIONS 22

AXLE SPREAD 23

RIDE HEIGHT 24

MECHANICAL SUSPENSION 25

AIR BAG SUSPENSION 26

BOLT GRADES 27

TO VIEW THE DIGITAL VERSION OF THE PACCAR PARTS TRAILER CATALOGUE **SCAN HERE!**

NOTES

PART IDENTIFICATION

The make and model of major suspension parts can be identified by looking for manufacture's brand name or logo on the part, or by finding identification or serial numbers stamped or attached to the part.


Sometimes however, these identifiers are damaged, missing or too hard to see to read accurately.

A useful alternative source of this information is available through the Australian Government "ROVER" Road Vehicle Regulator and "RVCS" Road Vehicle Certification System databases that are available online.

ROVER: http://rover.infrastructure.gov.au

RVCS: http://rvcs-prodweb.dot.gov.au/pls/wwws/pubrvcs.Notify_Search

A Trailer's identification plate will list information such as its VIN and any approval numbers for originally fitted major components.



The approval numbers can be used to search ROVER or RVCS. These approval details will identify the manufacturer of the approved components/systems fitted to that trailer.

- To search RVCS, only use the numbers from the approval number, not the letters
  - For example use "24341" NOT "24341 CS"
  - For ROVER, you can use the full approval number
- RVCS is being replaced by ROVER, but is still active at time of publication
- RVCS and ROVER are owned and maintained by The Department of Infrastructure, Transport, Regional Development, Communications and the Arts © Commonwealth of Australia
- Any questions regarding ROVER and RVCS should be directed to the department rover.infrastructure.gov.au

Modification or addition of components to your heavy vehicle or trailer may require certification and approval by an Approved Vehicle Examiner. Refer to the state or territory registration authority where your vehicle is registered.


For further trailer parts information, contact your nearest authorised PACCAR Parts dealer.

OVERSLUNG VS UNDERSLUNG SUSPENSIONS

Overslung/Underslung is used to describe the two variations of trailer suspensions available. (This applies to both mechanical and air bag suspensions).


OVERSLUNG

In this configuration the suspension spring/spring beam is located over the axle as shown below.



UNDERSLUNG


In this configuration the suspension spring/spring beam is located under the axle as shown below.



AXLE SPREAD

Axle spread is:

"The distance between the centres of the front and rear axles"




In Australia, the most common axle spreads are as follows:

Tandem axle		Tri axle	
49"	1,245mm	8'1"	2,465mm
54"	1,370mm	9'-1"	2,770mm
60"	1,525mm	10'-1"	3,075mm

RIDE HEIGHT

The ride height of a given suspension, is measured from the centre of the axle to the bottom of the chassis (top of the hangers) as shown below.



Some important considerations when measuring ride height are as follows:

On Mechanical Suspensions

1. Ride heights quoted by the manufacturer are unladen figures.
2. Ride height is dependent on the height of the axle seats installed.
3. Top of hangers should be checked for any packers that may have been installed during manufacture.


On Air Bag Suspensions

1. Ride height is measured with the suspension system fully charged and the height control valve operating correctly.
2. All axles in the group should be measured separately for ride height to establish a maximum and minimum figure.
3. Ride heights should be measured with the trailer brakes off.

MECHANICAL SUSPENSION

The basic mechanical trailer suspension is shown below; it consists of a series of hangers, springs, torque rods and equalisers.

On mechanical suspensions, it is important to note the number of leaves and width of the spring pack.




AIR BAG SUSPENSION

The basic air bag trailer suspension shown below consists of front hanger, trailing arm (beam), air bag and shock absorber. The trailing arm may be either a fabricated unit or a spring type beam.

On air bag suspensions fitted with spring type trailing arms, it is important to note the number of leaves. Options are as follows;

1. Single leaf with a safety wrap band.

2. Twin leaf. (As shown below)



BOLT GRADES



All quality bolts are made to specific standards that control both the strength of the finished product, as well as the physical size. The actual grade of bolt, is identified by individual markings formed into the bolt head and the following information, will assist in identifying the most common grades of bolts and nuts currently in use for the transport industry.

It is essential when replacing bolts, to ensure the new bolts are of the same strength grade or higher, and that the replacement nuts are the same strength grade or higher as the bolt.



Bolts that are not marked with one of the following identifications, should be treated as being commercial grade mild steel and should not be used.

NOTE: Some specialised OEM suspensions bolts may only be marked with the manufacturers name, rather than with the identification shown below.

UNC/UNF HIGH TENSILE BOLTS

Head Marking	SAE Grade	Minimum Tensile Strength PSI
	5	105,000 (min)
	8	150,000 (min)

METRIC HIGH TENSILE BOLTS


Head Marking	SAE Grade	Minimum Tensile Strength MPa (Approximate PSI)
	4.6	400 (58,000)
	8.8	800 (116,000)

TRAILER/TRUCK U-BOLTS

All trailer U-bolts are grade 5 material while truck U-bolts are grade 8 material.

Because of this material difference, truck U-bolts can safely be used on trailers, at no time should trailer U-bolts be used on truck applications.

U-bolts should always be torqued up to manufacturer's recommendations.



MECHANICAL SUSPENSIONS

MECHANICAL SUSPENSION DETAILED LIST	31	REYCO	58
GENERAL PURPOSE	32	ROR	70
FRUEHAUF	42	HUTCH	74
FREIGHTER	46		

TO VIEW THE DIGITAL VERSION
OF THE PACCAR PARTS
TRAILER CATALOGUE
SCAN HERE!



FOR DRIVERS...
THERE'S ONLY ONE CHOICE


kenworth.com.au

MECHANICAL SUSPENSIONS
MECHANICAL SUSPENSION DETAILED LIST


BRAND	SERIES	MODEL	NOTES	PAGE
GENERAL PURPOSE (GP) SUSPENSIONS			Overslung	27
			Underslung	31
FRUEHAUF	FABRICATED SUSPENSION	'F' Type	Overslung	37
FREIGHTER	FABRICATED SUSPENSION	TAA49	Overslung	39
		VA35		45
	CAST SUSPENSION	VE50	Overslung	49
REYCO	CAST SUSPENSION	21B	Overslung	53
		21B	Underslung	57
	REYCO-TRANSPRO FABRICATED SUSPENSION	88	Underslung/Overslung	61
		89	Underslung/Overslung	
ROR	CAST SUSPENSION		Overslung	65
HUTCH	SINGLE POINT TANDEM SUSPENSION		Overslung	69

MECHANICAL SUSPENSIONS
GENERAL PURPOSE SUSPENSIONS


TRI-AXLE 8' 1" AXLE SPREAD



TRI-AXLE 9' 1" AXLE SPREAD



TRI-AXLE 10' 1" AXLE SPREAD



Notes

1. Centre equaliser hangers (Item 3) on 8′ 1″ and 9′ 1″ are the same.
2. Configurations also available in single axle and tandem 4′ ½″, 4′ 6-½″, and 5′ ½″ axle spacing.
3. Various spring leaf combinations are available - 3, 8, 9, 10 leaf.
4. Ride heights available are approximately 380 mm and 430 mm.
5. This suspension may be seen occasionally in the underslung format with packers installed on the top of all hangers. Nominal ride height in the underslung format would be 200 mm.
6. Cast seat (Item 34) not available. Can use fabricated Transpro seat P/N T03-7334.
7. A Lusty Allison suspension similar to the above may also be encountered. These suspensions are easily identified by the 100 mm wide spring packs.

For further information contact your nearest authorised PACCAR Parts dealer.


MECHANICAL SUSPENSIONS
GENERAL PURPOSE SUSPENSIONS

GENERAL PURPOSE (GP) SUSPENSIONS OVERSLUNG					
ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	PART NO. STRAIGHT TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
1	KH600013	NLA	Front Hanger	T03-3330 For Straight Bush Applications NLA	
2	KH600066	N/A	Front Hanger - Draw Bar	T03-3332DB For Tapered Bush Applications Is An Optional Alternative To KH900066	
3	KH900026	NLA	Equaliser Hanger	8′ 1″ and 9′ 1″ Spread T03-1184 For Straight Bush Applications NLA	
4	KH900032	NLA	Equaliser Hanger	10′ 1″ Spread T03-1188 For Tapered Bush Applications Superseded By KH900032 T03-1185 For Straight Bush Applications NLA	
5	KH600012	KH600012	Rear Hanger		
6	T03-1301-M	T03-1308-M	Torque Rod Bush	"M" Indicates USA Mullins Bush	See Section 23 For Torque Rods and Components
	T03-1301-P	T03-1308-P		"P" Indicates Red Polypropylene Bush	
	T03-1301SP	T03-1308-PST		"SP" Indicates Split Red Polypropylene Bush "PST" Indicates Polypropylene Bush With Steel Sleeve	
7	T03-1401HD	K041-701-550	Torque Rod Bolt - Heavy Duty	T03-1401HD For Tapered Bush Applications Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½″ Long x 1¼″ Diameter K041-701-550 5½″ Long x ⅞″ Diameter	See Section 24 For Equalisers and Components
8	T03-1452	T03-8052	Torque Rod Bolt Washer	T03-1452 1¼″ Diameter T03-8052 ⅞″ Diameter	
9	T03-5505	K169-143-144CA	Torque Rod Bolt Nyloc Nut	T03-5505 1″ UNF K169-143-144CA ⅞″ UNF	
10	KH600003/395	NLA	Torque Rod - Front - Rigid	KH600003/395 Is An Optional Alternative 395 mm Centre To Centre	See Section 23 For Torque Rods and Components
11	See Items 18, 19 & 20	See Item 20	Torque Rod - Front - Adjustable	395 mm Centre To Centre	
12	KH600003/495	NLA	Torque Rod - Rear - Rigid	8′ 1″ Spread - 495 mm Centre To Centre	
13	See Items 18, 19 & 21	See Item 21	Torque Rod - Rear - Adjustable	8′ 1″ Spread - 495 mm Centre To Centre	
14	KH600003/565	See Item 22	Torque Rod - Rear - Rigid	9′ 1″ Spread - 565 mm Centre To Centre	
15	See Items 18, 19 & 22	See Item 22	Torque Rod - Rear - Adjustable	9′ 1″ Spread - 565 mm Centre To Centre	
16	KH600003/470	See Item 21	Torque Rod - Rear - Rigid	10′ 1″ Spread - 470 mm Centre To Centre	
17	See Items 18, 19 & 21	See Item 21	Torque Rod - Rear - Adjustable	10′ 1″ Spread - 470 mm Centre To Centre	
18	FW68-0502L	N/A	Torque Rod End	Left Hand	
18A	N/A	NLA	Torque Rod End	Left Hand	
19	FW68-0502R	N/A	Torque Rod End	Right Hand	
19A	N/A	NLA	Torque Rod End	T03-1354 For Straight Bush Applications NLA Right Hand	


NLA - NO LONGER AVAILABLE | N/A NOT APPLICABLE

MECHANICAL SUSPENSIONS
GENERAL PURPOSE SUSPENSIONS


TRI-AXLE 8' 1" AXLE SPREAD



TRI-AXLE 9' 1" AXLE SPREAD



TRI-AXLE 10' 1" AXLE SPREAD



Notes

1. Centre equaliser hangers (Item 3) on 8' 1" and 9' 1" are the same.
2. Configurations also available in single axle and tandem 4' ½", 4' 6-½", and 5' ½" axle spacing.
3. Various spring leaf combinations are available - 3, 8, 9, 10 leaf.
4. Ride heights available are approximately 380 mm and 430 mm.
5. This suspension may be seen occasionally in the underslung format with packers installed on the top of all hangers. Nominal ride height in the underslung format would be 200 mm.
6. Cast seat (Item 34) not available. Can use fabricated Transpro seat P/N T03-7334.
7. A Lusty Allison suspension similar to the above may also be encountered. These suspensions are easily identified by the 100 mm wide spring packs.

For further information contact your nearest authorised PACCAR Parts dealer.

MECHANICAL SUSPENSIONS
GENERAL PURPOSE SUSPENSIONS


GENERAL PURPOSE (GP) SUSPENSIONS OVERSLUNG

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	PART NO. STRAIGHT TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
20	1925	1925	Torque Rod Screw	10¼" Long x 1½" Diameter	
21	1927	1927	Torque Rod Screw	13¾" Long x 1½" Diameter	
22	KH600006/415	KH600006/415	Torque Rod Screw	16½" Long x 1½" Diameter	See Section 23 For Torque Rods and Components
23	T03-0506	T03-0506	Torque Rod End Clamp Bolt	1¾" Long x ½" Diameter	
24	K169-143080CA	K169-143080CA	Torque Rod End Clamp Bolt Lock Nut	Also Used For Item 28 Equaliser Roller Bolt Lock Nut ½" UNF	
25	T03-1101	T03-1101	Equaliser Bush		See Section 24 For Equalisers and Components
	T03-1101-M	T03-1101-M		"M" Indicates USA Mullins Bush	
	T03-1101-P	T03-1101-P		"P" Indicates Red Polypropylene Bush	
	T03-1101SP	T03-1101SP		"SP" Indicates Split Red Polypropylene Bush	
26	T03-1201AU	T03-1201AU	Equaliser Pin		
	T03-1201HD	T03-1201HD	Equaliser Pin	T03-1201HD For Both Applications Is Supplied Complete With T03-5505 Nut And T03-1223 Washer "HD" Indicates Heavy Duty Option	
	T03-1223	T03-1223	Equaliser Pin Washer		
	T03-5505	T03-5505	Equaliser Pin Nyloc Nut	1" UNF	
27	T03-0505	T03-0505	Equaliser Roller Bolt	5½" Long x ½" Diameter	
28	K169-143-080CA	K169-143-080CA	Equaliser Roller Bolt Lock Nut	Also Used For Item 24 Torque Rod End Clamp Bolt Lock Nut ½" UNF	
29	KH690007	KH690007	Equaliser	8' 1" Spread	
30	KH690020	KH690020	Equaliser	9' 1" Spread	
31	KH690010	KH690010	Equaliser	10' 1" Spread	
32	KH690027	NLA	Axle Seat	25 mm High - 5" Round Axle	
33	KH690025	NLA	Axle Seat	75 mm High - 5" Round Axle	
34	T03-7338	Note 6	Axle Seat	25 mm High - 120 mm Square Axle	
35	KH600014	KH600014	Spring Top Plate		
36	T03-UBB-125AU	T03-UBB-125AU	U-Bolt	T03-UBB-125AU Suitable For 8 Leaf Springs And Low Axle Seat 12½" Long x 5" Wide x ⅞" UNF	See Section 22 For U-Bolts
37	T03-8052	T03-8052	U-Bolt Washer	⅞" Diameter	
38	T03-8051	T03-8051	U-Bolt Deep Nut	⅞" UNF	
39	T03-7410AU	T03-7410AU	8 Leaf Spring - End Pack		See Section 21 For Springs and Components
39A	T03-7411AU	T03-7411AU	8 Leaf Spring - Centre Pack		
39B	T03-7415AU	T03-7415AU	9 Leaf Spring - End Pack	Heavy Duty Option	
39C	T03-7418AU	T03-7418AU	9 Leaf Spring - Centre Pack	Heavy Duty Option	


NLA - NO LONGER AVAILABLE | N/A NOT APPLICABLE

MECHANICAL SUSPENSIONS
GENERAL PURPOSE SUSPENSIONS


TRI-AXLE 8' 1" AXLE SPREAD




TRI-AXLE 9' 1" AXLE SPREAD



TRI-AXLE 10' 1" AXLE SPREAD





Notes

1. Centre equaliser hangers on 9' 1" and 10' 1" are the same.
2. Configurations also available in single axle and tandem 4' ½", 4' 6½", and 5' ½" axle spacing.
3. Various spring leaf combinations are available - 3, 8, 9, 10 leaf.
4. Standard ride height would be 200 mm.

For further information contact your nearest authorised PACCAR Parts dealer.

MECHANICAL SUSPENSIONS
GENERAL PURPOSE SUSPENSIONS


GENERAL PURPOSE (GP) SUSPENSIONS UNDERSLUNG

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	PART NO. STRAIGHT TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
1	KH690037	N/A	Front Hanger		
2	KH690036	N/A	Equaliser Hanger 2.4 m	T03-1189 For Tapered Bush Applications NLA	
3	KH690089	N/A	Equaliser Hanger 2.7 m - 3.1 m	T03-1186 For Tapered Bush Applications NLA	
4	KH690037	KH690037	Rear Hanger		
5	T03-1301-M	T03-1308-M	Torque Rod Bush	T03-1301 For Tapered Bush Applications Superseded By T03-1301-M T03-1308 For Straight Bush Applications Superseded By T03-1308-M "M" Indicates USA Mullins Bush	See Section 23 For Torque Rods and Components
	T03-1301-P	T03-1308-P		"P" Indicates Red Polypropylene Bush	
	T03-1301SP	T03-1308-PST		"SP" Indicates Split Red Polypropylene Bush "PST" Indicates Polypropylene Bush With Steel Sleeve	
6	T03-1401HD	K041-701-550	Torque Rod Bolt - Heavy Duty	T03-1401HD For Tapered Bush Applications Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter K041-701-550 5½" Long x ⅞" Diameter	See Section 24 For Equalisers and Components
7	T03-1452	T03-8052	Torque Rod Bolt Washer	T03-1452 1¼" Diameter T03-8052 ⅞" Diameter	
8	T03-5505	K169-143-144CA	Torque Rod Bolt Nyloc Nut	T03-5505 1¼" Diameter K169-143-144CA ⅞" Diameter	
9	KH600003/380	See Item 10	Torque Rod - Front -Rigid	380 mm Centre To Centre	See Section 23 For Torque Rods and Components
10	See Items 17, 18 & 19	See Item 19	Torque Rod - Front - Adjustable	T03-1353 Left Hand Torque Rod End For Straight Bush Applications NLA T03-1354 Right Hand Torque Rod End For Straight Bush Applications NLA 380 mm Centre To Centre	
11	KH600003/470	See Item 20	Torque Rod - Rear - Rigid	T03-1353 Left Hand Torque Rod End For Straight Bush Applications NLA T03-1354 Right Hand Torque Rod End For Straight Bush Applications NLA 8' 1" Spread - 470 mm Centre To Centre	
12	See Items 17, 18 & 20	See Item 20	Torque Rod - Rear - Adjustable	T03-1353 Left Hand Torque Rod End For Straight Bush Applications NLA T03-1354 Right Hand Torque Rod End For Straight Bush Applications NLA 8' 1" Spread - 470 mm Centre To Centre	
13	See Item 14	See Item 19	Torque Rod - Rear - Rigid	T03-1371 For Tapered Bush Applications NLA T03-1352 For Straight Bush Applications NLA 9' 1" Spread - 395 mm Centre To Centre	
14	See Items 17, 18 & 19	See Item 19	Torque Rod - Rear - Adjustable	T03-1353 Left Hand Torque Rod End For Straight Bush Applications NLA T03-1354 Right Hand Torque Rod End For Straight Bush Applications NLA 9' 1" spread - 395 mm Centre To Centre	


NLA - NO LONGER AVAILABLE | N/A NOT APPLICABLE

MECHANICAL SUSPENSIONS
GENERAL PURPOSE SUSPENSIONS


TRI-AXLE 8' 1" AXLE SPREAD




TRI-AXLE 9' 1" AXLE SPREAD



TRI-AXLE 10' 1" AXLE SPREAD





Notes

1. Centre equaliser hangers on 9′ 1″ and 10′ 1″ are the same.
2. Configurations also available in single axle and tandem 4′ ½″, 4′ 6½″, and 5′ ½″ axle spacing.
3. Various spring leaf combinations are available - 3, 8, 9, 10 leaf.
4. Standard ride height would be 200 mm.

For further information contact your nearest authorised PACCAR Parts dealer.

MECHANICAL SUSPENSIONS
GENERAL PURPOSE SUSPENSIONS


GENERAL PURPOSE (GP) SUSPENSIONS UNDERSLUNG

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	PART NO. STRAIGHT TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
15	KH600003/470	See Item 20	Torque Rod - Rear - Rigid	T03-1353 Left Hand Torque Rod End For Straight Bush Applications NLA T03-1354 Right Hand Torque Rod End For Straight Bush Applications NLA 10′ 1″ Spread - 470 mm Centre To Centre	
16	See Items 17, 18 & 20	See Item 20	Torque Rod - Rear - Adjustable	T03-1353 Left Hand Torque Rod End For Straight Bush Applications NLA T03-1354 Right Hand Torque Rod End For Straight Bush Applications NLA 10′ 1″ Spread - 470 mm Centre To Centre	
17	FW68-0502L	N/A	Torque Rod End	Left Hand	
17A	N/A	NLA	Torque Rod End	T03-1353 For Straight Bush Applications NLA Left Hand	See Section 23 For Torque Rods and Components
18	FW68-0502R	N/A	Torque Rod End	Right Hand	
18A	N/A	NLA	Torque Rod End	T03-1354 For Straight Bush Applications NLA Right Hand	
19	1925	1925	Torque Rod Screw	10¼″ Long x 1½″ Diameter	
20	1927	1927	Torque Rod Screw	13¾″ Long x 1½″ Diameter	
21	T03-0506	T03-0506	Torque Rod End Clamp Bolt	1¾″ Long x ½″ Diameter	
22	K169-143-080CA	K169-143-080CA	Torque Rod End Clamp Bolt Lock Nut	Also Used For Item 26 Equaliser Roller Bolt Lock Nut ½″ UNF	
23	T03-1101	T03-1101	Equaliser Bush		
	T03-1101-M	T03-1101-M		"M" Indicates USA Mullins Bush	
	T03-1101-P	T03-1101-P		"P" Indicates Red Polypropylene Bush	
	T03-1101SP	T03-1101SP		"SP" Indicates Split Red Polypropylene Bush	
24	T03-1201HD	T03-1201HD	Equaliser Pin - Heavy Duty	T03-1201HD For Both Applications Is Supplied Complete With T03-5505 Nut And T03-1223 Washer″	See Section 24 For Equalisers and Components
	T03-1223	T03-1223	Equaliser Pin Washer		
	T03-5505	T03-5505	Equaliser Pin UNF Nyloc Nut	1″ UNF	
25	T03-0505	T03-0505	Equaliser Roller Bolt	5½″ Long x ½″ Diameter	
26	K169-143-080CA	K169-143-080CA	Equaliser Roller Bolt Lock Nut	Also Used For Item 22 Torque Rod End Clamp Bolt Lock Nut ½″ UNF	
27	KH690007	KH690007	Equaliser	8′ 1″ Spread	
28	KH690020	KH690020	Equaliser	9′ 1″ Spread	
29	KH690010	KH690010	Equaliser	10′ 1″ Spread	
30	KH690027	NLA	Axle Seat	T03-7301 For Straight Bush Applications Is NLA KH690027 Also Used On K-Hitch Underslung Suspensions 25 mm High - 5″ Round Axle	


NLA - NO LONGER AVAILABLE | N/A NOT APPLICABLE

MECHANICAL SUSPENSIONS
GENERAL PURPOSE SUSPENSIONS


TRI-AXLE 8' 1" AXLE SPREAD



TRI-AXLE 9' 1" AXLE SPREAD



TRI-AXLE 10' 1" AXLE SPREAD



Notes

1. Centre equaliser hangers on 9′ 1″ and 10′ 1″ are the same.
2. Configurations also available in single axle and tandem 4′ ½″, 4′ 6½″, and 5′ ½″ axle spacing.
3. Various spring leaf combinations are available - 3, 8, 9, 10 leaf.
4. Standard ride height would be 200 mm.


For further information contact your nearest authorised PACCAR Parts dealer.

MECHANICAL SUSPENSIONS
GENERAL PURPOSE SUSPENSIONS

GENERAL PURPOSE (GP) SUSPENSIONS UNDERSLUNG					
ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	PART NO. STRAIGHT TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
31	KH690038	KH690038	Spring Bottom Plate - Saddle Type		
32	KH600014	KH600014	Spring Bottom/ Top Plate		
33	T03-UBB-125AU	T03-UBB-125AU	U-Bolt	T03-UBB-125AU Suitable For 8 Leaf Springs And Low Axle Seat 12½" Long x 5" Wide x ⅞" UNF	See Section 22 For U-Bolts
34	T03-8052	T03-8052	U-Bolt Washer	⅞" Diameter	
35	T03-8051	T03-8051	U-Bolt Deep Nut	⅞" UNF	
36	T03-7410AU	T03-7410AU	8 Leaf Spring - End Pack		See Section 21 For Springs and Components
36A	T03-7411AU	T03-7411AU	8 Leaf Spring - Centre Pack		
36B	T03-7415AU	T03-7415AU	9 Leaf Spring - End Pack		
36C	T03-7418AU	T03-7418AU	9 Leaf Spring - Centre Pack		

NLA - NO LONGER AVAILABLE | N/A NOT APPLICABLE

MECHANICAL SUSPENSIONS
FRUEHAUF 'F' TYPE SUSPENSIONS



Notes

1. Genuine Fruehauf U-Bolts are coarse thread. The replacement U-Bolts listed are fine thread (UNF).
2. General purpose cast suspension torque rods, using tapered bushes, may be adapted for use in this application. (Part Number 1925 - 10⅝"; Part Number 1927 - 13½")

For further information contact your nearest authorised PACCAR Parts dealer.


MECHANICAL SUSPENSIONS
FRUEHAUF 'F' TYPE SUSPENSIONS

OVERSLUNG FABRICATED SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
1	NLA	Front Hanger - Fabricated	T03 3340 NLA	
2	NLA	Equaliser Hanger - Fabricated	T03-3341 NLA	
3	NLA	Rear Hanger - Fabricated	T03-3342 NLA	
4	T03-1301-M	Torque Rod Bush	T03-1301 Superseded By T03-1301-M "M" Indicates USA Mullins Bush	See Section 23 For Torque Rods and Components
	T03-1301-P		"P" Indicates Red Polypropylene Bush	
	T03-1301SP		"SP" Indicates Split Red Polypropylene Bush	
5	T03-1401HD	Torque Rod Bolt - Heavy Duty	T03-1401HD Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter	See Section 24 For Equalisers and Components
	T03-1452	Torque Rod Bolt Washer	T03-1452 1¼" Diameter	
	T03-5505	Torque Rod Bolt Nyloc Nut	T03-5505 1¼" Diameter	
6	NLA	Torque Rod - Front/Rear - Rigid	T03-1321 NLA 8' 1" Spread - 395 mm Centre To Centre	See Section 23 For Torque Rods and Components
7	NLA	Torque Rod - Front/Rear - Adjustable	Left Hand Torque Rod End T03-1361 NLA Right Hand Torque Rod End T03-1362 NLA Torque Rod Screw T03-1363 NLA 8' 1" Spread - 395 mm Centre To Centre	
8	NLA	Torque Rod - Rear - Rigid	T03-1322 NLA 9' 1" Spread - 470 mm Centre To Centre	
9	NLA	Torque Rod - Rear - Adjustable	Left Hand Torque Rod End T03-1361 NLA Right Hand Torque Rod End T03-1362 NLA Torque Rod Screw T03-1364 NLA9' 1" Spread - 470 mm Centre To Centre	
10	NLA	Torque Rod - Rear - Rigid	T03-1323 NLA 10' 1" Spread - 545 mm Centre To Centre	
11	NLA	Torque Rod - Rear - Adjustable	Left Hand Torque Rod End T03-1361 NLA Right Hand Torque Rod End T03-1362 NLA Torque Rod Screw T03-1365 NLA 10' 1" Spread - 545 mm Centre To Centre	
12	NLA	Torque Rod End	T03-1361 NLA Left Hand	
13	NLA	Torque Rod End	T03-1362 NLA Right Hand	
14	NLA	Torque Rod Screw	Adapt From General Purpose Cast Suspension Torque Rod 1925 10⅝" Long x 1⅜" Diameter See Note 2	
15	NLA	Torque Rod Screw	Adapt From General Purpose Cast Suspension Torque Rod 1927 13½" Long x 1⅜" Diameter See Note 2"	
16	NLA	Torque Rod Screw	T03-1365 NLA 6⅜" Long x 1⅜" Diameter	

NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
FRUEHAUF 'F' TYPE SUSPENSIONS



Notes

1. Genuine Fruehauf U-Bolts are coarse thread. The replacement U-Bolts listed are fine thread (UNF).
2. General purpose cast suspension torque rods, using tapered bushes, may be adapted for use in this application. (Part Number 1925 - 10⅝"; Part Number 1927 - 13½")

For further information contact your nearest authorised PACCAR Parts dealer.


MECHANICAL SUSPENSIONS
FRUEHAUF 'F' TYPE SUSPENSIONS

OVERSLUNG FABRICATED SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
17	T03-1101	Equaliser Bush	T03-1101-M Is An Optional Alternative To T03-1101, T03-1101-P And T03-1101SP "M" Indicates USA Mullins Bush	See Section 24 For Equalisers and Components
	T03-1101-P		"P" Indicates Red Polypropylene Bush	
	T03-1101SP		"SP" Indicates Split Red Polypropylene Bush	
18	T03-1201AU	Equaliser Pin	T03-1201AU Is Supplied Complete With T03-5505 Nut And T03-1223 Washer	
	T03-1201HD	Equaliser Pin - Heavy Duty	T03-1201HD Is Supplied Complete With T03-5505 Nut And T03-1223 Washer	
	T03-1223	Equaliser Pin Washer		
	T03-5505	Equaliser Pin UNF Nyloc Nut	1" UNF	
19	NLA	Equaliser - Cast	T03-1165 NLA 8' 1" Spread	
19A	NLA	Equaliser - Cast	T03-1165A NLA 8' 1" Spread - Aftermarket	
20	NLA	Equaliser - Cast	T03-1192 NLA 9' 1" Spread	
21	NLA	Equaliser - Cast	T03-1167 NLA 10' 1" Spread	
22	NLA	Spring Seat - Round Axle	T03-7336 NLA	
23	NLA	Spring Top Plate	T03-8015 NLA	
24	NLA	Torque Rod Mount - Round Axle	T03-7337 NLA	
24A	T03-7338	Torque Rod Mount - Square Axle		
25	T03-UBB-125AU	U-Bolt	T03-UBB-125 Superseded By T03-UBB-125AU T03-UBB-125AU (Note 1) 12½" Long x 5" Wide x ⅞" UNF	See Section 22 For U-Bolts
26	T03-8052	U-Bolt Washer	⅞" Diameter	
27	T03-8051	U-Bolt Deep Nut	⅞" UNF	
28	T03-7401AU	13 Leaf Springs	T03-7401 Superseded By T03-7401AU	See Section 21 For Springs and Components

NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
FREIGHTER TAA49 SUSPENSIONS



Notes

1. Item 18, Tube Spacers, may be cut from suitable pipe.
2. Suspension may also be found as a variation model TAA39. TAA39 suspension uses straight bushes, part number SP1302AU, in the torque rod ends.

For further information contact your nearest authorised PACCAR Parts dealer.

Cummins Meritor


MECHANICAL SUSPENSIONS
FREIGHTER TAA49 SUSPENSIONS

OVERSLUNG FABRICATED SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
1	NLA	Front Hanger	T03-3301 NLA	
2	NLA	Equaliser Hanger	TAA49 Equaliser Hanger Is NLA	
3	NLA	Rear Hanger	T03-3303 NLA	
4	T03-1301-M	Torque Rod Bush	"M" Indicates USA Mullins Bush	See Section 23 For Torque Rods and Components
	T03-1301-P		"P" Indicates Red Polypropylene Bush	
	T03-1301SP		"SP" Indicates Split Red Polypropylene Bush	
5	T03-1401AU	Torque Rod Bolt	T03-1401AU Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter	See Section 24 For Equalisers and Components
	T03-1401HD	Torque Rod Bolt - Heavy Duty	T03-1401HD Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter	
	T03-1452	Torque Rod Bolt Washer	T03-1452 1¼" Diameter T03-8052 ⅞" Diameter	
	T03-5505	Torque Rod Bolt UNF Nyloc Nut	T03-5505 1" UNF K169-143-144CA ⅞" UNF	
6	NLA	Torque Rod - Rigid	T03-1341 NLA 432 mm Centre To Centre	See Section 23 For Torque Rods and Components
7	NLA	Torque Rod - Front - Adjustable	T03-1415 Left Hand Torque Rod End NLA T03-1416 Right Hand Torque Rod End NLA T03-1346 Torque Rod Screw NLA 432 mm Centre To Centre	
8	NLA	Torque Rod End	T03-1415 NLA Left Hand	
9	NLA	Torque Rod End	T03-11416 NLA Right Hand	
10	NLA	Torque Rod Screw	T03-1346 NLA	
11	WT1103	Equaliser Bush		See Section 24 For Equalisers and Components
12	T03-1206	Equaliser Pin		
13	NLA	Equaliser Pin Washer	T03-1228 Is NLA	
14	T03-1205	Equaliser Pin Nut	⅝"-18 Thread	
15	T03-1152	Equaliser		
16	K041-578-550	Equaliser Roller Bolt	⅝" UNF	
17	K169-143-108CA	Equaliser Roller Bolt Nut	NYLOC Nut, Grade 8, ⅝" UNF	
18	N/A	Tube Spacer	Tube Spacers may be cut from suitable pipe. (Note 1)	
19	T03-7307	Axle Seat	50 mm High - 5" Round Axle	
20	NLA	Spring Top Plate	T03-8005 NLA	
21	NLA	Axle Bottom Plate	T03-7314 NLA	

NLA - NO LONGER AVAILABLE | N/A NOT APPLICABLE

MECHANICAL SUSPENSIONS
FREIGHTER TAA49 SUSPENSIONS



Notes

1. Item 18, Tube Spacers, may be cut from suitable pipe.
2. Suspension may also be found as a variation model TAA39. TAA39 suspension uses straight bushes, part number SP1302AU, in the torque rod ends.

For further information contact your nearest authorised PACCAR Parts dealer.


Cummins Meritor

MECHANICAL SUSPENSIONS
FREIGHTER TAA49 SUSPENSIONS

OVERSLUNG FABRICATED SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
22	NLA	U-Bolt	T03-UBD-135 NLA 13½" Long x 3½" Wide x ⅞" UNF	See Section 22 For U-Bolts
22A	T03-UBD-145AU	U-Bolt	14½" Long x 3½" Wide x ⅞" UNF	
23	T03-8052	U-Bolt Washer		
24	T03-8051	U-Bolt Deep Nut	⅞" UNF	
25	T03-7438AU	9 Leaf Spring		See Section 21 For Springs and Components
	T03-7438HDAU	10 Leaf Spring		

MECHANICAL SUSPENSIONS
FREIGHTER VA35 SUSPENSIONS



FREIGHTER VA35 CONVERSION PARTS LIST

Notes

1. Hangers listed (Front, centre and rear) are total assemblies comprising both left and right units.

For further information contact your nearest authorised PACCAR Parts dealer.


MECHANICAL SUSPENSIONS
FREIGHTER VA35 SUSPENSIONS

OVERSLUNG FABRICATED SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
1	NLA	Front Hanger	T03-3337 NLA	
2	T03-3338	Equaliser Hanger	See Note 1	
3	NLA	Rear Hanger	T03-3339 NLA	
4	NLA	Spring Slipper	T03-1471 NLA	
5	NLA	Torque Rod Inner Bush	T03-1304 NLA	See Section 23 For Torque Rods and Components
6	NLA	Torque Rod Outer Bush	T03-1305 NLA	
7	T03-1306	Torque Rod Bush Flanged Spacer		
8	T03-1313	Torque Rod Bush		
9	NLA	Torque Rod Bolt	T03-1402 NLA	See Section 24 For Equalisers and Components
9A	K169-143-164CA	Nut - Torque Rod Bolt		
10	T03-1452	Washer - Torque Rod Bolt		
11	NLA	Torque Rod - Rigid	T03-1390 NLA 492 mm Centre To Centre	See Section 23 For Torque Rods and Components
12	NLA	Torque Rod - Adjustable	Left Hand Torque Rod End T03-1368 NLA, Right Hand Torque Rod End T03-1383 NLA Torque Rod Screw T03-1358 NLA 492 mm Centre To Centre	
13	NLA	Torque Rod End	T03-1368 NLA Left Hand	
14	NLA	Torque Rod End	T03-1383 NLA Right Hand	
15	NLA	Torque Rod Screw	T03-1358 NLA Torque Rod Screw	
16	T03-1120	Equaliser Inner Bush	Inner ½	**For Conversion To Polyurethane Bushes Use:** T03-1107 In Place Of T03-1120
17	T03-1105	Equaliser Outer Bush	Outer ½	T03-1106 In Place Of T03-1105 and T03-1121
18	NLA	Equaliser Bush Flanged Spacer	T03-1121 NLA	
19	T03-1225	Equaliser Pin		T03-1201HD In Place Of T03-1225, T03-1226 & T03-1227 T03-1401HD Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter
20	NLA	Equaliser Pin Nut	T03-1226 NLA	
21	NLA	Equaliser Pin Washer - Cast	T03-1227 NLA	
22	NLA	Equaliser - Cast - 9' 1"	T03-1153 NLA	
22A	NLA	Equaliser - Fabricated - 10' 1"	T03-1154 NLA	
23	NLA	Spring Saddle - Round Axle	T03-7313 NLA	
24	NLA	Torque Rod Bracket - Round Axle	T03-7312 NLA	
25	NLA	Spring Top Plate	T03-8002 NLA	

NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
FREIGHTER VA35 SUSPENSIONS



FREIGHTER VA35 CONVERSION PARTS LIST

Notes

1. Hangers listed (Front, centre and rear) are total assemblies comprising both left and right units.

For further information contact your nearest authorised PACCAR Parts dealer.


MECHANICAL SUSPENSIONS
FREIGHTER VA35 SUSPENSIONS

OVERSLUNG FABRICATED SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
26	NLA	U-Bolt	T03-UBF-125 NLA 12½" Long x 5" Wide x ¾" UNF	See Section 22 For U-Bolts
24A	NLA	U-Bolt	T03-UBF-135 NLA 13½" Long x 5" Wide x ¾" UNF	
27	48248	U-Bolt Washer	HW48248AUS Superseded By 48248 ¼" Diameter	
28	T03-8020	U-Bolt Deep Nut	¾" UNF	
29	T03-7438AU	9 Leaf Spring		See Section 21 For Springs and Components
	T03-7438HDAU	10 Leaf Spring		
30	T03-1106	Outer Bush	Polyurethane	See Section 24 For Equalisers and Components
31	T03-1107	Inner Bush	Polyurethane	
32	T03-1201AU	Equaliser Pin	T03-1201AU Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter	
	T03-1201HD	Equaliser Pin	T03-1201HD Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter	

NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
FREIGHTER VE50 SUSPENSIONS



Notes

1. Configurations also available in single axle and tandem 4′ ½″, 4′ 6½″ and 5′ ½″ axle spacing.
2. Various spring leaf combinations are available - 3, 9 and 10 leaf.
3. This suspension may be seen in the underslung format with packers installed on the top of all hangers.

For further information contact your nearest authorised PACCAR Parts dealer.

Cummins Meritor


MECHANICAL SUSPENSIONS
FREIGHTER VE50 SUSPENSIONS

OVERSLUNG CAST SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
1	NLA	Front Hanger	T03-3301 NLA	
2	NLA	Equaliser Hanger	T03-3302 NLA	
3	NLA	Rear Hanger	T03-3303 NLA	
4	T03-1301-M	Equaliser Bush	T03-1301 Superseded By T03-1301-M "M" Indicates USA Mullins Bush	
	T03-1301-P		"P" Indicates Red Polypropylene Bush	
	T03-1301SP		"SP" Indicates Split Red Polypropylene Bush	
5	T03-1401AU	Torque Rod Bolt	T03-1401AU Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter	See Section 24 For Equalisers and Components
	T03-1401HD	Torque Rod Bolt - Heavy Duty	T03-1401HD Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter	
6	T03-1452	Torque Rod Bolt Washer	1¼" Diameter	
7	T03-5505	Torque Rod Bolt Nyloc Nut	1¼" Diameter	
8	NLA	Torque Rod - Rigid	432 mm Centre To Centre T03-1341 NLA	
9	NLA	Torque Rod - Front - Adjustable	Left Hand Torque Rod End T03-1415 NLA, Right Hand Torque Rod End T03-1416 NLA Torque Rod Screw T03-1346 NLA 432 mm Centre To Centre	
10	NLA	Torque Rod - Rear - Rigid	T03-1341 NLA 8' 1" Spread - 432 mm Centre To Centre	
11	NLA	Torque Rod - Rear - Adjustable	Left Hand Torque Rod End T03-1415 NLA, Right Hand Torque Rod End T03-1416 NLA Torque Rod Screw T03-1346 NLA 8' 1" Spread - 432 mm Centre To Centre	
12	NLA	Torque Rod - Rear - Rigid	T03-1342 NLA 9' 1" Spread - 505 mm Centre To Centre	
13	NLA	Torque Rod - Rear - Adjustable	Left Hand Torque Rod End T03-1415 NLA, Right Hand Torque Rod End T03-1416 NLA Torque Rod Screw T03-1347 NLA 9' 1" Spread - 505 mm Centre To Centre	See Section 23 For Torque Rods and Components
14	NLA	Torque Rod - Rear - Rigid	T03-1343 NLA 10' 1" Spread - 600 mm Centre To Centre	
15	NLA	Torque Rod - Rear - Adjustable	Left Hand Torque Rod End T03-1415 NLA, Right Hand Torque Rod End T03-1416 NLA Torque Rod Screw T03-1348 NLA 10' 1" Spread - 600 mm Centre To Centre	
16	NLA	Torque Rod End	T03-1415 NLA Left Hand	
17	NLA	Torque Rod End	T03-1416 NLA Right Hand	
18	NLA	Torque Rod Screw	T03-1346 NLA 12" Long x 1⅜" Diameter	
19	NLA	Torque Rod Screw	T03-1347 NLA 14¾" Long x 1⅜" Diameter	
20	NLA	Torque Rod Screw	T03-1348 NLA 18½" Long x 1⅜" Diameter	

NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
FREIGHTER VE50 SUSPENSIONS



Notes

1. Configurations also available in single axle and tandem 4′ ½″, 4′ 6½″ and 5′ ½″ axle spacing.
2. Various spring leaf combinations are available - 3, 9 and 10 leaf.
3. This suspension may be seen in the underslung format with packers installed on the top of all hangers.

For further information contact your nearest authorised PACCAR Parts dealer.


MECHANICAL SUSPENSIONS
FREIGHTER VE50 SUSPENSIONS

OVERSLUNG CAST SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
21	K041-578-300	Torque Rod End Clamp Bolt	⅝" UNF	See Section 23 For Torque Rods and Components
22	K169-143-108CA	Torque Rod End Clamp Bolt Nut	52N1610-1018 Superseded By K169-143-108CA NYLOC Nut, Grade 8, ⅝" UNF Also Used For Item 26 Equaliser Roller Bolt Nut	
23	T03-1101	Equaliser Bush		See Section 24 For Equalisers and Components
	T03-1101-M		"M" Indicates USA Mullins Bush	
	T03-1101-P		"P" Indicates Red Polypropylene Bush	
	T03-1101SP		"SP" Indicates Split Red Polypropylene Bush	
24	T03-1201AU	Equaliser Pin	T03-1201AU Is Supplied Complete With T03-5505 Nut And T03-1223 Washer T03-1201HD 11½" Long x 2" Diameter 1" UNF Thread	
	T03-1201HD	Equaliser Pin	T03-1201HD Is Supplied Complete With T03-5505 Nut And T03-1223 Washer T03-1201HD 11½" Long x 2" Diameter 1" UNF Thread	
	T03-1223	Equaliser Pin Washer	Internal Diameter 1 1/32"	
	T03-5505	Equaliser Pin Nut	1" UNF	
25	K041-578-550	Equaliser Roller Bolt	⅝" UNF	
26	K169-143-108CA	Equaliser Roller Bolt Nut	52N1610-1018 Superseded By K169-143-108CA NYLOC Nut, Grade 8, ⅝" UNF Also Used For Item 22 Torque Rod End Clamp Bolt Nut	
27	NLA	Equaliser - Cast	T03-1150 NLA 8' 1" Spread (Freighter Part Number 237-00446)	
28	NLA	Equaliser - Cast	T03-1156 NLA 9' 1" Spread (Freighter Part Number 237-00437)	
29	NLA	Equaliser - Cast	T03-1157 NLA 10' 1" Spread (Freighter Part Number 237-00453)	
30	T03-7307	Axle Seat		
31	NLA	Spring Top Plate	T03-8002 NLA	
32	T03-UBF-135AU	U-Bolt	13½" Long x 5" Wide x ¾" UNF	See Section 22 For U-Bolts
32A	T03-UBF-145AU	U-Bolt	14½" Long x 5" Wide x ¾" UNF	
33	HW48248AUS	U-Bolt Washer	Flat Washer ¾" x 1 1 5/32" x ⅛"	
34	T03-8020	U-Bolt Deep Nut	¾" UNF	
35	T03-7438AU	9 Leaf Spring		See Section 21 For Springs and Components
	T03-7438HDAU	10 Leaf Spring		

NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
REYCO 21B OVERSLUNG SUSPENSIONS



Notes

1. All centre hangers are the same.
2. Configurations available in single axle, tandem and tri axle in all axle spreads.
3. Various spring leaf combinations are available - 3, 8, 9 and 10 leaf.
4. Ride heights available are approximately 370 mm, 400 mm and 425 mm
5. Early 21B front and rear hanger were left and right handed.


For further information contact your nearest authorised PACCAR Parts dealer.

MECHANICAL SUSPENSIONS
REYCO 21B OVERSLUNG SUSPENSIONS

OVERSLUNG CAST SUSPENSION				
ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
1	NLA	Front Hanger	T03-3306 NLA	
2	T03-3307	Front Hanger - Draw Bar		
3	T03-3308	Equaliser Hanger	8′ 1″, 9′ 1″ And 10′ 1″ Spread See Note 1	
4	T03-3309	Rear Hanger	See Note 5	
5	T03-1315	Torque Rod Bush		See Section 23 For Torque Rods and Components
6	E-1166	Torque Rod Bolt	T03-1404 Superseded By E-1166 7″ Long x 1″ Diameter	See Section 24 For Equalisers and Components
7	T03-1329	Torque Rod Bolt Washer	2¾″ X 11/16″ X 3/16″	
8	T03-1405	Torque Rod Bolt Nut		
9	T03-1366	Torque Rod - Front -Rigid	413 mm Centre To Centre	See Section 23 For Torque Rods and Components
10	ITEMS 17, 18, 19	Torque Rod - Front - Adjustable	413 mm Centre To Centre	
11	T03-1331	Torque Rod - Rear - Rigid	8′ 1″ Spread - 479 mm Centre To Centre	
12	ITEMS 17, 18, 20	Torque Rod - Rear - Adjustable	8′ 1″ Spread - 479 mm Centre To Centre	
13	T03-1332	Torque Rod - Rear - Rigid	9′ 1″ Spread - 548 mm Centre To Centre	
14	ITEMS 17, 18, 21	Torque Rod - Rear - Adjustable	9′ 1″ Spread - 548 mm Centre To Centre	
15	T03-1333	Torque Rod - Rear - Rigid	10′ 1″ Spread - 635 mm Centre To Centre	
16	ITEMS 17, 18, 22	Torque Rod - Rear - Adjustable	10′ 1″ Spread - 635 mm Centre To Centre	
17	T03-1334	Torque Rod End	Left Hand	
18	T03-1335	Torque Rod End	Right Hand	
19	T03-1336	Torque Rod Screw	Length 11¾″ x 1½″ Diameter	
20	T03-1337	Torque Rod Screw	Length 13¾″ x 1½″ Diameter	
21	T03-1338	Torque Rod Screw	Length 18½″ x 1½″ Diameter	
22	T03-1339	Torque Rod Screw	Length 20½″ x 1½″ Diameter	
23	K041-578-300	Torque Rod End Clamp Bolt	Length 3″ Grade 8, ⅝″ UNF	
24	K169-143-108CA	Torque Rod End Clamp Bolt Nut	NYLOC Nut, Grade 8, ⅝″ UNF	

NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
REYCO 21B OVERSLUNG SUSPENSIONS



Notes

1. All centre hangers are the same.
2. Configurations available in single axle, tandem and tri axle in all axle spreads.
3. Various spring leaf combinations are available - 3, 8, 9 and 10 leaf.
4. Ride heights available are approximately 370 mm, 400 mm and 425 mm
5. Early 21B front and rear hanger were left and right handed.

For further information contact your nearest authorised PACCAR Parts dealer.

MECHANICAL SUSPENSIONS
REYCO 21B OVERSLUNG SUSPENSIONS

OVERSLUNG CAST SUSPENSION				
ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
25	NLA	Equaliser Bush	T03-1130 NLA	See Section 24 For Equalisers and Components
26	NLA	Equaliser Pin Equaliser Pin Washer Equaliser Pin Nut	T03-1130 NLA	
27	T03-1203	Equaliser Roller		
28	T03-0505	Equaliser Roller Bolt	1¼" Diameter	
29	K169-143-080CA	Equaliser Roller Bolt Lock Nut	Lock Nut ½" UNF	
30	T03-1196	Equaliser	8' 1" Spread	
31	NLA	Equaliser	9' 1"" Spread T03-1197 NLA	
32	T03-1198	Equaliser	10' 1" Spread	
33	T03-7315	Axle Seat	20 mm High - 5" Round axle	
34	T03-7316	Axle Seat	50 mm High - 5" Round axle	
35	T03-7317	Axle Seat	75 mm High - 5" Round axle	
36	T03-8003	Spring Top Plate		
37	T03-UBB-125AU	U-Bolt	T03-UBB-125AU Suitable For 8 Leaf Springs And Low Axle Seat 12½" Long x 5" Wide x ⅞" UNF	See Section 22 For U-Bolts
38	T03-8052	U-Bolt Washer	⅞" Diameter	
39	T03-8051	U-Bolt Deep Nut	⅞" UNF	
40	T03-7458	8 Leaf Spring	See Note 3	See Section 21 For Springs and Components

Notes


1. All centre hangers are the same.
2. Configurations available in single axle, tandem and tri axle in all axle spreads.
3. Various spring leaf combinations are available - 3, 8, 9 and 10 leaf.
4. Ride heights available are approximately 370 mm, 400 mm and 425 mm
5. Early 21B front and rear hanger were left and right handed.

For further information contact your nearest authorised PACCAR Parts dealer.


NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
REYCO 21B UNDERSLUNG SUSPENSIONS

TANDEM AXLE 4' 6" AXLE SPREAD



TANDEM AXLE 5' 1" AXLE SPREAD



Notes

1. 4′ 6″ and 5′ 1″ tandem suspensions shown. Also available in single and tri axle configurations.
2. A small number of tandem 5′ 0″ and tri-axle 10′ 1″ spread may be encountered.
3. Various spring leaf combinations are available - 3, 8, 9 and 10 leaf.
4. Standard ride height is 200 mm.
5. Early 21B underslung suspensions used the overslung hangers with the torque rods under the springs.

For further information contact your nearest authorised PACCAR Parts dealer.


MECHANICAL SUSPENSIONS
REYCO 21B UNDERSLUNG SUSPENSIONS

UNDERSLUNG CAST SUSPENSION				
ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
1	T03-3310	Front / Rear Hanger		
2	T03-3311	Equaliser Hanger		
3	T03-1315	Torque Rod Bush		See Section 23 For Torque Rods and Components
4	E-1166	Torque Rod Bolt	7″ Long x 1″ Diameter	See Section 24 For Equalisers and Components
5	T03-1329	Torque Rod Bolt Washer	2¾″ X 11/16″ X 3/16″	
6	T03-1405	Torque Rod Bolt Nut		
7	T03-1366	Torque Rod - Front -Rigid	413 mm Centre To Centre	See Section 23 For Torque Rods and Components
8	ITEMS 13, 14, 15	Torque Rod - Front - Adjustable	413 mm Centre To Centre	
9	T03-1331	Torque Rod - Rear - Rigid	8′ 1″ Spread - 479 mm Centre To Centre	
10	ITEMS 13, 14, 16	Torque Rod - Rear - Adjustable	8′ 1″ Spread - 479 mm Centre To Centre	
11	T03-1332	Torque Rod - Rear - Rigid	9′ 1″ Spread - 548 mm Centre To Centre	
12	ITEMS 13, 14, 17	Torque Rod - Rear - Adjustable	9′ 1″ Spread - 548 mm Centre To Centre	
13	T03-1334	Torque Rod End	Left Hand	
14	T03-1335	Torque Rod End	Right Hand	
15	T03-1336	Torque Rod Screw	Length 11¾″ x 1½″ Diameter	
16	T03-1337	Torque Rod Screw	Length 13¾″ x 1½″ Diameter	
17	T03-1338	Torque Rod Screw	Length 18½″ x 1½″ Diameter	
18	K041-578-300	Torque Rod End Clamp Bolt	Length 3″ Grade 8, ⅝″ UNF	
19	K169-143-108CA	Torque Rod End Clamp Bolt Nut	NYLOC Nut, Grade 8, ⅝″ UNF	
20	NLA	Equaliser Bush	T03-1130 NLA	See Section 24 For Equalisers and Components
21	NLA	Equaliser Pin	T03-1202 NLA	
		Equaliser Pin Washer		
		Equaliser Pin Nut		
22	T03-1203	Equaliser Roller		
23	T03-0505	Equaliser Roller Bolt	1¼″ Diameter	
24	K169-143-080CA	Equaliser Roller Bolt Lock Nut	Lock Nut ½″ UNF	
25	T03-1196	Equaliser	8′ 1″ Spread	See Section 24 For Equalisers and Components
26	NLA	Equaliser	T03-1197 NLA 9′ 1″ Spread	
27	T03-7315	Axle Seat	20 mm High - 5″ Round axle	


NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
REYCO 21B UNDERSLUNG SUSPENSIONS

TANDEM AXLE 4' 6" AXLE SPREAD



TANDEM AXLE 5' 1" AXLE SPREAD



Notes

1. 4' 6" and 5' 1" tandem suspensions shown. Also available in single and tri axle configurations.
2. A small number of tandem 5' 0" and tri-axle 10' 1" spread may be encountered.
3. Various spring leaf combinations are available - 3, 8, 9 and 10 leaf.
4. Standard ride height is 200 mm.
5. Early 21B underslung suspensions used the overslung hangers with the torque rods under the springs.

For further information contact your nearest authorised PACCAR Parts dealer.

MECHANICAL SUSPENSIONS
REYCO 21B UNDERSLUNG SUSPENSIONS

UNDERSLUNG CAST SUSPENSION				
ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
28	T03-7318	Spring Bottom Plate		
29	T03-UBB-10AU	U-Bolt	T03-UBB-10AU Suitable For 8 Leaf Springs 10″ Long x 5″ Wide x ⅞″ UNF″	See Section 22 For U-Bolts
30	T03-8052	U-Bolt Washer	⅞″ Diameter	
31	T03-8051	U-Bolt Deep Nut	⅞″ UNF	
32	T03-7458	8 Leaf Spring	See Note 3	See Section 21 For Springs and Components


Notes

1. 4′ 6″ and 5′ 1″ tandem suspensions shown. Also available in single and tri axle configurations.
2. A small number of tandem 5′ 0″ and tri-axle 10′ 1″ spread may be encountered.
3. Various spring leaf combinations are available - 3, 8, 9 and 10 leaf.
4. Standard ride height is 200 mm.
5. Early 21B underslung suspensions used the overslung hangers with the torque rods under the springs.

For further information contact your nearest authorised PACCAR Parts dealer.

NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
REYCO-TRANSPRO MODEL 88 & 89 SUSPENSIONS



Notes

1. A small number of Transpro Model 89 suspensions will be found. These suspensions use the taper bush and pin (T03-1301, T03-1401HD) instead of the parallel bush in the torque rods.
2. Configurations available in single axle, tandem and tri axle in all axle spreads.
3. Various spring leaf combinations are available - 2, 3, 8 and 9 leaf.
4. Ride heights available range from 340mm to 465mm depending on spring packs and axle seats used.

For further information contact your nearest authorised PACCAR Parts dealer.


MECHANICAL SUSPENSIONS
REYCO-TRANSPRO MODEL 88 & 89 SUSPENSIONS

UNDERSLUNG/OVERSLUNG FABRICATED SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS		
1	T03-3312	Front Hanger			
2	T03-3313	Equaliser Hanger	8′ 1″ and 9′ 1″ Spread		
3	NLA	Equaliser Hanger	T03-3314 NLA 10′ 1″ Spread		
4	T03-3315	Rear Hanger			
5	T03-1308-M	Torque Rod Bush	"M" Indicates USA Mullins Bush		See Section 23 For Torque Rods and Components
	T03-1308-P		"P" Indicates Red Polypropylene Bush		
	T03-1308-PST		"PST" Indicates Polypropylene Bush With Steel Sleeve		
6	K041-701-550	Torque Rod Bolt	5½″ Long x ⅞″ Diameter		See Section 24 For Equalisers and Components
7	K169-143-144CA	Torque Rod Bolt Nyloc Nut	⅞″ Diameter		
8	T03-1316	Torque Rod - Front -Rigid	508 mm Centre To Centre		See Section 23 For Torque Rods and Components
9	See Items 16 & 17	Torque Rod - Front - Adjustable	T03-1337 Torque Rod Screw NLA 508 mm Centre To Centre		
10	T03-1316	Torque Rod - Rear - Rigid	8′ 1″ Spread - 508 mm Centre To Centre		
11	See Items 16 & 17	Torque Rod - Rear - Adjustable	T03-133 Torque Rod Screw NLA 8′ 1″ Spread - 508 mm Centre To Centre		
12	T03-1317	Torque Rod - Rear - Rigid	9′ 1″ Spread - 578 mm Centre To Centre		
13	ITEMS 16, 17,19	Torque Rod - Rear - Adjustable	9′ 1″ Spread - 578 mm Centre To Centre		
14	NLA	Torque Rod - Rear - Rigid	T03-1318 NLA 10′ 1″ Spread - 648 mm Centre To Centre		
15	ITEMS 16, 17, 20	Torque Rod - Rear - Adjustable	10′ 1″ Spread - 648 mm Centre To Centre		
16	T03-1319	Torque Rod End	Left Hand		
17	T03-1320	Torque Rod End	Right Hand		
18	NLA	Torque Rod Screw	T03-1337 NLA Length - 13¾″ x 1½″ Diameter		
19	T03-1338	Torque Rod Screw	Length - 18½″ x 1½″ Diameter		
20	NLA	Torque Rod Screw	T03-1339 NLA Length - 20½″ x 1½″ Diameter		
21	K041-578-300	Torque Rod End Clamp Bolt	Length 3″ Grade 8, ⅝″ UNF		See Section 24 For Equalisers and Components
22	K169-143-108CA	Torque Rod End Clamp Bolt Nut	NYLOC Nut, Grade 8, ⅝″ UNF		
23	T03-1134	Equaliser Bush	3 5/16″ OD	See Equaliser Bush Tool T03-1139	
	T03-1134HD		3 29/64″ OD		

NLA - NO LONGER AVAILABLE | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

MECHANICAL SUSPENSIONS
REYCO-TRANSPRO MODEL 88 & 89 SUSPENSIONS



Notes

1. A small number of Transpro Model 89 suspensions will be found. These suspensions use the taper bush and pin (T03-1301, T03-1401HD) instead of the parallel bush in the torque rods.
2. Configurations available in single axle, tandem and tri axle in all axle spreads.
3. Various spring leaf combinations are available - 2, 3, 8 and 9 leaf.
4. Ride heights available range from 340mm to 465mm depending on spring packs and axle seats used.

For further information contact your nearest authorised PACCAR Parts dealer.


MECHANICAL SUSPENSIONS
REYCO-TRANSPRO MODEL 88 & 89 SUSPENSIONS

UNDERSLUNG/OVERSLUNG FABRICATED SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS		
24	T03-1209	Equaliser Bolt			
25	T03-1210	Equaliser Bolt Nut			
26	T03-1211	Equaliser Roller			
27	K041-578-500	Rear Hanger Roller Bolt	Length 5" Grade 8, ⅝" UNF		
28	K041-578-450	Equaliser Roller Bolt	Length 4½" Grade 8, ⅝" UNF		See Section 24 For Equalisers and Components
29	K169-143-108CA	Equaliser Roller Bolt Nut	NYLOC Nut, Grade 8, ⅝" UNF		
30	T03-1195-C	Equaliser	Cast		
31	0650-00	Equaliser	Fabricated		
32	NLA	Equaliser	T03-1193 NLA Cast		
33	NLA	Equaliser	T03-1194 NLA Fabricated		
34	NLA	Axle Seat	T03-7319 NLA Overslung 25 mm High - 5" Round Axle		
35	NLA	Axle Seat	T03-7320 NLA Overslung 50 mm High - 5" Round Axle		
36	NLA	Axle Seat	T03-7321 NLA Overslung 75 mm High - 5" Round Axle		
37	NLA	Axle Seat	T03-7334 NLA Overslung 25 mm High - 120mm Square Axle		
38	NLA	Spring Top Plate	T03-8006 NLA Overslung		
39	T03-7322	Axle Bottom Plate	Overslung		
40	NLA	Axle Seat	T03-7323 NLA Underslung		
41	NLA	Bottom Plate	T03-7324 NLA Underslung		
42	T03-UBA-135	U-Bolt	Overslung 13½" Long X 3" Wide X ⅞" UNF	Part Numbers Shown Are Suitable For 8 Leaf Springs and Low Axle Seats	See Section 22 For U-Bolts
	T03-UBB-135AU	U-Bolt	Underslung 13½" Long X 5" Wide X ⅞" UNF		
43	T03-8052	U-Bolt Washer	⅞" ID		
44	T03-8051	U-Bolt Deep Nut	⅞" UNF		
45	NLA	8 Leaf Spring - End Pack	T03-7462 NLA		See Section 21 For Springs and Components
45A	NLA	8 Leaf Spring - Centre Pack	T03-7463 NLA		
46	T03-7481	Delrin Spring Liner			
47	NLA	Wear Pad	T03-1472 NLA		

NLA - NO LONGER AVAILABLE | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

MECHANICAL SUSPENSIONS
ROR SUSPENSIONS



Notes

1. All centre hangers are the same.
2. Configurations also available in single axle and tandem 4′ ½″, 4′ 6½″, and 5′ ½″ axle spacing.
3. Various spring leaf combinations are available - 3, 8, 9 & 10 leaf.
4. Ride heights for overslung will range from 350 mm to 400 mm depending on axle seats and springs fitted.

For further information contact your nearest authorised PACCAR Parts dealer.


Cummins Meritor

MECHANICAL SUSPENSIONS
ROR SUSPENSIONS

OVERSLUNG CAST SUSPENSION				
ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
1	NLA	Front Hanger	T03-3322 NLA	
2	NLA	Equaliser Hanger	T03-1199 NLA	
3	NLA	Rear Hanger	T03-3321 NLA	
4	T03-1301-M	Torque Rod Bush	"M" Indicates USA Mullins Bush	See Section 23 For Torque Rods and Components
	T03-1301-P		"P" Indicates Red Polypropylene Bush	
	T03-1301SP		"SP" Indicates Split Red Polypropylene Bush	
5	T03-1401AU	Torque Rod Bolt - Heavy Duty	T03-1401AU Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter	See Section 24 For Equalisers and Components
	T03-1401HD	Torque Rod Bolt - Heavy Duty	T03-1401HD Is Supplied Complete With T03-5505 Nut And T03-1452 Washer T03-1401HD 6½" Long x 1¼" Diameter	
	T03-1452	Torque Rod Bolt Washer	T03-1452 1¼" Diameter	
	T03-5505	Torque Rod Bolt Nyloc Nut	1" UNF	
6	NLA	Torque Rod - Front -Rigid	T03-1371 NLA 395 mm Centre To Centre	See Section 23 For Torque Rods and Components
7	ITEMS 16, 17, 18	Torque Rod - Front - Adjustable	395 mm Centre To Centre	
8	NLA	Torque Rod - Rear - Rigid	T03-1357 NLA 8' 1" Spread - 422 mm Centre To Centre	
9	ITEMS 16, 17, 18	Torque Rod - Rear - Adjustable	8' 1" Spread - 422 mm Centre To Centre	
10	KH600003/495	Torque Rod - Rear - Rigid	9' 1" Spread - 495 mm Centre To Centre	
11	ITEMS 16, 17, 19	Torque Rod - Rear - Adjustable	9' 1" Spread - 495 mm Centre To Centre	
12	KH600003/565	Torque Rod - Rear - Rigid	10' 1" Spread - 565 mm Centre To Centre	
13	ITEMS 16,17, 20	Torque Rod - Rear - Adjustable	10' 1" Spread - 565 mm Centre To Centre	
14	FW68-0502L	Torque Rod End	Left Hand	
15	FW68-0502R	Torque Rod End	Right Hand	
16	1925	Torque Rod Screw	10¼" Long x 1½" Diameter	
17	1927	Torque Rod Screw	13¾" Long x 1½" Diameter	
18	KH600006/415	Torque Rod Screw	T03-1420 Superseded by KH600006/415 16½" Long x 1½" Diameter	
19	T03-0506	Torque Rod End Clamp Bolt	1¾" Long x ½" Diameter	
20	K169-143-080CA	Torque Rod End Clamp Bolt Lock Nut	Also Used For Item 24 Equaliser Roller Bolt Lock Nut ½" UNF	

NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
ROR SUSPENSIONS



Notes

1. All centre hangers are the same.
2. Configurations also available in single axle and tandem 4′ ½″, 4′ 6½″, and 5′ ½″ axle spacing.
3. Various spring leaf combinations are available - 3, 8, 9 & 10 leaf.
4. Ride heights for overslung will range from 350 mm to 400 mm depending on axle seats and springs fitted.

For further information contact your nearest authorised PACCAR Parts dealer.


MECHANICAL SUSPENSIONS
ROR SUSPENSIONS

OVERSLUNG CAST SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
21	T03-1101	Equaliser Bush	T03-1101-M Is An Optional Alternative To T03-1101, T03-1101-P And T03-1101SP "M" Indicates USA Mullins Bush	See Section 24 For Equalisers and Components
	T03-1101-P		"P" Indicates Red Polypropylene Bush	
	T03-1101SP		"SP" Indicates Split Red Polypropylene Bush	
22	T03-1201HD	Equaliser Pin	T03-1201HD Is Supplied Complete With T03-5505 Nut And T03-1223 Washer	
	T03-1223	Equaliser Pin Washer		
	T03-5505	Equaliser Pin Nut	1" UNF	
23	T03-0505	Equaliser Roller Bolt	5½" Long x ½" Diameter	
24	K169-143-080CA	Equaliser Roller Bolt Lock Nut	Also Used For Item 20 Torque Rod End Clamp Bolt Lock Nut ½" UNF	
25	KH690007	Equaliser	8' 1" Spread	
26	KH690020	Equaliser	9' 1" Spread	
27	KH690010	Equaliser	10' 1" Spread	
28	KH690027	Axle Seat	T03-7330 NLA	
29	T03-7338	Axle Seat		
30	T03-8001	Spring Top Plate		
31	T03-UBB-125AU	U-Bolt	T03-UBB-125AU Suitable For 8 Leaf Springs And Low Axle Seat 12½" Long x 5" Wide x ⅞" UNF	See Section 22 For U-Bolts
32	T03-8052	U-Bolt Washer	⅞" Diameter	
33	T03-8051	U-Bolt Deep Nut	⅞" UNF	
34	T03-7410AU	8 Leaf Spring		See Section 21 For Springs and Components

NLA - NO LONGER AVAILABLE

MECHANICAL SUSPENSIONS
HUTCH H900 SUSPENSIONS



Notes

1. Check spring pack length before ordering. Shorter springs may be found on Hamelex-White trailers.

For further information contact your nearest authorised PACCAR Parts dealer.

MECHANICAL SUSPENSIONS
HUTCH H900 SUSPENSIONS

SINGLE POINT TANDEM SUSPENSION

ITEM NO.	PART NO. TAPERED TORQUE ROD BUSH APPLICATIONS	DESCRIPTION	COMMENTS	
1	NLA	Cap - Spring End	T03-7326 NLA	
2	NLA	Seat - Spring - Adjustable	T03-7327 NLA	
3	NLA	Rubber Pad	T03-7328 NLA	
4	NLA	U-Bolt - (axle)	T03-7329 NLA	See Section 22 For U-Bolts
5	N/A	Nut	Self Locking, ¾" - 16 UNF	
6	48248	Washer		
7	N/A	Nut	Self Locking, ⅝" - 18 UNF	
8	N/A	Bolt	Hex Bolt, ⅝" - 18 UNF x 1¾" Long, GR5	
9	NLA	Top Plate	T03-8008 NLA	
10	NLA	Hub - Trunnion - Upper Half	T03-8009 NLA	
11	NLA	Hub - Trunnion - Lower Half	T03-8010 NLA	
12	NLA	U-Bolt - Trunnion	T03-8011 NLA	See Section 22 For U-Bolts
13	NLA	Nut	T03-8012 NLA 1⅛" UNF - 1½" High	
14	NLA	Washer	T03-8013 NLA	
15	NLA	Spring - 50 000lb. (short)	T03-7417 NLA 1588 mm (62.½") Long	See Section 21 For Springs and Components
16	NLA	Spring - 50 000lb. (Long)	T03-7419 NLA 1645 mm (64.¾") Long	
17	T03-1115	Bush - Trunnion - Rubber		See Section 24 For Equalisers and Components
18	T03-1115P	Bush - Trunnion - Polyurethane		
19	NLA	Washer	T03-8014 NLA	
20	N/A	Bolt	¾" - 16 UNF X 4½" Long	
21	NLA	Hanger - Trunnion - 64mm High	T03-3323 NLA	
22	NLA	Hanger - Trunnion - Optional 216mm High	T03-3324 NLA	
23	NLA	Tube - Trunnion	T03-3325 NLA	
24	NLA	Plate - Adjustment	T03-3326 NLA	

NLA - NO LONGER AVAILABLE | N/A NOT APPLICABLE

BASE AIR

BASE AIR PRESSURE CONTROL SYSTEM

The innovative Base Air® system is now applicable with multiple suspension manufacturers. Two bespoke Height Control Valves and one Dual-Pressure Protection Valve are combined with advanced cross-flow technology. Suspension that features Base Air® actively operates as dual and single-circuit systems as required. With our national network of accredited installation partners, it is now easier than ever to reduce driver fatigue, improve traction and braking, and Level the Road.



INSTALLATION VIA SELECT PACCAR DEALERS AND ACCREDITED PARTNERS

PACCAR PARTS

AVAILABLE AT 63 DEALERS AUSTRALIA-WIDE

Visit **paccarparts.com.au** or **Freecall* 1800 PPARTS (772 787)**

* Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.


To find your nearest dealer, **SCAN HERE**

TRUCK & TRAILER PARTS

TRUSTED. RELIABLE. PROVEN.

Find your equivalent TRP® part using this simple cross-reference search tool

The cross-reference search tool can be found on:
TRPPARTS.COM.AU/CROSS-REFERENCE-SEARCH





SEE THE ENTIRE TRP RANGE!

The TRP® Product Range Guide is now available online

TO VIEW VISIT WWW.TRPPARTS.COM.AU/RANGE
OR ASK YOUR NEAREST DEALER FOR A COPY

Visit trpparts.com.au/find-a-dealer
or scan the QR code
to find the nearest dealer now!

SCAN ME


PACCAR PARTS
SAF
ENGINEERED BY SAF

AIR BAG SUSPENSIONS

AIR BAG SUSPENSION DETAILED LIST	81
BPW	84
HENDRICKSON	112
HOLLAND	134
FUWA K-HITCH	154
MERITOR	164
NEWAY	184
REYCO	196
RFS SERIES 2000	200
RIDEWELL MONOPIVOT	242
SAF-HOLLAND	246
WEWELER	276
YORK	286
DIMENSIONAL COMPARISON	313
AIR BAG INFORMATION	
AIR BAG DIMENSIONS	314
AIR BAG CROSS REFERENCE	320

TO VIEW THE DIGITAL VERSION OF THE PACCAR PARTS TRAILER CATALOGUE **SCAN HERE!**

TRUCK & TRAILER PARTS

TRP® PAKENHAM & PENINSULA



TRP® PAKENHAM

FIND US AT

3 Tango Circuit, Commercial Park
Pakenham VIC 3810

Phone: (03) 8796 9155



TRP® PENINSULA

FIND US AT

57/1889 Frankston Flinders Road
Hastings VIC 3915

Phone: (03) 5911 7223

AIR BAG SUSPENSIONS
AIR BAG SUSPENSION DETAILED LIST

BRAND	SERIES	MODEL	NOTES	PAGE
BPW	AL	ALU-D30K	Underslung	62
		ALO-D30K	Overslung	
		ALO-D30	Overslung	
	SL	SLU-D30K	Overslung	64
		SLM-D30	Overslung	
		SLO-D30K	Overslung	
		SLU-D36	Underslung	68
		SLM-D36	Overslung	
		SLO-D36	Overslung	
	HD	OT D36	Underslung	72
		OM D36	Overslung	
	AL2	AL2	Both	76
HENDRICKSON	HT	HT250U	Underslung	86
		HT300U	Underslung	
		HT250US	Underslung	88
		HT250	Overslung	90
		HT300	Overslung	
	INTRAAX	AA250	Overslung	94
		AA250	Underslung	98
	MAXITRAAX		Overslung	100
	T9-106		Underslung	102
	Quick Align Identification & Conversion Kit			106
HOLLAND	EURO	E510	Underslung	108
		E520	Overslung	110
		AC5209T	Overslung	
		E530	Underslung	112
	HD	H041	Underslung	114
		H042	Underslung	116
		H134	Underslung	118
	ULTRA LITE	U514	Underslung	120
		U524	Underslung	122
		U534	Underslung	124
FUWA K-HITCH	K RIDE		Underslung	126
	K RIDE		Overslung	130
MERITOR / ROR	FLEXAIR	FL11000	Underslung	134
		FL11000L	Underslung	
		FL11000-150	Underslung	
		FL9000	Overslung	138
		FL9000H	Overslung	142
		FL9000L	Underslung	146
		FL9000M	Underslung	150

NLA - NO LONGER AVAILABLE | NA - Not Available | OEM - ORIGINAL EQUIPMENT MANUFACTURER | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

AIR BAG SUSPENSIONS
AIR BAG SUSPENSION DETAILED LIST

BRAND	SERIES	MODEL	NOTES	PAGE
NEWAY	AR	AR75-6	Underslung	154
		AR75-9	Underslung	
		AR90-14	Overslung	156
		AR-92-12	Overslung	
		AR-92-14	Overslung	
		AR-92-15	Overslung	
		AR-93-16	Overslung	
	ARU	ARU-92-8	Underslung	158
		ARU-93-8	Underslung	
	RL	RL228-14	Overslung	160
		RL228-15	Overslung	
		RL228-16	Overslung	
		RL250-12	Overslung	
		RL250-14	Overslung	
		RL250-15	Overslung	
		RL250-16	Overslung	
		RL250-17	Overslung	
		RLU228-8	Underslung	162
		RLU250-9	Underslung	
REYCO	25ARUU		Underslung	164
	30ARUU		Underslung	
	23ARTU		Overslung	166
	25ARTU		Overslung	
	30ARTU		Overslung	
RFS	2000	Mark I Heavy Duty	Underslung	168
		Mark II Heavy Duty	Underslung	
		Mono Lite	Underslung	
		Mark III HD300-OS	Overslung	176
		Mark III ML300-OS	Overslung	180
		Mark III HD300-US	Underslung	184
		Mono Lite ML300-US	Underslung	188
		Mark IV	Overslung	192
		Mark IV Mono Lite Single Leaf	Underslung	196
		Mark IV	Underslung	200
		Mark IV Mono Lite Double Leaf	Underslung	204
RIDEWELL	MONOPIVOT	Early Version	Both	208
		Late Version	Both	210

AIR BAG SUSPENSIONS
AIR BAG SUSPENSION DETAILED LIST


BRAND	SERIES	MODEL	NOTES	PAGE
SAF-HOLLAND	U20		Underslung	212
	2500E3		Underslung	
	MODUL		Underslung	
	M42		Overslung	214
	2907E3		Overslung	
	2907N2		Overslung	
	2907E3		Overslung	
	EO50		Overslung	216
	3510E3		Overslung	
	EO50		Overslung	
	3504N2		Overslung	
	MODULE M		Overslung	218
	MODULE M		Underslung	226
	INTRADISC		Both	234
	INTRADRUM		Both	
WEWELER	ULTRA LITE 230	9 TON MONO LEAF	Both	238
	ULTRA LITE 325	9 TON MONO LEAF	Both	
	ULTRA LITE 375	9 TON	Overslung	240
	ULTRA LITE 475	9 TON	Overslung	
	EURO 230	9 TON TWIN LEAF	Underslung	244
	EURO 315	9 TON TWIN LEAF	Underslung	
	ULTRA LITE 375	9 TON TWIN LEAF	Overslung	248
	ULTRA LITE 475	9 TON TWIN LEAF	Overslung	
YORK	TECAIR	TECAIR 1	Underslung	252
		TECAIR 2	Underslung	258
		FB	Both	262
		FB - VRH	Both	266
		DURATRAC	Overslung	272

AIR BAG SUSPENSIONS
BPW AL SERIES SUSPENSIONS

Underslung ALU D30K
215 mm - 245 mm Ride Height

Overslung ALO D30K
380 mm - 455 mm Ride Height

Overslung ALO D30
470 mm - 500 mm Ride Height



Notes

1. BPW does build to customer requirements and variations to the above may be experienced.
2. Spring beam wrapper not supplied with Spring Beams Part Number 0508213180 or 0508213190.
3. Piston conversion converts steel to composite piston which is now the BPW standard.
4. Options available – Part number / Casting number from part required or contact BPW Transpec or PACCAR Parts.
5. Options available – Bolt size required.

For further information contact your nearest authorised PACCAR Parts dealer.

TRANSPEC

AIR BAG SUSPENSIONS
BPW AL SERIES SUSPENSIONS

UNDERSLUNG ALU D30K / OVERSLUNG ALO D30K / OVERSLUNG ALO D30				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	0542943650	Air Spring Assembly	D30K Air Bag And Piston	See Section 19 For Air Bags
1A	0542943660	Air Spring Assembly	D30 Air Bag And Piston	
2	0542942560	Air Spring Bellows	D30K Air Bag Only	
2A	0542942570	Air Spring Bellows	D30 Air Bag Only	
3	0513939590	Air Spring Piston	D30K Piston Only	
3A	0513939580	Air Spring Piston	D30 Piston Only	
3B	0580109740	Composite Piston Conversion Kit	D30K See Note 3	
3C	0580109730	Composite Piston Conversion Kit	D30 See Note 3	
4	0237228302	Shock Absorber	OEM Part	See Section 20 For Shock Absorbers
5	NLA	Shock Absorber Bush	0228050100 NLA OEM Bush	
6	NLA	Sleeve	0203162100 NLA To Suit 0203162100	
6A	AS0025/4310	Shock Absorber Restraint Strap	Suits Shock Absorber 0237228302 431 mm	
6B	AS0025/4540	Shock Absorber Restraint Strap	Suits Shock Absorber 0237228302 454 mm	
6C	AS0001	Retainer - Restraint Strap	Suits Shock Absorber 0237228302	See Section 20 For Shock Absorbers
6D	AS0002	Rubber Ring Retainer	Suits Shock Absorber 0237228302	
7	91-2207	Shock Absorber	Optional KONI Shock Absorber	
8	SA014TRP	Shock Absorber	Optional TRP Shock Absorber	
9	0334015270	Pivot Bolt	Standard M30 x 190 mm	See Section 24 For Equalisers and Components
10	NLA	Pivot Bolt	0334015370 NLA Axle Lift M30 x 265 mm	
11	0326015010	Pivot Bolt Nut	M30 / SW46 (46 mm Across Flats)	
12	0332031270	Pivot Bolt Washer	OD 45.5 mm, ID 31 mm, 5 mm Thick	
13	0311302060TS	Pivot Bolt Boss	For M30 Eye Bolts On Non-Adjustable Suspension	
14	AS-0191	Wear Disc		
15	0203160600	Pivot Bush	OD 60 mm, ID 30 mm, Height 102 mm Rubber	See Section 24 For Equalisers and Components
16	T03-1112	Kit	Rubber Bush And Bolt Parts For 1 Side	
17	0203169000	Pivot Bush	Steel Case Heavy Duty	
18	0203169K1T	Bush Kit	M30 Spring Eye Bolts, Steel/Rubber/Steel Bushes, 100 mm Wide Springs, Non Alignable/Parallel Sided Hanger	
19	0313841174	U-Bolt	280 mm X M24 X 125 mm	See Section 22 For U-Bolts
20	0254012507	Washer	OD 44 mm, ID 25 mm, 4 mm Thick	
21	0252207412	Nut - U-Bolt	M24 Lock Nut	
22	0508213590	Spring Beam	Straight	See Section 21 For Springs And Components
24	'0334102180	Centre Bolt	M16 X 110 mm Grade 8.8	


NLA - NO LONGER AVAILABLE | NA - Not Available | OEM - ORIGINAL EQUIPMENT MANUFACTURER | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

AIR BAG SUSPENSIONS
BPW AL SERIES SUSPENSIONS

Underslung ALU D30K
215 mm - 245 mm Ride Height

Overslung ALO D30K
380 mm - 455 mm Ride Height

Overslung ALO D30
470 mm - 500 mm Ride Height



Notes

1. BPW does build to customer requirements and variations to the above may be experienced.
2. Spring beam wrapper not supplied with Spring Beams Part Number 0508213180 or 0508213190.
3. Piston conversion converts steel to composite piston which is now the BPW standard.
4. Options available – Part number / Casting number from part required or contact BPW Transpec or PACCAR Parts.
5. Options available – Bolt size required.
6. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

TRANSPEC

AIR BAG SUSPENSIONS
BPW AL SERIES SUSPENSIONS

UNDERSLUNG ALU D30K / OVERSLUNG ALO D30K / OVERSLUNG ALO D30			
ITEM NO.	**PART NO.**	**DESCRIPTION**	**COMMENTS**
25	0532714050	Restraint Cable	Length Eye to Eye 1010 mm
	0532714060		1060 mm
	0532714030		1120 mm
	0532714020		1160 mm
	0532714010		1220 mm
	0532714090		1270 mm
	0532714080		1330 mm
	0532714190		1350 mm
	0532714140		1390 mm
	0532714100		1415 mm
	0532714070		1455 mm
	0532714110		1500 mm
	0532714120		1550 mm
	0532714180		1570 mm
	0532714200		1685 mm
	0532714210		1775 mm
26	See Note 4	Spring Top Plate	
27	See Note 4	Spring Bottom Plate	
28	See Note 4	Segment	
29	0252733380	Nut	Air Bag Top - M12
30	See note 5	Bolts - Shock Absorber	M24 - Bolt Lengths Vary With Application
31	0252207412	Nut	M24 Lock Nut
32	See Note 5	Pin - Restraint Cable	
33	0254013101	Washer	OD 56 mm, ID 31 mm, 4 mm Thick
34	0262016101	Split Pin	OD 6.3 mm, Length 43 mm, DIN 94
35	See Note 4	Plate - Airbag	
36	See note 5	Bolt - Airbag	
37	0539726030	Spring - Return	OD 26 mm X 2 mm Thick X 148 mm Nominal Length Do Not Use With Part Number 0532714030, 1120 mm Restraint Strap
38	See Note 4	Plate - Tracking	
39	0534830050	Wrapper - Spring	See Note 2
40	0243131100	Elbow	M22 X 8 mm
40A	0243122500	Elbow	M22 X 12 mm
41	NLA	Bolt	0334105040 NLA M30 x 200 mm Suits ALO & SLO Suspensions
41A	0334105050	Bolt	M30 x 170 mm Suits Early AL2 Suspensions
42	0328154180	Plate-Slotted	Suits AL/SL/AL2 Suspensions
43	0332034530	Washer	31 mm ID X 76 mm OD X 6 mm Thick
44	0316435010	Wear Plate	Suits ALO & SLO Suspensions
44A	0316435020	Wear Plate	Suits Early AL2 Suspensions
45	0311323010	Boss - Hanger	Suits Alignable Suspension Hangers

NLA - NO LONGER AVAILABLE | NA - Not Available | OEM - ORIGINAL EQUIPMENT MANUFACTURER | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER


AIR BAG SUSPENSIONS
BPW SL SERIES SUSPENSIONS

Underslung SLU D30K
235 mm - 260 mm Ride Height

Overslung SLM D30
370 mm - 400 mm Ride Height

Overslung SLO D30K
450 mm - 470 mm Ride Height

Overslung SLO D30K
500 mm - 510 mm Ride Height



Notes

1. BPW does build to customer requirements and variations to the above may be experienced.
2. Spring beam wrapper not supplied with Spring Beams Part Number 0508213180 or 0508213190.
3. Piston conversion converts steel to composite piston which is now the BPW standard.
4. Options available – Part number / Casting number from part required or contact BPW Transpec or PACCAR Parts.
5. Options available – Bolt size required.

For further information contact your nearest authorised PACCAR Parts dealer.

TRANSPEC

AIR BAG SUSPENSIONS
BPW SL SERIES SUSPENSIONS

UNDERSLUNG SLU D30K / OVERSLUNG SLM D30 / OVERSLUNG SLO D30K SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	0542943650	Air Spring Assembly	D30K Air Bag And Piston	See Section 19 For Air Bags
1A	0542943660	Air Spring Assembly	D30 Air Bag And Piston	
2	0542943660	Air Spring Bellows	D30K Air Bag Only	
2A	0542942560	Air Spring Bellows	D30 Air Bag Only	
3	0542942570	Air Spring Piston	D30K Piston Only	
3A	0513939580	Air Spring Piston	D30 Piston Only	
3B	0580109740	Composite Piston Conversion Kit	D30k See Note 3	
3C	0580109730	Composite Piston Conversion Kit	D30 See Note 3	
4	0237228302	Shock Absorber	OEM Part See Items 7 & 8 For Alternatives	See Section 20 For Shock Absorbers
5	NLA	Shock Absorber Bush	0228050100 NLA OEM Bush	
6	NLA	Sleeve	0203162100 NLA To Suit 0203162100	
6A	AS0025/4310	Shock Absorber Restraint Strap	Suits Shock Absorber 0237228302 431 mm	
6B	AS0025/4540	Shock Absorber Restraint Strap	Suits Shock Absorber 0237228302 454 mm	
6C	AS0001	Retainer - Restraint Strap	Suits Shock Absorber 0237228302	
6D	AS0002	Rubber Ring Retainer	Suits Shock Absorber 0237228302	
7	91-2207	Shock Absorber	Optional KONI Shock Absorber	See Section 20 For Shock Absorbers
8	SA014TRP	Shock Absorber	Optional TRP Shock Absorber	
9	0334015270	Pivot Bolt	Standard M30 x 190 mm	See Section 24 For Equalisers and Components
10	NLA	Pivot Bolt	0334015370 NLA Axle Lift M30 x 265 mm	
11	0326015010	Pivot Bolt Nut	M30 / SW46 (46 mm Across Flats)	
12	0332031270	Pivot Bolt Washer	OD 45.5 mm, ID 31 mm, 5 mm Thick	
13	0311302060TS	Pivot Bolt Boss	For M30 Eye Bolts On Non-Alignable Hangers	
14	AS-0191	Wear Disc		
15	0203160600	Pivot Bush - Rubber	OD 60 mm, ID 30 mm, Height 102 mm Rubber	See Section 24 For Equalisers and Components
16	T03-1112	Kit	Rubber Bush And Bolt Parts For 1 Side	
17	0203169000	Pivot Bush	Steel Case Heavy Duty	
18	0203169K1T	Kit - Bush Heavy Duty and Bolt	M30 Spring Eye Bolts, Steel/Rubber/Steel Bushes, 100 mm Wide Springs, Non Alignable/Parallel Sided Hanger	
19	0313841174	U-Bolt	280 mm X M24 X 125 mm	See Section 22 For U-Bolts
20	0254012507	Washer	OD 44 mm, ID 25 mm, 4 mm Thick	
21	0252207412	Nut - U-Bolt	M24 Lock Nut	
22	0508213590	Spring Beam - Straight	Spring Pack - 500 310/310 1 X 51 AL SRS	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
23	0508213190	Spring Beam - Cranked	Spring Pack - 500 380/380 1 X 51 SLM SR	
24	0334102180	Centre Bolt	43 mm	

NLA - NO LONGER AVAILABLE | OEM - ORIGINAL EQUIPMENT MANUFACTURER | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER


AIR BAG SUSPENSIONS
BPW SL SERIES SUSPENSIONS

Underslung SLU D30K
235 mm - 260 mm Ride Height

Overslung SLM D30
370 mm - 400 mm Ride Height

Overslung SLO D30K
450 mm - 470 mm Ride Height

Overslung SLO D30K
500 mm - 510 mm Ride Height



Notes

1. BPW does build to customer requirements and variations to the above may be experienced.
2. Spring beam wrapper not supplied with Spring Beams Part Number 0508213180 or 0508213190.
3. Piston conversion converts steel to composite piston which is now the BPW standard.
4. Options available – Part number / Casting number from part required or contact BPW Transpec or PACCAR Parts.
5. Options available – Bolt size required.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
BPW SL SERIES SUSPENSIONS

UNDERSLUNG SLU D30K / OVERSLUNG SLM D30 / OVERSLUNG SLO D30K SUSPENSION			
ITEM NO.	**PART NO.**	**DESCRIPTION**	**COMMENTS**
	0532714050		Length Eye to Eye
			1010 mm
	0532714060		1060 mm
	0532714030		1120 mm
	0532714020		1160 mm
	0532714010		1220 mm
	0532714090		1270 mm
	0532714080		1330 mm
25	0532714190	Restraint Cable	1350 mm
	0532714140		1390 mm
	0532714100		1415 mm
	0532714070		1455 mm
	0532714110		1500 mm
	0532714120		1550 mm
	0532714180		1570 mm
	0532714200		1685 mm
	0532714210		1775 mm
26	See Note 4	Spring Top Plate	
27	See Note 4	Spring Bottom Plate	
28	See Note 4	Segment	
29	0252733380	Nut	Air Bag Top - M12
30	See note 5	Bolts - Shock Absorber	
31	0252207412	Nut	M24 Lock Nut
32	See Note 5	Bolt - Restraint Cable	
33	0254013101	Washer	M31 X 4 mm
34	0262016101	Split Pin	OD 6.3 mm, Length 43 mm, DIN 94
35	See Note 4	Plate - Airbag	
36	See note 5	Bolt - Airbag	
37	0539726030	Spring - Return	Not For 1120 mm Strap Can use T02-7379
38	See Note 4	Plate - Tracking	
39	0534830050	Wrapper - Spring	See Note 2
40	0243120400	Elbow	M12 x 8 mm
40A	0243122500	Elbow	M22 x 8 mm
41	NLA	Bolt	0334105040 NLA M30 x 200 mm Suits ALO & SLO Suspensions
42	0328154180	Plate-Slotted	Suits AL/SL/AL2 Suspensions
43	0332034530	Washer	31 mm ID X 76 mm OD X 6 mm Thick
44	0316435010	Wear Plate	Suits ALO & SLO Suspensions
45	0311323010	Boss - Hanger	Suits Alignable Suspension Hangers


NLA - NO LONGER AVAILABLE | OEM - ORIGINAL EQUIPMENT MANUFACTURER | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

AIR BAG SUSPENSIONS
BPW SL SERIES SUSPENSIONS

Underslung SLU D36
260 mm Ride Height

Overslung SLM D36
370 - 400 mm Ride Height

Overslung SLO D36
500 - 510 mm Ride Height



Notes

1. BPW does build to customer requirements and variations to the above may be experienced.
2. Spring beam wrapper not supplied with Spring Beams Part Number 0508213180 or 0508213190.
3. Piston conversion converts steel to composite piston which is now the BPW standard.
4. Options available – Part number / Casting number from part required or contact BPW Transpec or PACCAR Parts.
5. Options available – Bolt size required.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
BPW SL SERIES SUSPENSIONS

UNDERSLUNG SLU D36 / OVERSLUNG SLM D36 / OVERSLUNG SLO D36 SUSPENSION				
ITEM NO.	**PART NO.**	**DESCRIPTION**	**COMMENTS**	
1	0542943690	Air Spring Assembly	D36 Air Bag And Piston	See Section 19 For Air Bags
2	0542942580	Air Spring Bellows	D36 Air Bag Only	
3	0513939520	Air Spring Piston	D36 Piston Only	
3A	0580121320	Air Spring Piston Conversion	D36 See Note 3	
4	0237228302	Shock Absorber	OEM Part	See Section 20 For Shock Absorbers
5	NLA	Shock Absorber Bush	OEM Bush	
6	NLA	Sleeve	T03-4018 NLA	
6A	AS0025/4310	Shock Absorber Restraint Strap	Suits Shock Absorber 0237228302 431 mm	
6B	AS0025/4540	Shock Absorber Restraint Strap	Suits Shock Absorber 0237228302 454 mm	
6C	AS0001	Retainer - Restraint Strap	Suits Shock Absorber 0237228302	
6D	AS0002	Rubber Ring Retainer	Suits Shock Absorber 0237228302	
7	91-2207	Shock Absorber	Optional KONI Shock Absorber	
8	SA014TRP	Shock Absorber	Optional TRP Shock Absorber	
9	0334015270	Pivot Bolt	Standard M30 x 190 mm	See Section 24 For Equalisers and Components
10	NLA	Pivot Bolt - Axle Lift M30 x 265	T03-1243L NLA	
11	0326015010	Pivot Bolt Nut	M30 / SW46 (46 mm Across Flats)	
12	0332031270	Pivot Bolt Washer	OD 45.5 mm, ID 31 mm, 5 mm Thick	
14	AS-0191	Wear Disc		
15	0203160600	Pivot Bush - Rubber	OD 60 mm, ID 30 mm, Height 102 mm	
16	T03-1112	Kit	Rubber Bush And Bolt Parts For 1 Side	
17	0203169000	Pivot Bush	Steel Case Heavy Duty	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
18	0203169K1T	Kit - Bush Heavy Duty and Bolt	M30 Spring Eye Bolts, Steel/Rubber/Steel Bushes, 100 mm Wide Springs, Non Alignable/Parallel Sided Hanger	
19	0313844084	U-Bolt	280 mm X 24 mm X 125 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
20	0254012507	Washer	OD 44 mm, ID 25 mm, 4 mm Thick	
21	0252207412	Nut - U-Bolt	M24 Lock Nut	
22	0508213180	Spring Beam - Straight	Spring Pack - 500 355/380 1X51 SL SRS	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
23	0508213190	Spring Beam - Cranked	Spring Pack - 500 380/380 1 X 51 SLM SR	
24	0334102180	Centre Bolt	43 mm	


NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
BPW SL SERIES SUSPENSIONS

Underslung SLU D36
260 mm Ride Height

Overslung SLM D36
370 - 400 mm Ride Height

Overslung SLO D36
500 - 510 mm Ride Height



Notes

1. BPW does build to customer requirements and variations to the above may be experienced.
2. Spring beam wrapper not supplied with Spring Beams Part Number 0508213180 or 0508213190.
3. Piston conversion converts steel to composite piston which is now the BPW standard.
4. Options available – Part number / Casting number from part required or contact BPW Transpec or PACCAR Parts.
5. Options available – Bolt size required.

For further information contact your nearest authorised PACCAR Parts dealer.

TRANSPEC

AIR BAG SUSPENSIONS
BPW SL SERIES SUSPENSIONS


UNDERSLUNG SLU D36 / OVERSLUNG SLM D36 / OVERSLUNG SLO D36 SUSPENSION			
ITEM NO.	**PART NO.**	**DESCRIPTION**	**COMMENTS**
25	0532714050	Restraint Cable	Length Eye to Eye 1010 mm
	0532714060		1060 mm
	0532714030		1120 mm
	0532714020		1160 mm
	0532714010		1220 mm
	0532714090		1270 mm
	0532714080		1330 mm
	0532714190		1350 mm
	0532714140		1390 mm
	0532714100		1415 mm
	0532714070		1455 mm
	0532714110		1500 mm
	0532714120		1550 mm
	0532714180		1570 mm
	0532714200		1685 mm
	0532714210		1775 mm
26	See Note 4	Spring Top Plate	
27	See Note 4	Spring Bottom Plate	
28	See Note 4	Segment	
29	0252733380	Nut	Air Bag Top - M12
30	See note 5	Bolts - Shock Absorber	
31	0252207412	Nut	M24 Lock Nut
32	See Note 5	Bolt	Restraint Cable
33	0254013101	Washer	M31 X 4 mm
34	0262016101	Split Pin	OD 6.3 mm, Length 43 mm, DIN 94
35	See Note 4	Plate - Airbag	
36	See note 5	Bolt- Airbag	
37	0539726030	Spring - Return	Not For 1120 mm Strap Can use T02-7379
38	See Note 4	Plate - Tracking	
39	0534830050	Wrapper - Spring	See Note 2
40	0243131100	Elbow	M22 X 8 mm
40A	0243122500	Elbow	M22 X 12 mm
41	NLA	Bolt-M30 x 200 AL /SL /O	0334105040 NLA Suits AL/SL/O Suspensions
42	0328154180	Plate-Slotted	Suits AL/SL/AL2 Suspensions
43	0332034530	Washer	31 mm ID X 76 mm OD X 6 mm Thick
44	0316435010	Wear Plate	Suits ALO & SLO Suspensions
45	0311323010	Boss - Hanger	Suits Alignable Suspension Hangers

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
BPW HD SERIES SUSPENSIONS

Underslung OT D36
215 - 245 mm Ride Height

Overslung OM D36
370 - 465 mm Ride Height



Notes

1. For all axle spreads, the centre hangers are the same.
2. Configurations also available in single axle and tandem 4′ ½″, 4′ 6½″, and 5′ ½″ axle spacing.
3. Various spring leaf combinations are available - 3, 8, 9 and 10 leaf.
4. Standard ride height would be 200 mm.
5. Options available - Bolt size required.

For further information contact your nearest authorised PACCAR Parts dealer.

TRANSPEC

AIR BAG SUSPENSIONS
BPW HD SERIES SUSPENSIONS

UNDERSLUNG OT D36 / OVERSLUNG OM D36


ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	0542943690	Air Spring Assembly	D36 Air Bag And Piston	See Section 25 For Air Bag Information & Images
2	0542942580	Air Spring Bellows	D36 Air Bag Only	
3	0513939520	Air Spring Piston	D36 Piston Only	
3A	0580121320	Air Spring Piston Conversion	D36 See Note 3	
4	0237021802	Shock Absorber		
5	NLA	Shock Absorber Bush	T03-4017 NLA OEM Part	
6	NLA	Sleeve	T03-4018 NLA Suits 0228050100	
7	90-2024SP1	Shock Absorber	Optional KONI Shock Absorber	See Section 20 For Shock Absorbers
8	SA013TRP	Shock Absorber	Optional TRP Shock Absorber	
9	0334015270	Pivot Bolt	Standard M30 x 190 mm	
10	NLA	Pivot Bolt	0334015370 NLA Axle Lift M30 x 265 mm	
11	0326015010	Pivot Bolt Nut	M30 / SW46 (46 mm Across Flats)	
12	0332031270	Pivot Bolt Washer	OD 45.5 mm, ID 31 mm, 5 mm Thick	
13	0311302060TS	Pivot Bolt Boss	For M30 Eye Bolts On Non-Alignable Hangers	
14	AS-0191	Wear Disc		
15	0203160600	Pivot Bush	OD 60 mm, ID 30 mm, Height 102 mm Rubber	
16	T03-1112	Kit	Rubber Bush And Bolt Parts For 1 Side	
17	0203169000	Pivot Bush	Steel Case Heavy Duty	
18	0203169K1T	Kit - Bush Heavy Duty and Bolt	M30 Spring Eye Bolts, Steel/Rubber/Steel Bushes, 100 mm Wide Springs, Non Alignable/Parallel Sided Hanger	
19	0313844084	U-Bolt	280 mm X 24 mm X 125 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
20	0254012507	Washer	OD 44 mm, ID 25 mm, 4 mm Thick	
21	0252207412	Nut - U-Bolt	M24 Lock Nut	
22	0508212830	Spring Beam - Straight	Spring Pack - 550 380/405 2 X 43 OT SRS	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
23	0508213240	Spring Beam - Cranked	Spring Pack - 550 380/405 2 X 43 OM SRS	
24	0334102180	Centre Bolt	43 mm	

NLA - NO LONGER AVAILABLE | OEM - ORIGINAL EQUIPMENT MANUFACTURER | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

AIR BAG SUSPENSIONS
BPW HD SERIES SUSPENSIONS

Underslung OT D36
215 - 245 mm Ride Height

Overslung OM D36
370 - 465 mm Ride Height



Notes

1. For all axle spreads, the centre hangers are the same.
2. Configurations also available in single axle and tandem 4′ ½″, 4′ 6½″, and 5′ ½″ axle spacing.
3. Various spring leaf combinations are available - 3, 8, 9 and 10 leaf.
4. Standard ride height would be 200 mm.
5. Options available - Bolt size required.

For further information contact your nearest authorised PACCAR Parts dealer.

TRANSPEC

AIR BAG SUSPENSIONS
BPW HD SERIES SUSPENSIONS

UNDERSLUNG OT D36 / OVERSLUNG OM D36			
ITEM NO.	**PART NO.**	**DESCRIPTION**	**COMMENTS**
25	0532714050	Restraint Cable	Length Eye to Eye 1010 mm
	0532714060		1060 mm
	0532714030		1120 mm
	0532714020		1160 mm
	0532714010		1220 mm
	0532714090		1270 mm
	0532714080		1330 mm
	0532714190		1350 mm
	0532714140		1390 mm
	0532714100		1415 mm
	0532714070		1455 mm
	0532714110		1500 mm
	0532714120		1550 mm
	0532714180		1570 mm
	0532714200		1685 mm
	0532714210		1775 mm
26	See Note 4	Spring Top Plate	
27	See Note 4	Spring Bottom Plate	
28	See Note 4	Segment	
29	0252733380	Nut	Air Bag Top - M12
30	See note 5	Bolts - Shock Absorber	
31	0252207412	Nut	M24 Lock Nut
32	See Note 5	Bolt – Restraint Cable	
33	0254013101	Washer	M31 X 4 mm
34	0262016101	Split Pin	OD 6.3 mm, Length 43 mm, DIN 94
35	See Note 4	Plate - Airbag	
36	See note 5	Bolt- Airbag	
37	0539726030	Spring - Return	Not For 1120 mm Strap Can use T02-7379
38	See Note 4	Plate - Tracking	
39	0243131100	Elbow	M22 X 8 mm
39A	0243122500	Elbow	M22 X 12 mm
40	NLA	Bolt	0334105040 NLA M30 x 200 mm Suits ALO & SLO Suspensions
41	0328154180	Plate-Slotted	Suits AL/SL/AL2 Suspensions
42	0332034530	Washer	31 mm ID X 76 mm OD X 6 mm Thick
43	0316435010	Wear Plate	Suits ALO & SLO Suspensions
44	0311323010	Boss - Hanger	Suits Alignable Suspension Hangers

NLA - NO LONGER AVAILABLE | OEM - ORIGINAL EQUIPMENT MANUFACTURER | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

AIR BAG SUSPENSIONS
BPW AL2 SERIES SUSPENSIONS

FIG A




FIG B




FIG C

Base plates D30/D30K





FIG D

Base plates D36



Notes

1. To suit AL2 Suspensions with M24 spring eye bolts ONLY.
2. For part numbers for AL2 Suspensions using hangers with M30 spring eye bolts, contact PACCAR Parts.

For further information contact your nearest authorised PACCAR Parts dealer.


TRANSPEC

AIR BAG SUSPENSIONS
BPW AL2 SERIES SUSPENSIONS

UNDERSLUNG / OVERSLUNG AL2 AIR BAGS & AIR BAG PARTS

ITEM NO.	FIG	PART NO.	DESC	COMMENTS	ALL DIMENSIONS IN MM						
					V	X	H	B	C	D	
1	A	0542943660	Air Bag Assembly	D30 Air Bag And Piston	0/20/60	70	180	150	25	70	See Section 19 For Air Bags
		0542943650		D30K Air Bag And Piston							
		0542943690		D36 Air Bag And Piston	45/80	70/120	180	150	25	95	
2	A, B	0542942570	Air Bag Bellows	D30 Air Bag Only	BPW 941MB Design						
		0542942560		D30K Air Bag Only	BPW 940MB Design						
		0542942580		D36 Air Bag Only	BPW 881MB Design						
3		0513939580	Air Bag Piston	D30 Piston Only							
		0513939510		D30K Piston Only							
		0513939520		D36 Piston Only							
					V	X	B	D	L		
4	C	0328095020	Base Plate	D30 / D30K	0/20/60	70	20	110	135		
	D	0328095030		D36	45/80	70/120	20	150	170		
5	B	0317903080	Threaded Sleeve	M16 X 51 mm							
6		0334012230	Centre Bolt	D30 Piston							
		0334012240		D30K Piston							
7		0250709500	Bolt Airbag	M16 X 65 mm							
		0250709600		M16 X 75 mm							
8		0252733380	Nut	Air Bag Top - M12							

AIR BAG SUSPENSIONS
BPW AL2 SERIES SUSPENSIONS



Notes

1. For part numbers for Hangers with M30 Spring Eye Bolts contact PACCAR Parts.
2. Some part numbers may not be on file due to the unavailability of prices at time of printing.
3. For Early AL1 / 2 with 30mm diameter bolts see BPW AL Series Suspensions (ALU-DD30K ALO-D30K ALO-D30)

For further information contact your nearest authorised PACCAR Parts dealer.

TRANSPEC


AIR BAG SUSPENSIONS
BPW AL2 SERIES SUSPENSIONS

UNDERSLUNG / OVERSLUNG AL2 SPRING EYE BOLT ASSEMBLY			
ITEM NO.	**PART NO.**	**DESCRIPTION**	**COMMENTS**
1	0334014200	Spring Eye Bolt	M24 X 166 mm
2	0328144250	Alignment Plate	Alignable Suspension Only
3	0332033280	Spring Eye Washer	0332034550 Superseded By 0332033280 M24
4	0326014130	Spring Eye Nut	M24
5	0203142400	Bush	Steel/Rubber/Steel Bush
---	0203142K1T-P	Spring Eye Bolt Kit	Parallel Hanger Non Alignable Suspension 1 Kit Per Axle
---	0203142K1T-T		Tapered Hanger Non Alignable Suspension 1 Kit Per Axle
---	0203142K1T 1ALP		Parallel Hanger Alignable Suspension 1 Kit Per Axle
---	0203142K1T-1ALT		Tapered Hanger Alignable Suspension 1 Kit Per Axle
6a	0316435030	Wear Plate	Tapered Hanger
6b	0316435040		Parallel Hanger
7	0311300560	Hanger Boss	Non Alignable Suspension
8	0311303100		Alignable Suspension


NLA - NO LONGER AVAILABLE


AIR BAG SUSPENSIONS
BPW AL2 SERIES SUSPENSIONS

FRONT MOUNT



REAR MOUNT





Notes

1. The part number for the sling will depend on the suspension.
2. To obtain the correct part number (e.g. AS0025/....) please refer to the tag on the sling.

For further information contact your nearest authorised PACCAR Parts dealer.

TRANSPEC

AIR BAG SUSPENSIONS
BPW AL2 SERIES SUSPENSIONS


UNDERSLUNG / OVERSLUNG AL2 SHOCK ABSORBERS & ATTACHMENTS					
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	QTY PER AXLE	
1a	0237228302	Shock Absorber 326 mm - 496 mm	Front Mount	2	See Section 20 For Shock Absorbers
1b	0237021802	Shock Absorber 475 mm - 800 mm	Rear Mount	2	
2	0252207412	Nut	M24 Lock Nut	4	
3a	0334014190	Bolt	Front Mount Shock Absorber M24 x 240 mm	2	
3b	0250234980	Bolt	Rear Mount Shock Absorber M24 x 140 mm	2	
4	0331031380	Spacer – Lower Mount	Rear Mount Shock Absorber	4	
5	See Note 2	Sling		2	
6	AS0002	Rubber Ring Retainer		4	
7	AS001	Plate Webbing Sling		4	

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
BPW AL2 SERIES SUSPENSIONS


A

OVERSLUNG
Non-Alignable Hangers




B

UNDERSLUNG
Non-Alignable Hangers




C

OVERSLUNG
Alignable Hangers



D

UNDERSLUNG
Alignable Hangers



Notes

1. For suspensions fitted to BPW disc brake axles with 377mm rotor diameter (predominantly for disc brake axles to suit 19.5" tyres) flat U Bolts part number 0313841134 are used. These should only be used in conjunction with axle seats that are made to suit flat U Bolts.
2. For Part Numbers for Hangers with M30 Spring Eye Bolts, contact PACCAR PARTS.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
BPW AL2 SERIES SUSPENSIONS

UNDERSLUNG / OVERSLUNG AL2 AXLE CLAMPING

ITEM NO.	FIG	PART NO.	DESC	QTY PER AXLE	OVERSLUNG		UNDERSLUNG					COMMENTS
					DISC & DRUM BRAKE		DISC BRAKE	DRUM BRAKE				
								Non Alignable Hangers		Alignable Hangers		
					Non Alignable Hanger	Alignable Hanger	All Hangers	Front Mount Shock Absorber	Rear Mount Shock Absorber	Front Mount Shock Absorber	Rear Mount Shock Absorber	
1	B, D	0514525460	Spring Plate Right Hand	1				✓		✓		
2	B, D	0514525070	Spring Plate Left Hand	1				✓		✓		
3	A, C	0314525380	Spring Plate	2	✓	✓			✓		✓	
4	C, D	0308474430	Dowel	2		✓				✓		
5	A	0328136140AL2	Alignment plate with dowel	2	✓							
6	B	0328136140AL2US	Alignment plate	2			✓	✓	✓		✓	
7	All	0313841014	U Bolt	4								Round M24 X 152 mm X 268 mm — See Sections 22.1 & 22.2
8		0313841194	U Bolt	4				✓				Round M24 X 152 mm X 280 mm — For U-Bolt Information & Images
9		0254012507	Washer	8								M24
10		0252207412	Nut	8								M24

AIR BAG SUSPENSIONS
BPW AL2 SERIES SUSPENSIONS



Notes

1. For all Hangers with M30 Eye Bolts, please contact PACCAR Parts.
2. Check if the hanger is parallel or tapered by looking at the hanger in the direction of travel.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

TRANSPEC

AIR BAG SUSPENSIONS
BPW AL2 SERIES SUSPENSIONS

UNDERSLUNG / OVERSLUNG AL2 SUSPENSION HANGERS (M24 EYE BOLTS ONLY)					
ITEM NO.	ALL DIMENSIONS IN MM				COMMENTS
	ST	B	D	F	
NON ALIGNABLE HANGERS					
0537544458	268	84	150	41	Tapered Hanger
0537544468	268	84	90	35	
0537544478	350	105	100	150	Parallel Hanger
ALIGNABLE HANGERS					
0537544308	184	91	70	35	Tapered Hanger
0537544318	268	84	150	41	
0537544328	268	84	90	35	
0537544698	350	105	100	150	Parallel Hanger 0537544698 NA See Note 3

NLA - NO LONGER AVAILABLE

TRUCK & TRAILER PARTS

TRP® BIBRA LAKE




TRP® Bibra Lake
Global TRP® Store of The Year 2022

FIND US AT

Unit 1, 1 Discovery Drive
Bibra Lake WA 6163

Phone: (08) 9359 7480



“ We are feeling very humbled that our own TRP® Bibra Lake Store has won the TRP® Global Of The Store Of Year award.
Starting less than two years ago, we now are employing a staff of eight, along with a fleet of TRP® delivery trucks, to provide an even better service to our loyal customers.
Our goal and vision is to provide a welcoming store, great service, parts knowledge and vibe.”

- Vincent Offenbaker, Parts Manager TRP® Bibra Lake.

TRUCK & TRAILER PARTS

TRP® BROWN & HURLEY STORES



TRP® EMERALD
FIND US AT

10 Gregory Highway
Emerald QLD 4720

Phone: (07) 4897 2000

TRP® BUNDABERG
FIND US AT

104 Scotland St
Bundaberg East
QLD 4670

Phone: (07) 4153 1849





TRP® ROMA
FIND US AT

144 Raglan Street
Roma QLD 4455

Phone: (07) 4578 8000




TRP® WARWICK
FIND US AT

13011 Cunningham Hwy
Sladevale QLD 4370

Phone: (07) 4598 3100

AIR BAG SUSPENSIONS
HENDRICKSON HT SERIES SUSPENSIONS



Notes

1. HT250U 165 mm, 190 mm, 228 mm Ride Height / HT300U 190 mm Ride Height.
2. Quick Align suspensions allow easy alignment from the outside of the hangers. (See Section 18.4.9 Hendrickson Quick Align Suspensions)
3. To convert a Non Quick Align system to a Quick Align one, use Quick Align Retrofit Kit Part Number 98690-001.
4. Use Bushing Replacement Tool Part Number S-21307A when replacing the Tri-Functional Bushes. (Items 13, 14 & 14A)

For further information contact your nearest authorised PACCAR Parts dealer.

HENDRICKSON
The World Rides On Us®


AIR BAG SUSPENSIONS
HENDRICKSON HT SERIES SUSPENSIONS

HT250U / HT 300U UNDERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS		
1	C-20335-1	Trailing Arm	Left Hand Side	HT250U	
1A	C-20335-2	Trailing Arm	Right Hand Side		
2	NLA	Trailing Arm	Left Hand Side S-20252-1 NLA	HT300U	
2A	NLA	Trailing Arm	Right Hand Side S-20252-2 NLA		
3	C-20124	Air Spring		HT250U	See Section 19 For Air Bags
3A	B-3830	Air Spring		HT300U	
3B	A-20033P	Air Spring Bolt Kit	Axle Set Includes 2 Nuts, 2 Washers & 4 Bolts		
4	S-24023	Shock Absorber		HT250U	See Section 20 For Shock Absorbers
4A	S-21699	Shock Absorber		HT300U	
4B	98941-006-8P	Shock Absorber Bush Kit			
4C	90-2396SP1	Shock Absorber	KONI	HT250U	See Section 20 For Shock Absorbers
4D	90-2319SP1	Shock Absorber	KONI	HT300U	
5	A-20031	Shock Absorber Bolt Kit	Axle Set		
6	B-11613-2P	Wear Pad	5 mm Thick		
6A	S-21099-4P	Wear Pad	10 mm Thick Recessed		
7	S-3646	Pivot Bolt/Nut	1-⅛"	Non Quick Align	
7A	S-31623	Pivot Bolt/Nut Kit	⅞" Supplied As A Kit Includes Shear Bolt, Nut And Two Hardened Washers	Quick Align	
8	S-31625	Pivot Bolt/Nut/ Collars		Quick Align	
9	B-2770-2P	Alignment Collar		Non Quick Align	
10	C-20924	Alignment Collar	Inner	Quick Align	
11	C-20925	Alignment Collar	Outer		
12	NLA	Torque Rite Nut	Use Pivot Bolt/Nut Kit S-31623 S-20930P NLA"		
13	C-21824	TRI-FUNCTIONAL™ Bush			
14	A-6914	TRI-FUNCTIONAL™ Bush Kit	Includes Items 6, 7, 13	Non Quick Align	
14A	A-31624	TRI-FUNCTIONAL™ Bush Kit	Includes Items 6, 7A, 13	Quick Align	
15	S-21140	U-Bolt Kit			See Section 22 For U-Bolts
16	S-21140	U-Bolt Spacer Kit			
17	B-20701	Spacer			
18	98918-001	Shock Absorber Strap Kit	For Strap Only Use C-14587-8L		

NLA — NO LONGER AVAILABLE | NI — NOT ILLUSTRATED

AIR BAG SUSPENSIONS
HENDRICKSON HT SERIES SUSPENSIONS



Notes

1. HT250US 165 mm, 190 mm, 228 mm Ride Height.
2. Quick Align suspensions allow easy alignment from the outside of the hangers. (See Section 18.4.9 Hendrickson Quick Align Suspensions)
3. To convert a Non Quick Align system to a Quick Align one, use Quick Align Retrofit Kit Part Number 98690-001.
4. Use Bushing Replacement Tool Part Number S-21307A when replacing the Tri-Functional Bushes. (Items 11, 12 & 12A)

For further information contact your nearest authorised PACCAR Parts dealer.

HENDRICKSON
The World Rides On Us®


AIR BAG SUSPENSIONS
HENDRICKSON HT SERIES SUSPENSIONS

HT250US UNDERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	S-24186-1	Trailing Arm	Left Hand Side	
2	S-24186-2	Trailing Arm	Right Hand Side	
3	C-20127	Air spring		See Section 19 For Air Bags
3A	A-20033P	Air Spring Bolt Kit	Axle Set	
4	S-23744	Shock Absorber	6½" Ride Height	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
4A	S-23743	Shock Absorber	7½", 8½" - 14" Ride Height	
4B	98941-006-8P	Shock Absorber Bush Kit		
5	S-24024	Shock Absorber Bolt Kit	Axle Set	
6	B-11613-2P	Wear Pad	5 mm Thick	
6A	S-21099-4P	Wear Pad	10 mm Recessed	
7	S-31623	Pivot Bolt/Nut	Quick Adjust ⅞"	
8	S-31625	Pivot Bolt/Nut/ Collars		
9	C-20924	Alignment Collar Inner	Quick Adjust	
10	C-20925	Alignment Collar Outer	Quick Adjust	
11	NLA	Torque Rite Nut	S-20930P is NLA	
12	C-21824	TRI-FUNCTIONAL™ Bush		
12A	A-31624	TRI-FUNCTIONAL™ Bush Kit	Quick Adjust Includes items 6, 7, 12	
13	S-21140	U-Bolt Kit		See Sections 22.1 & 22.2 For U-Bolt Information & Images
14	S-21140	U-bolt Spacer Kit		
15	B-20701	Spacer		
NI	S-23086-10	Restraint Strap Kit	6½" Ride Height	
NI	S-23086-5	Restraint Strap Kit	7½" Ride Height	

NLA — NO LONGER AVAILABLE | NI — NOT ILLUSTRATED

AIR BAG SUSPENSIONS
HENDRICKSON HT SERIES SUSPENSIONS



Notes

1. HT230 / HT 300 380 mm, 430 mm Ride Height.
2. Quick Align suspensions allow easy alignment from the outside of the hangers. (See Section 18.4.9 Hendrickson Quick Align Suspensions)
3. To convert a Non Quick Align system to a Quick Align one, use Quick Align Retrofit Kit Part Number 98690-001.
4. Use Bushing Replacement Tool Part Number S-21307A when replacing the TRI-FUNCTIONAL™ Bushes. (Items 14, 14A & 15)
5. Early HT230 suspension Air Springs, Part Number C-20010, were fitted with a single stud mount. These are superseded by Part Number S-21208, fitted with a dual stud mount.

TRI-FUNCTIONAL™ is a trade mark of Hendrickson USA, L.L.C

For further information contact your nearest authorised PACCAR Parts dealer.

HENDRICKSON
The World Rides On Us®


AIR BAG SUSPENSIONS
HENDRICKSON HT SERIES SUSPENSIONS

HT230 / HT300 OVERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS		
1	S-27614-1	Trailing Arm	Left Hand Side	HT230	
1A	S-27614-2	Trailing Arm	Right Hand Side		
2	D-20186-1	Trailing Arm	Left Hand Side	HT300	
2A	D-20186-2	Trailing Arm	Right Hand Side		
3	S-21208	Air Spring	Dual Stud	HT230	See Section 19 For Air Bags
3A	98734-101	Air Spring		HT300	
3B	A-20033P	Air Spring Bolt Kit	Axle Set Includes 2 Nuts, 2 Washers & 4 Bolts		
4	S-20889	Shock Absorber			See Sections 20.1 & 20.2 For Shock Absorber Information & Images
4A	98941-006-8P	Shock Absorber Bush Kit	Includes items 6, 7A, 13		
NI	90-2396SP1	Shock Absorber Strap Kit	KONI		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
NI	98918-001	Shock Absorber Strap Kit	Strap only - C-14587-8L		
5	A-20031	Shock Absorber Bolt Kit	Axle Set		
6	B-11613-2P	Wear Pad	5 mm Thick		
NI	S-21099-4P	Wear Pad	10 mm Thick-Recessed		
NI	NLA	Wear Pad	Heavy Duty Glove S-26551 NLA Use S-26551-4P (4 Pack)	HT230	
NI	S-26824	Wear Pad	Heavy Duty Glove	HT300	
7	S-3646	Pivot Bolt and Nut	1⅛" Non Quick Align		
7A	S-31623	Pivot Bolt and Nut	⅞" UNC Quick Align		
8	S-31625	Pivot Bolt, Nut and Collars	Quick Align		
9	B-2770-2P	Alignment Collar	Non Quick Align		
10	C-20924	Alignment Collar	Inner Quick Align		
11	C-20925	Alignment Collar	Outer Quick Align		
12	NLA	Torque Rite Nut	S-20930P NLA		
13	C-21824	TRI-FUNCTIONAL™ Bush			
14	A-6914	TRI-FUNCTIONAL™ Bush Kit	Includes Pivot Bolt, Inner and Outer Quick Align Alignment Collars, Nut - Prevailing Torque ⅞" UNC	Non Quick Align	
14A	A-31624	TRI-FUNCTIONAL™ Bush Kit	Includes Pivot Bolt, Hardened Washer ⅞", Nut - Prevailing Torque ⅞"" UNC, Wear Bush - Flat Style, TRI-FUNCTIONAL™ Bush, TRI-FUNCTIONAL™ Bush Lube Pack	Quick Align	
15	N/A	TRI-FUNCTIONAL™ Bush	Order Items 7 And 14		
16	N/A	U Bolt	Order Item 17		

NLA - NO LONGER AVAILABLE | N/A - NOT APPLICABLE | NI — NOT ILLUSTRATED

AIR BAG SUSPENSIONS
HENDRICKSON HT SERIES SUSPENSIONS



Notes

1. HT230 / HT 300 380 mm, 430 mm Ride Height.
2. Quick Align suspensions allow easy alignment from the outside of the hangers. (See Section 18.4.9 Hendrickson QUICK ALIGN Suspensions)
3. To convert a Non Quick Align system to a Quick Align one, use Quick Align Retrofit Kit Part Number 98690-001.
4. Use Bushing Replacement Tool Part Number S-21307A when replacing the Tri-Functional Bushes. (Items 14, 14A & 15)
5. Early HT230 suspension Air Springs, Part Number C-20010, were fitted with a single stud mount. These are superseded by Part Number S-21208, fitted with a dual stud mount.

TRI-FUNCTIONAL™ is a trade mark of Hendrickson USA, L.L.C


For further information contact your nearest authorised PACCAR Parts dealer.

HENDRICKSON
The World Rides On Us®

AIR BAG SUSPENSIONS
HENDRICKSON HT SERIES SUSPENSIONS

HT230 / HT300 OVERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
17	S-21140	U Bolt and Spacer Kit	For 15" & 16½" Brakes (19.5" Or Larger Tyres). Replaces Early Design With Spacers, As They Are Not Used With New Stepped Design U-Bolts. Includes U-Bolts, Nuts & Washers.	Updated "Stepped" Type
18	B-20701	Spacer		
19	N/A	Shock Absorber Upper Mount	Requires Suspension Numbers To Identify Correct Part Number Refer To The Identification Plates (Attached To The Suspension Beams) For Further Information Contact PACCAR Parts	
20	C-20069	Shock Clevis		
NI	NLA	Axle Strap	1200 mm Eye to Eye 98915-004 NLA	

AIR BAG SUSPENSIONS
HENDRICKSON INTRAAX SERIES SUSPENSION



Notes

1. INTRAAX AA250 340 mm, 380 mm, 405 mm, 430 mm, 480 mm Ride Height.
2. Quick Align suspensions allow easy alignment from the outside of the hangers. (See Section 18.4.9 Hendrickson QUICK ALIGN Suspensions)
3. Heavy duty wear pads are not suitable for MAXITRAAX and other Hendrickson suspensions.
4. Use Bushing Replacement Tool Part Number S-21307A when replacing the Tri-Functional Bushes. (Items 11 & 12)
5. Other variations are available; configuration and part number must be confirmed with Hendrickson prior to placing order.

TRI-FUNCTIONAL™ is a trade mark of Hendrickson USA, L.L.C

For further information contact your nearest authorised PACCAR Parts dealer.


HENDRICKSON
The World Rides On Us®

AIR BAG SUSPENSIONS
HENDRICKSON INTRAAX SERIES SUSPENSION

INTRAAX AA250 SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1A	X1-250AXLE.1	71.5" Track – Note 5		
1B	X1-250AXLE.1	73" Track – Note 5		
2	C-21784	Air Spring	With Top Ring	
2A	C-20901	Air Spring		
3	S-21699	Shock Absorber	Genuine	
3A	91-2641SP1	Shock Absorber	KONI	
3B	98941-006-8P	Shock Absorber Bush Kit		
4	98111-103	Shock Absorber Bolt Kit	Axle Set	
4A	S-24021	Lower Shock Absorber Bolt	Kit Only	
5A	B-11613-2P	Wear Pad	5 mm Thick	
5B	S-21099-4P	Wear Pad	10 mm Thick-Recessed	
5C	NLA	Wear Pad	Heavy Duty Glove S-26551 NLA Use S-26551-4P (4 Pack)	
6	S-31623	Pivot Bolt/Nut Kit	7/8" Supplied As A Kit Includes Shear Bolt, Nut And Two Hardened Washers	Quick Align
7	S-31625	Pivot Bolt/Nut/ Collars		Quick Align
8	C-20924	Alignment Collar Inner		
9	C-20925	Alignment Collar Outer		
10	NLA	Torque Rite Nut	S-20930P NLA	
11	C-21824	TRI-FUNCTIONAL™ Bush		Quick Align
12	A-31624	TRI-FUNCTIONAL™ Bush Kit	Includes items 5 ,6, 11	Quick Align
13	98918-001	Shock Absorber Strap Kit	Straps only - C-14587-8L	
14	98918-002	Axle Restraint Kit	Strap only - 98915-004 Alignment Collar Outer (Q/A)	Quick Align
15	60502-000-P	Height Control Valve		
NI	57977-103	Height Control Valve Kit		
17	S-22619	Air Bag Mount Kit		Non Spacer Type
	S-22630	Air Bag Mount Kit	1 1/8" 15" Right Hand	Spacer Type
	S-22631	Air Bag Mount Kit	1 7/8" 16" Right Hand	
	S-22632	Air Bag Mount Kit	3 1/8" 17" Right Hand	

NLA - NO LONGER AVAILABLE | NI - NOT ILLUSTRATED

AIR BAG SUSPENSIONS
HENDRICKSON INTRAAX SERIES SUSPENSION



Notes

1. INTRAAX AA250 340 mm, 380 mm, 405 mm, 430 mm, 480 mm Ride Height.
2. Quick Align suspensions allow easy alignment from the outside of the hangers. (See Section 18.4.9 Hendrickson QUICK ALIGN Suspensions)
3. Heavy duty wear pads are not suitable for MAXITRAAX and other Hendrickson suspensions.
4. Use Bushing Replacement Tool Part Number S-21307A when replacing the Tri-Functional Bushes. (Items 11 & 12)
5. Other variations are available; configuration and part number must be confirmed with Hendrickson prior to placing order.

TRI-FUNCTIONAL™ is a trade mark of Hendrickson USA, L.L.C

For further information contact your nearest authorised PACCAR Parts dealer.


HENDRICKSON
The World Rides On Us®

AIR BAG SUSPENSIONS
HENDRICKSON INTRAAX SERIES SUSPENSION

INTRAAX AA250 SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
18	B-20905	Plate	Top 13.5" to 17" Right Hand	
19	S-22510-1	Spacer	Plastic 1⅛" 15" Right Hand	Spacer Type
	S-22510-2	Spacer	Plastic 1⅞" 16" Right Hand	
	S-22510-3	Spacer	Plastic 3⅛" 17" Right Hand	
	S-22302-6	Spacer	Steel 55/16" 19" Right Hand	

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
HENDRICKSON INTRAAX SERIES SUSPENSION



Notes

1. INTRAAX AA250 165 mm, 190 mm, 305 mm Ride Height.
2. Quick Align suspensions allow easy alignment from the outside of the hangers. (See Section 18.4.9 Hendrickson QUICK ALIGN Suspensions)
3. Heavy duty wear pads are not suitable for MAXITRAAX and other Hendrickson suspensions.
4. Use Bushing Replacement Tool Part Number S-21307A when replacing the TRI-FUNCTIONAL™ Bushes. (Items 9 & 10)
5. Other variations are available; configuration and part number must be confirmed with Hendrickson prior to placing order.

TRI-FUNCTIONAL™ is a trade mark of Hendrickson USA, L.L.C

For further information contact your nearest authorised PACCAR Parts dealer.

HENDRICKSON
The World Rides On Us®


AIR BAG SUSPENSIONS
HENDRICKSON INTRAAX SERIES SUSPENSION

LOW RIDE INTRAAX AA250 SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	S-23721	Air Spring	165 mm / 190 mm Ride Height	See Section 19 For Air Bags
1A	S-23611	Air Spring	230 mm Ride Height	
1B	S-23612	Air Spring	305 mm Ride Height	
2	S-24579	Shock Absorber	165 mm / 230 mm Ride Height	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	S-24023	Shock Absorber	305 mm Ride Height	
2B	98941-006-8P	Shock Absorber Bush Kit		
3	S-24757	Shock Absorber Bolt Kit	Axle Set	
4A	B-11613-2P	Wear Pad	Standard 5 mm Thick	
4B	S-21099-4P	Wear Pad	10 mm Thick	
4C	NLA	Wear Pad	Tube Style – Heavy Duty S-26551 NLA Can use S-26551-4P (4PK)	
5	S-31623	Pivot Bolt/Nut	⅞" UNC Quick Align Suspensions	
6	S-31625	Pivot Bolt/Nut/ Collars	Quick Align Suspensions	
7	C-20924	Alignment Collar	Inner Quick Align Suspensions	
8	C-20925	Alignment Collar	Outer Quick Align Suspensions	
9	C-21824	TRI-FUNCTIONAL™ Bush		
10	A-31624	TRI-FUNCTIONAL™ Bush Kit	Quick Align Suspensions	
NI	98918-001	Shock Absorber Strap Kit	Straps only - C-14587-8L	
NI	98918-002	Axle Restraint Kit	Strap only - 98915-004	
NI	60502-000-P	Height Control Valve		See Section 26 For Suspension Height Control Systems and Component Information & Images
NI	57977-103	Height Control Valve Kit		
15	S-22619	Air Bag Mount Kit	No Spacer	
16	Refer Item 18	Plate	Top	
17	Refer Note 3	Spacer	Air Bag	
18	S-23294	Plate	Top Air Bag 18" - 19" Ride Height	

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
HENDRICKSON MAXITRAAX SUSPENSIONS



Notes

1. These suspensions should not be confused with INTRAAX suspensions.
2. Mostly found on Freighter Trailers.
3. Quick Align suspensions allow easy alignment from the outside of the hangers. (See Section 18.4.9 Hendrickson QUICK ALIGN Suspensions)
4. Use Bushing Replacement Tool Part Number S-21307A when replacing the Tri-Functional Bushes. (Items 6)
5. Other variations are available; configuration and part number must be confirmed via the Axle Tag with Hendrickson prior to placing order.

TRI-FUNCTIONAL™ is a trade mark of Hendrickson USA, L.L.C

For further information contact your nearest authorised PACCAR Parts dealer.


HENDRICKSON
The World Rides On Us®

AIR BAG SUSPENSIONS
HENDRICKSON MAXITRAAX SUSPENSIONS

MAXITRAAX SERIES SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	S-21800	Air Spring		See Section 19 For Air Bags
1A	S-23721	Air Spring	OEM Cross Reference P/N 1T15MBTW6	
1B	S-22630	Air Spring Fittings		
2	S-21699	Shock Absorber	See 2A Also	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	S-20889	Shock Absorber	Heavy Duty	
2B	98941-006-8P	Shock Absorber Bush Kit		
3	98111-103	Shock Absorber Bolt Kit		
4	B-11613-2P	Wear Pad		
5	S-31628	Pivot Bolt/Nut/ Collars	Quick Align	
6	S-31622	TRI-FUNCTIONAL™ Bush Kit	Quick Align	
7	B-20905	Plate	Air Bag	
8	S-22510-1	Spacer	Air Bag	
9	S-28400-1L	Hanger	Left Hand	
10	S-28400-1R	Hanger	Right Hand	
11	Axle Housing		See Note 2	

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
HENDRICKSON T9-106 SUSPENSIONS



Notes

1. These suspensions are no longer in common use.
2. 228 mm Ride Height.
3. To convert a Non Quick Align system to a Quick Align one, use Quick Align Retrofit Kit Part Number 98690-001.
4. Use Bushing Replacement Tool Part Number S-21307A when replacing the TRI-FUNCTIONAL™ Bushes. (Items 8, & 9)

TRI-FUNCTIONAL™ is a trade mark of Hendrickson USA, L.L.C

For further information contact your nearest authorised PACCAR Parts dealer.


HENDRICKSON
The World Rides On Us®

AIR BAG SUSPENSIONS
HENDRICKSON T9-106 SUSPENSIONS

T9-106 UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	NLA	Trailing Arm - LHS	Left Hand Side C-3691-1 NLA	
1A	NLA	Trailing Arm - RHS	Right Hand Side C-3691-2 NLA	
2	B-2066	Air spring		See Section 19 For Air Bags
3	A-4084	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
NI	98941-006-8P	Shock Absorber Bush Kit		
4	B-11613-2P	Wear Pad		
5	S-3646	Pivot Bolt/Nut	1⅛”	
6	B-2770-2P	Alignment Collar	Non Quick Align Suspensions	
7	NLA	Torque Rite Nut	Use S-15122P S-20930P NLA	
8	C-21824	TRI-FUNCTIONAL™ Bush		
9	A-6914	TRI-FUNCTIONAL™ Bush Kit	Non Quick Align Suspensions	

NLA - NO LONGER AVAILABLE | NI - NOT ILLUSTRATED

AIR BAG SUSPENSIONS
HENDRICKSON T15 / T17 SUSPENSIONS



Notes

1. T15 / T17 380 mm, 430 mm Ride Height.
2. Quick Align suspensions allow easy alignment from the outside of the hangers.
   (See Section 18.4.9 Hendrickson QUICK ALIGN Suspensions)
3. Use Bushing Replacement Tool Part Number S-21307A when replacing the Tri-Functional Bushes. (Items 11 & 12)

TRI-FUNCTIONAL™ is a trade mark of Hendrickson USA, L.L.C

For further information contact your nearest authorised PACCAR Parts dealer.

HENDRICKSON
The World Rides On Us®


AIR BAG SUSPENSIONS
HENDRICKSON T15 / T17 SUSPENSIONS

T15 / T17 OVERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	B-3647-1	Trailing Arm - LHS	Left Hand Side	
1A	B-3647-2	Trailing Arm - RHS	Right Hand Side	
2	98734-101	Air spring		See Section 25 For Air Bag Information & Images
3	S-20886	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
NI	A-13123L-8P	Shock Absorber Bush Kit		
4	B-11613-2P	Wear Pad		
5	S-3646	Pivot Bolt/Nut	1⅛"	
6	B-2770-2P	Alignment Collar	Non Quick Align Suspensions	
7	NLA	Torque Rite Nut	S-20930P is NLA	
8	C-21824	TRI-FUNCTIONAL™ Bush		
9	A-6914	TRI-FUNCTIONAL™ Bush Kit		


NLA - NO LONGER AVAILABLE | NI - NOT ILLUSTRATED

AIR BAG SUSPENSIONS
HENDRICKSON SUSPENSIONS

STANDARD QUICK ALIGN IDENTIFICATION



RETROFIT – QUICK ALIGN
COMPLETE ASSEMBLY AS SHOWN - PART NUMBER 98690-001



Notes

For further information contact your nearest authorised PACCAR Parts dealer.


HENDRICKSON
The World Rides On Us®

AIR BAG SUSPENSIONS
HENDRICKSON SUSPENSIONS

QUICK ALIGN IDENTIFICATION & CONVERSION KIT			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
1	S-31623	Pivot Bolt/Nut	⅞" UNC
2	C-20925	Alignment Collar	Outer
3	NLA	Adaptor 98726-001 is NLA	USE Kit 98690-001
4	C-20924	Alignment Collar	Inner
5	NLA	Torque Rite Nut S-20930P is NLA	⅞" UNC USE Kit 98690-001
6	98690-001	Complete Assembly	

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
HOLLAND EURO SERIES SUSPENSIONS



Notes


1. E510 210 mm - 360 mm Ride Height
2. Originally known as WEWELER Suspensions.
3. If hangers are required, the suspension ride height and actual overall hanger height must be specified. Holland will cut the hangers to suit.
4. BPW 0203169000 Steel Cased Pivot Bush can be used as a heavy duty alternative.
5. Spring Beams are supplied complete with Bush WC234264

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
HOLLAND EURO SERIES SUSPENSIONS

E510 UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	TRP21221307	Air Spring	1R11-111	See Section 19 For Air Bags
2	T03-2501192	Shock Absorber	OEM 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	91-2227	Shock Absorber	KONI 20 mm	
2B	123840	Shock Absorber	Sachs 20 mm	
2C	912400	Shock Absorber	KONI 24 mm	
3	WC234264	Pivot Bush	See Note 4	
4	T03-2501226	Pivot Bolt	M27 Thread X 218 mm	
5	T03-2501227	Pivot Bolt Washer		
6	T03-2501228	Pivot Bolt Nut		
7	T03-2501193	Shock Absorber Bush	OEM 20 mm	
7A	T03-4004	Shock Absorber Bush	KONI 20 mm	
7B	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
8	T03-2501188	Spring Beam	Straight See Note 5	
8A	T03-2501190	Centre Bolt		
8B	T03-2501238	Nut-Centre Bolt		
9	T03-2501196	Hanger	See Note 3	
10	T03-2501250	Shock Absorber Bolt	20 mm X 2.0 X 240 mm	
11	T03-2501249	Shock Absorber Bolt	20 mm X 2.0 X 170 mm	
12	T03-2501234	Shock Absorber Bolt - Nut		
13	T03-2501233	Shock Absorber Bolt - Washer		
14	T03-2501236	U-Bolt	295 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
14A	T03-2501235	U-Bolt	343 mm	
15	T03-2501213	U-Bolt Nut		
16	0254012507	U-Bolt Washer		
17	T03-2501215	Axle Seat		
18	T03-2501047	Air Spring Pedestal		
19	T03-2501316	Outer Boss		
20	T03-2501318	Inner Boss		

AIR BAG SUSPENSIONS
HOLLAND EURO SERIES SUSPENSIONS



Notes

1. E520 or AC5209T 370 mm - 445 mm Ride Height
2. Originally known as WEWELER Suspensions.
3. If hangers are required, the suspension ride height and actual overall hanger height must be specified. Holland will cut the hangers to suit.
4. BPW 0203169000 Steel Cased Pivot Bush can be used as a heavy duty alternative.
5. Spring Beams are supplied complete with Bush WC234264


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
HOLLAND EURO SERIES SUSPENSIONS

E520 / AC5209T OVERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	TRP21221307	Air Spring	1R11-111	See Section 19 For Air Bags
2	T03-2501192	Shock Absorber	OEM 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	91-2227	Shock Absorber	KONI 20 mm	
2B	123840	Shock Absorber	Sachs 20 mm	
2C	912400	Shock Absorber	KONI 24 mm	
3	WC234264	Pivot Bush	See Note 4	
4	T03-2501226	Pivot Bolt	M27 Thread X 218 mm	
5	T03-2501227	Pivot Bolt Washer		
6	T03-2501228	Pivot Bolt Nut		
7	T03-2501193	Shock Absorber Bush	OEM 20 mm	
7A	T03-4004	Shock Absorber Bush	KONI 20 mm	
7B	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
8	T03-2501187	Spring Beam	Cranked See Note 5	
	WF001A037GE75	Spring Beam	Cranked Alternative Option See Note 5	
8A	T03-2501190	Centre Bolt		
8B	T03-2501238	Nut-Centre Bolt		
9	T03-2501195	Hanger	See Note 1	
10	T03-2501250	Shock Absorber Bolt	20 mm X 2.0 X 240 mm	
11	T03-2501249	Shock Absorber Bolt	20 mm X 2.0 X 170 mm	
12	T03-2501234	Shock Absorber Bolt - Nut		
13	T03-2501233	Shock Absorber Bolt - Washer		
14	T03-2501236	U-Bolt	295 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
15	T03-2501213	U-Bolt Nut		
15A	T03-2501235	U-Bolt	343 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
16	0254012507	U-Bolt Washer		
17	T03-2501216	Axle Seat	Right Hand	
18	T03-2501217	Axle Seat	Left Hand	
19	T03-2501047	Air Spring Pedestal		
20	T03-2501316	Outer Boss		
21	T03-2501318	Inner Boss		

AIR BAG SUSPENSIONS
HOLLAND EURO SERIES SUSPENSIONS



Notes

1. E530 470 mm - 570 mm Ride Height
2. Originally known as WEWELER Suspensions.
3. If hangers are required, the suspension ride height and actual overall hanger height must be specified. Holland will cut the hangers to suit.
4. BPW 0203169000 Steel Cased Pivot Bush can be used as a heavy duty alternative.
5. Spring Beams are supplied complete with Bush WC234264


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
HOLLAND EURO SERIES SUSPENSIONS

E530 UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	TRP21221307	Air Spring	1R11-111	See Section 19 For Air Bags
2	T03-2501192	Shock Absorber	OEM 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	91-2227	Shock Absorber	KONI 20 mm	
2B	123840	Shock Absorber	Sachs 20 mm	
2C	912400	Shock Absorber	KONI 24 mm	
3	WC234264	Pivot Bush	See Note 4	
4	T03-2501226	Pivot Bolt	M27 Thread X 218 mm	
5	T03-2501227	Pivot Bolt Washer		
6	T03-2501228	Pivot Bolt Nut		
7	T03-2501193	Shock Absorber Bush	OEM 20 mm	
7A	T03-4004	Shock Absorber Bush	KONI 20 mm	
7B	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
8	T03-2501188	Spring Beam	Straight See Note 5	
8A	T03-2501190	Centre Bolt		
8B	T03-2501238	Nut-Centre Bolt		
9	T03-2501196	Hanger	See Note 3	
10	T03-2501250	Shock Absorber Bolt	20 mm X 2.0 X 240 mm	
11	T03-2501249	Shock Absorber Bolt	20 mm X 2.0 X 170 mm	
12	T03-2501234	Shock Absorber Bolt - Nut		
13	T03-2501133	Shock Absorber Bolt - Washer		
14	T03-2501213	U-Bolt Nut	M24	
14B	T03-2501235	U-Bolt	343 mm	
15	T03-2501213	U-Bolt Nut	M24	See Sections 22.1 & 22.2 For U-Bolt Information & Images
16	0254012507	U-Bolt Washer		
17	T03-2501216	Axle Seat	Right Hand	
18	T03-2501217	Axle Seat	Left Hand	
19	T03-2501047	Air Spring Pedestal		
20	T03-2501316	Outer Boss		
21	T03-2501318	Inner Boss		

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
HOLLAND HD SERIES SUSPENSIONS



Notes

1. H041 250 mm - 465 mm Ride Height
2. Originally known as WEWELER Suspensions.
3. If hangers are required, the suspension ride height and actual overall hanger height must be specified. Holland will cut the hangers to suit.
4. BPW 0203169000 Steel Cased Pivot Bush can be used as a heavy duty alternative.
5. Spring Beams are supplied complete with Bush WC234264


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
HOLLAND HD SERIES SUSPENSIONS

H041 UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	TRP8027	Air Spring		See Section 19 For Air Bags
2	T03-2501192	Shock Absorber	OEM 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	91-2227	Shock Absorber	KONI 20 mm	
2B	123840	Shock Absorber	Sachs 20 mm	
2C	91-2400	Shock Absorber	KONI 24 mm	
3	WC234264	Pivot Bush	See Note 4	
4	T03-2501226	Pivot Bolt	M27 Thread X 218 mm	
5	T03-2501227	Pivot Bolt Washer		
6	T03-2501228	Pivot Bolt Nut		
7	T03-2501193	Shock Absorber Bush	OEM 20 mm	
7A	T03-4004	Shock Absorber Bush	KONI 20 mm	
7B	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
8	T03-2501186	Spring Beam	See Note 5	
8A	T03-2501186M	Top Leaf	Small See Note 5	
8B	T03-2501186S	Lower Leaf	Large	
9	T03-2501194	Hanger	See Note 3	
10	T03-2501249	Shock Absorber Bolt	20 mm X 2.0 X 170 mm	
11	T03-2501231	Shock Absorber Bolt	20 mm X 2.0 X 115 mm	
12	T03-2501234	Shock Absorber Bolt - Nut		
13	T03-2501133	Shock Absorber Bolt - Washer		
14	T03-2501211	U-Bolt	310 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
15	T03-2501213	U-Bolt Nut		
16	0254012507	U-Bolt Washer		
17	T03-2501225	Spacer		
18	2501258	Axle Seat		
19	T03-2501205	Air Spring Support		
20	T03-2501316	Outer Boss		
21	T03-2501318	Inner Boss		
22	T03-2501190	Centre Bolt		
23	T03-2501238	Centre Bolt Nut		

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
HOLLAND HD SERIES SUSPENSIONS



Notes

1. H042 495 mm - 620 mm Ride Height
2. Originally known as WEWELER Suspensions.
3. If hangers are required, the suspension ride height and actual overall hanger height must be specified. Holland will cut the hangers to suit.
4. BPW 0203169000 Steel Cased Pivot Bush can be used as a heavy duty alternative.
5. Spring Beams are supplied complete with Bush WC234264


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
HOLLAND HD SERIES SUSPENSIONS

H042 UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	TRP8027	Air Spring		See Section 19 For Air Bags
2	T03-2501192	Shock Absorber	OEM 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	91-2227	Shock Absorber	KONI 20 mm	
2B	123840	Shock Absorber	Sachs 20 mm	
2C	912400	Shock Absorber	KONI 24 mm	
3	WC234264	Pivot Bush	See Note 4	
4	T03-2501226	Pivot Bolt	M27 Thread X 218 mm	
5	T03-2501227	Pivot Bolt Washer		
6	T03-2501228	Pivot Bolt Nut		
7	T03-2501193	Shock Absorber Bush	OEM 20 mm	
7A	T03-4004	Shock Absorber Bush	KONI 20 mm	
7B	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
8	T03-2501186	Spring Beam	See Note 5	
8A	T03-2501186M	Top Leaf	Small See Note 5	
8B	T03-2501186S	Lower Leaf	Large	
9	T03-2501194	Hanger	See Note 3	
10	T03-2501249	Shock Absorber Bolt	20 mm X 2.0 X 170 mm	
11	T03-2501231	Shock Absorber Bolt	20 mm X 2.0 X 115 mm	
12	T03-2501234	Shock Absorber Bolt - Nut		
13	T03-2501133	Shock Absorber Bolt - Washer		
14	T03-2501211	U-Bolt	310 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
15	T03-2501213	U-Bolt Nut		
16	0254012507	U-Bolt Washer		
17	T03-2501225	Spacer		
18	T03-2501215	Axle Seat		
19	T03-2501205	Air Spring Support		
20	T03-2501316	Outer Boss		
21	T03-2501318	Inner Boss		
22	T03-2501190	Centre Bolt		
23	T03-2501238	Centre Bolt Nut		

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
HOLLAND HD SERIES SUSPENSIONS



Notes

1. H134 250 mm - 465 mm Ride Height
2. Originally known as WEWELER Suspensions.
3. If hangers are required, the suspension ride height and actual overall hanger height must be specified. Holland will cut the hangers to suit.
4. BPW 0203169000 Steel Cased Pivot Bush can be used as a heavy duty alternative.
5. Spring Beams are supplied complete with Bush WC234264


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
HOLLAND HD SERIES SUSPENSIONS

H134 UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	TRP8027	Air Spring		See Section 19 For Air Bags
2	T03-2501192	Shock Absorber	OEM 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	91-2227	Shock Absorber	KONI 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2B	123840	Shock Absorber	Sachs 20 mm	
2C	912400	Shock Absorber	KONI 24 mm	
3	WC234264	Pivot Bush	See Note 4	
4	T03-2501226	Pivot Bolt	M27 Thread X 218 mm	
5	T03-2501227	Pivot Bolt Washer		
6	T03-2501228	Pivot Bolt Nut		
7	T03-2501193	Shock Absorber Bush	OEM 20 mm	
7A	T03-4004	Shock Absorber Bush	KONI 20 mm	
7B	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
8	T03-2501186	Spring Beam	See Note 5	
8A	T03-2501186M	Top Leaf	Small See Note 5	
8B	T03-2501186S	Lower Leaf	Large	
9	T03-2501194	Hanger	See Note 3	
10	T03-2501249	Shock Absorber Bolt	20 mm X 2.0 X 170 mm	
11	T03-2501232	Shock Absorber Bolt	20 mm X 2.0 X 220 mm	
12	T03-2501234	Shock Absorber Bolt - Nut		
13	T03-2501133	Shock Absorber Bolt - Washer		
14	T03-2501211	U-Bolt	310 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
15	T03-2501213	U-Bolt Nut		
16	0254012507	U-Bolt Washer		
17	T03-2501225	Spacer		
18	T03-2501215	Axle Seat		
19	T03-2501205	Air Spring Support		
20	T03-2501316	Outer Boss		
21	T03-2501318	Inner Boss		
22	T03-2501190	Centre Bolt		
23	T03-2501238	Centre Bolt Nut		

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
HOLLAND ULTRA LITE SERIES SUSPENSIONS



Notes

1. U514 235 mm - 360 mm Ride Height
2. Originally known as WEWELER Suspensions.
3. If hangers are required, the suspension ride height and actual overall hanger height must be specified. Holland will cut the hangers to suit.
4. BPW 0203169000 Steel Cased Pivot Bush can be used as a heavy duty alternative.
5. Spring Beams are supplied complete with Bush WC234264

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
HOLLAND ULTRA LITE SERIES SUSPENSIONS

U514 UNDERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	TRP21221307	Air Spring	1R11-111	See Section 19 For Air Bags
2	T03-2501192	Shock Absorber	OEM 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	91-2227	Shock Absorber	KONI 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2B	123840	Shock Absorber	Sachs 20 mm	
2C	912400	Shock Absorber	KONI 24 mm	
3	WC234264	Pivot Bush	See Note 4	
4	T03-2501226	Pivot Bolt	M27 Thread X 218 mm	
5	T03-2501227	Pivot Bolt Washer		
6	T03-2501228	Pivot Bolt Nut		
7	T03-2501193	Shock Absorber Bush	OEM 20 mm	
7A	T03-4004	Shock Absorber Bush	KONI 20 mm	
7B	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
8	WF001A437HG75	Spring Beam	Straight See Note 4, 5	
8A	T03-2501107	Safety Wrap - Spring Beam		
9	T03-2501196	Hanger	See Note 3	
10	T03-2501250	Shock Absorber Bolt	20 mm X 2.0 X 240 mm	
11	T03-2501249	Shock Absorber Bolt	20 mm X 2.0 X 170 mm	
12	T03-2501234	Shock Absorber Bolt - Nut		
13	T03-2501233	Shock Absorber Bolt - Washer		
14	T03-2501236	U-Bolt	295 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
15	T03-2501213	U-Bolt Nut		
16	0254012507	U-Bolt Washer		
17	T03-2501047	Air Spring Pedestal	Lower Plate 65 mm Offset	
18	T03-2501238	Centre Bolt Nut	Suits T03-2501190	
19	T03-2501471	Spring Centre Pin		
20	T03-2501316	Outer Boss		
21	T03-2501318	Inner Boss		
22	T03-2501215	Axle Seat		
23	2501237	Plate- U-Bolt	Left	
24	2501224	Plate- U-Bolt	Right	

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
HOLLAND ULTRA LITE SERIES SUSPENSIONS



Notes

1. U524 370 mm - 445 mm Ride Height
2. Originally known as WEWELER Suspensions.
3. If hangers are required, the suspension ride height and actual overall hanger height must be specified. Holland will cut the hangers to suit.
4. BPW 0203169000 Steel Cased Pivot Bush can be used as a heavy duty alternative.
5. Spring Beams are supplied complete with Bush WC234264


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
HOLLAND ULTRA LITE SERIES SUSPENSIONS

U524 UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	TRP21221307	Air Spring	1R11-111	See Section 19 For Air Bags
2	T03-2501192	Shock Absorber	OEM 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	91-2227	Shock Absorber	KONI 20 mm	
2B	123840	Shock Absorber	Sachs 20 mm	
2C	912400	Shock Absorber	KONI 24 mm	
3	WC234264	Pivot Bush	See Note 4	
4	T03-2501226	Pivot Bolt	M27 Thread X 218 mm	
5	T03-2501227	Pivot Bolt Washer		
6	T03-2501228	Pivot Bolt Nut		
7	T03-2501193	Shock Absorber Bush	OEM 20 mm	
7A	T03-4004	Shock Absorber Bush	KONI 20 mm	
7B	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
8	T03-2501177	Spring Beam	Cranked See Note 5	
8A	T03-2501107	Safety Wrap - Spring Beam		
9	T03-2501195	Hanger	See Note 3	
10	T03-2501250	Shock Absorber Bolt	20 mm X 2.0 X 240 mm	
11	T03-2501249	Shock Absorber Bolt	20 mm X 2.0 X 170 mm	
12	T03-2501234	Shock Absorber Bolt - Nut		
13	T03-2501233	Shock Absorber Bolt - Washer		
14	T03-2501236	U-Bolt	295 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
15	T03-2501213	U-Bolt Nut		
16	0254012507	U-Bolt Washer		
17	T03-2501047	Air Spring Pedestal	Lower Plate 65 mm Offset	
18	T03-2501238	Spring Centre Bolt Nut	Also Suits Centre Bolt T03-2501190	
19	T03-2501471	Spring Centre Bolt		
20	T03-2501316	Outer Boss		
21	T03-2501318	Inner Boss		
22	T03-2501216	Axle Seat	Right Hand	
23	T03-2501217	Axle Seat	Left Hand	
24	NLA	Plate U-Bolt	2501223 NLA	

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
HOLLAND ULTRA LITE SERIES SUSPENSIONS



Notes

1. U534 470 mm ULTRA - 570 mm Ride Height
2. Originally known as WEWELER Suspensions.
3. If hangers are required, the suspension ride height and actual overall hanger height must be specified. Holland will cut the hangers to suit.
4. BPW 0203169000 Steel Cased Pivot Bush can be used as a heavy duty alternative.
5. Spring Beams are supplied complete with bush WC234264

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
HOLLAND ULTRA LITE SERIES SUSPENSIONS

U534 UNDERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	TRP21221307	Air Spring		See Section 19 For Air Bags
2	T03-2501192	Shock Absorber	OEM 20 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	91-2227	Shock Absorber	KONI 20 mm	
2B	123840	Shock Absorber	Sachs 20 mm	
2C	912400	Shock Absorber	KONI 24 mm	
3	WC234264	Pivot Bush	See Note 4	
4	T03-2501226	Pivot Bolt	M27 Thread X 218 mm	
5	T03-2501227	Pivot Bolt Washer		
6	T03-2501228	Pivot Bolt Nut		
7	T03-2501193	Shock Absorber Bush	OEM 20 mm	
7A	T03-4004	Shock Absorber Bush	KONI 20 mm	
7B	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
8	WF001A437HG75		See Note 5	
8A	T03-2501107	Safety Strap - Spring Beam		
9	T03-2501196	Hanger	See Note 3	
10	T03-2501250	Shock Absorber Bolt	20 mm X 2.0 X 240 mm	
11	T03-2501249	Shock Absorber Bolt	20 mm X 2.0 X 170 mm	
12	T03-2501234	Shock Absorber Bolt - Nut		
13	T03-2501233	Shock Absorber Bolt - Washer		
14	T03-2501236	U-Bolt	295 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
15	T03-2501213	U-Bolt Nut		
16	0254012507	U-Bolt Washer		
17	T03-2501047	Air Spring Pedestal	Lower Plate 65 mm Offset	
18	T03-2501238	Spring Centre Bolt Nut		
19	T03-2501471	Spring Centre Bolt		
20	T03-2501316	Outer Boss		
21	T03-2501318	Inner Boss		
22	T03-2501216	Axle Seat	Right Hand	
23	T03-2501217	Axle Seat	Left Hand	
24	NLA	Plate U-Bolt	2501223 NLA	

NLA - NO LONGER AVAILABLE

Fuwa

K HITCH















FUWA K HITCH GENUINE PARTS

PACCAR PARTS

AVAILABLE AT 63 DEALERS AUSTRALIA-WIDE


Visit **paccarparts.com.au** or **Freecall* 1800 PPARTS (772 787)**

To find your nearest dealer, **SCAN HERE**

* Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.

NOTES

AIR BAG SUSPENSIONS
FUWA K-HITCH SUSPENSIONS



Notes

1. 210, 250 mm Ride Height
2. Part Number shown for reference only. Refer to PACCAR Parts or Fuwa K-Hitch for further options.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
FUWA K-HITCH SUSPENSIONS

K RIDE UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	NLA	U-Bolt	M24 KHAS029 NLA	See Sections 22.1 & 22.2 For U-Bolt Information & Images
2	NLA	Bolt	M24 x 250 mm Long T03-0535 NLA	
3	NLA	Bolt	M30 X 190 mm Grade 10.9 KHAS017 NLA	
4	KHAS047-1	Eccentric Washer		
5	NLA	Washer	M24 High Tensile KHAS010 NLA	
6	KHAS033405F	Hanger Assembly	C/S 210 mm Ride Height KHAS033405F NA See Note 2	
6A	KHAS033405FDS	Hanger Assembly	D/S 210 mm Ride Height KHAS033405FDS NA See Note 2	
6B	KHAS050250F	Hanger Assembly	240 mm Ride Height KHAS050250F NA See Note 2"	
7	KHAS057	Washer - Alignment		
8	KHAS015	Cone Nut	M30 x 3.5	
9	KHAS058BKT	Bracket – Catch Strap		
10	NLA	Nut	Nyloc M24 T03-5522 NLA	
11	NLA	Shock Absorber Limiting Strap	KHAS058-520 NLA	
12	KH337	O-Ring – Catch Strap	KH337 NA See Note 2	
13	KHAS009	Bolt	M24 x 140 mm Long Bolt KHAS009 NA See Note 2	
14	KHAS075	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
14A	912400	Shock Absorber	KONI Alternative	
14B	7052-25-2671	Shock Absorber Bush	2 per Shock Absorber	
15	KHAS041	Lower Shock Absorber Mount		
16	NLA	Bush – Spring Eye	KHAS020 NLA	
17	KHAS054-1	Washer - Wear	KHAS054-1 NA See Note 2	
18	KHAS034	Pad – Axle		
19	KHAS043	Washer – Location		
20	KHAS036-2	Plate – Clamp		
21	KHAS011-W	Washer	7/8" Flat Washer KHAS011-W NA See Note 2	
22	NLA	Nut	7/8" UNF Nyloc KHAS011-1 NLA	

NLA — NO LONGER AVAILABLE | NA — NOT AVAILABLE

AIR BAG SUSPENSIONS
FUWA K-HITCH SUSPENSIONS



Notes


1. 210, 250 mm Ride Height
2. Part Number shown for reference only. Refer to PACCAR Parts or Fuwa K-Hitch for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
FUWA K-HITCH SUSPENSIONS

K RIDE UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
23	KHAS018	Nut	M12 Nyloc KHAS018 NA See Note 2	
24	NA	Washer	M12 Flat Washer M12 X 28 mm Diameter X 3 mm Thick See Note 2	
25	KHAS025	Spring Assembly	KHAS025 NA See Note 2	
25A	KHAS028	Wrapper Spring		
26	NA	Bolt	M12 X 30 mm Long X 1.75 See Note 2	
27	NA	Washer	M12 Spring Washer M12 X 4 mm X 2.5 mm See Note 2	
28	KHAS039AL	Plate	Mount Air Bag left Hand KHAS039AL NA See Note 2	
28	KHAS039AR	Plate	Mount Air Bag Right Hand KHAS039AR NA See Note 2	
29	KHAS-11-070	Air Bag	350 mm Diameter	See Section 19 For Air Bags
30	KHAS046	Plate	Top Airbag KHAS046 NA See Note 2	
31	M12X110X1.75	Bolt - M12 X 110 mm Long	See Note 2	
32	M12X4X2.5	Washer – Spring M12	See Note 2	
33	KHAS-9-080	Air Bag	300 mm Diameter	See Section 19 For Air Bags
34	NA	Washer	M12 Flat Washer M12 X 28 mm Diameter X 3 mm Thick See Note 2	
35	KHAS018	Nut	M12 Nyloc KHAS018 NA See Note 2	

AIR BAG SUSPENSIONS
FUWA K-HITCH SUSPENSIONS



Notes

1. 380 mm, 400 mm, 430 mm Ride Height
2. Part Number shown for reference only. Refer to PACCAR Parts or Fuwa K-Hitch for further options.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
FUWA K-HITCH SUSPENSIONS

K RIDE OVERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	NLA	Bolt	M30 X 190 mm Grade 10.9 KHAS017 NLA	
2	KHAS047-1	Eccentric Washer		
3	NLA	Bolt	M24 X 250 mm Long KHAS003 NLA	
4	NLA	Washer	M24 High Tensile KHAS010 NLA	
5	KHAS033-380F	Hanger Assembly	C/S - 380 mm Ride Height KHAS033-380F NA See Note 2	
5	KHAS033-380FDS	Hanger Assembly	D/S - 380 mm Ride Height KHAS033-380FDS NA See Note 2	
5A	KHAS033405F	Hanger Assembly	C/S - 400 mm Ride Height KHAS033405F NA See Note 2	
5A	KHAS033405FDS	Hanger Assembly	D/S - 400 mm Ride Height KHAS033405FDS NA See Note 2	
5B	KHAS033-430F	Hanger Assembly	430 mm Ride Height KHAS033-430F NA See Note 2	
6	KHAS057	Washer - Alignment		
7	KHAS058BKT	Bracket – Catch Strap		
8	KHAS012	Nut	Nyloc M24 KHAS012 NA See Note 2	
9	NLA	Shock Limiting Strap	KHAS058-520 NLA	
10	KH337	O-Ring – Catch Strap	KH337 NA See Note 2	
11	KHAS075	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
11A	912400	Shock Absorber	KONI Alternative	
11B	7052-25-2671	Shock Absorber Bush	2 per Shock Absorber	
12	KHAS015	Nut – Cone	M30 X 3.5	
13	KHAS054-1	Washer - Wear	KHAS054-1 NA See Note 2	
14	NLA	Bush – Spring Eye	KHAS020 NLA	
15	KHAS024	Spring Assembly	Overslung KHAS024 NA See Note 2	
15A	KHAS028	Wrapper Spring		
16	KHAS043	Washer – Location		
17	KHAS034	Pad – Axle		
18	NLA	U-Bolt	M24 KHAS029 NLA	See Sections 22.1 & 22.2For U-Bolt Information & Images
19	KHAS041	Lower Shock Absorber Mount		

NLA — NO LONGER AVAILABLE | NA — NOT AVAILABLE

AIR BAG SUSPENSIONS
FUWA K-HITCH SUSPENSIONS



Notes

1. 380 mm, 400 mm, 430 mm Ride Height
2. Part Number shown for reference only. Refer to PACCAR Parts or Fuwa K-Hitch for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
FUWA K-HITCH SUSPENSIONS

K RIDE OVERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
20	KHAS009	Bolt	M24 X 140 mm KHAS009 NA See Note 2	
21	KHAS018	Nut	Nyloc M12 KHAS018 NA See Note 2	
22	NA	Washer	M12 Flat Washer M12 X 28 mm Diameter X 3 mm Thick See Note 2	
23	NA	Bolt	M12 X 30 mm Long X 1.75 See Note 2	
24	NA	Washer	M12 Spring Washer M12 X 4 mm X 2.5 mm See Note 2	
25	KHAS039AR	Plate	Mount Air Bag Right Hand KHAS039AR NA See Note 2	
25	KHAS039AL	Plate	Mount Air Bag left Hand KHAS039AL NA See Note 2	
26	KHAS036-2	Plate – Clamp		
27	KHAS-11-070	Air Bag	350 mm Diameter	See Section 19 For Air Bags
28	KHAS011-W	Washer	7/8" Flat Washer KHAS011-W NA See Note 2	
29	NLA	Nut	7/8" UNF Nyloc KHAS011-1 NLA	
30	KHAS046-2	Plate	Top Air Bag (65) 350 mm Diameter KHAS046-2 NA See Note 2	
30A	KHAS046-5	Plate	Top Air Bag (89) 400 mm Right Hand KHAS046-5 NA See Note 2	
30B	KHAS046-6	Plate	Top Air Bag (110) 430 Right Hand KHAS046-6 NA See Note 2	
31	NA	Bolt	M12 X 110 mm X 1.75 See Note 2	
32	NA	Washer	M12 Spring Washer M12 X4 mm X 2.5 mm See Note 2	
33	KHAS-9-080	Air Bag	300 mm Diameter	See Section 19 For Air Bags
34	NA	Washer	M12 Flat Washer M12 X 28 mm Diameter X 3 mm Thick See Note 2	
35	KHAS018	Nut	M12 Nyloc KHAS018 NA See Note 2	

NLA — NO LONGER AVAILABLE | NA — NOT AVAILABLE

TRUCK AND TRAILER SOLUTIONS

P610 Hub Reduction Heavy Duty Axle



RPL Driveline



MTA25 Trailer Axle and Suspension



Cummins®

Meritor

FOR A WORLD THAT'S ALWAYS ON™

PACCAR PARTS

AVAILABLE AT 63 DEALERS AUSTRALIA-WIDE

Visit paccarparts.com.au or Freecall* 1800 PPARTS (772 787)


To find your nearest dealer, SCAN HERE

* Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.

NOTES


AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS

UNDERSLUNG FLT1000
250 mm - 475 mm Ride Height



UNDERSLUNG FLT1000L
200 mm, 224 mm, 250 mm Ride Height

UNDERSLUNG FLT1000L/150
150 mm Ride Height



Notes

1. Items 12 and 13 are fixed permanently to inside face of hangers. Only replace if damaged.
2. Refer PACCAR Parts. Ride Height required.
3. Refer PACCAR Parts. Different offsets available.

For further information contact your nearest authorised PACCAR Parts dealer.

Cummins Meritor

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS


FLEXAIR UNDERSLUNG FL11000, FL11000L, FL11000-150

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	T03-AS3233-A	Air Spring	21222239FS – FL11000	See Section 19 For Air Bags
2	NLA	Air Spring	T03-AS0029 NLA 21208082 – FL11000L	
3	T03-AS3125-A	Air Spring	FL11000/150	
4	21224745	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
4A	912400	Shock Absorber	KONI Option	
5	NLA	Shock Absorber Bush	T03-4022 NLA To Suit T03-4019	
6	21222609	Pivot Bush		
7	21222234	Pivot Bolt		
8	NLA	Pivot Bolt Nut	T03-1266 NLA	
9	99513008	Pivot Bolt Washer		
10	21222287	Tracking Bush	Concentric	
11	21222221	Tracking Bush	Eccentric	
12	NLA	Thrust Plate	T03-1270 NLA Tracked Hanger	
13	NLA	Thrust Plate	Untracked Hanger	
14	NLA	Spring Beam	FL11000 Series	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
	21225499	Spring Beam		
15	See Note 3	Support Plate		
16	21222326	U-Bolt - FL1100 & L Series		See Sections 22.1 & 22.2 For U-Bolt Information & Images
17	21222923PK50	Washer U-Bolt	M24 50 Per Packet	
18	21222243	Nut U-Bolt	M24	
19	21222262	Spring Seat		
20	21224436	Plate U-Bolt	Right Hand	
20A	21224437	Plate U-Bolt	Left Hand	
21	NLA	Shock Absorber Bolt	21222231 NLA M24 x 250 mm	
22	99527004	Shock Absorber Bolt Nut	M24	
23	99513007	Washer-Shock Absorber Bolt	M24	
24	See Note 2	Pedestal -Air Bag		
25	0252733380	Nut	M12, Nyloc, Zinc Plated	
26	0251907	Washer	M12, 24 mm Diameter, 2.5 mm Thick, Zinc Plated	
27	NLA	Bolt	99526000 NLA M12 x 35 mm	
27A	NLA	Bolt	99526001 NLA M12 x 35 mm FL11000/150	
28	99510003	Spring Washer	M12	
29	21222255	Stud	M16	

NLA — NO LONGER AVAILABLE | NA — NOT AVAILABLE


AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS

UNDERSLUNG FLT1000
250 mm - 475 mm Ride Height



UNDERSLUNG FLT1000L
200 mm, 224 mm, 250 mm Ride Height

UNDERSLUNG FLT1000L/150
150 mm Ride Height



Notes

1. Items 12 and 13 are fixed permanently to inside face of hangers. Only replace if damaged.
2. Refer PACCAR Parts. Ride Height required.
3. Refer PACCAR Parts. Different offsets available.

For further information contact your nearest authorised PACCAR Parts dealer.


Cummins Meritor

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS

FLEXAIR UNDERSLUNG FL11000, FL11000L, FL11000-150			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
30	NLA	Washer	99513009 NLA M16
31	NLA	Nut	99527002 NLA M16
32	21222230PK10	Bolt Shock Absorber	M24 X 195 mm Packet Of 10
32A	NLA	Bolt Shock Absorber	21222231 NLA M24x250 FL11000/150
32B	99527004	Shock Absorber Bolt Nut	M24, Nyloc
32C	99513007	Shock Absorber Bolt Washer	M24
33	NLA	Bolt	21222196 NLA M16 x 121 mm
34	NLA	Nut	99527002 NLA M16
35	NLA	Shim	21222198 NLA
36	NLA	Shim	21222436 NLA

NLA — NO LONGER AVAILABLE | NA — NOT AVAILABLE

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS



Notes

1. Item 1 used up till April 1999 then replaced by item 3.
2. Items 14 and 15 are fixed permanently to inside face of hangers. Only replace if damaged.
3. Refer PACCAR Parts. Ride Height required.

For further information contact your nearest authorised PACCAR Parts dealer.

Cummins Meritor


AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS

FLEXAIR OVERSLUNG FL9000

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	21222442	Air Spring		See Section 19 For Air Bags
2	T03-AS0032	Air Spring		
3	NLA	Air Spring	T03-AS3052-A NLA See Note 1	
4	21224745	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
4A	912400	Shock Absorber	KONI Option	
5	NLA	Shock Absorber Bush	T03-4022 NLA Suits T03-4019	
6	21222262	Spring Seat		
7	21227883L	Spring Seat	Left Hand	
7A	21227883R	Spring Seat	Right Hand	
8	T03-1122	Pivot Bush		
9	21222234	Pivot Bolt	M30 x 200 mm	
10	NLA	Pivot Bolt Nut	M30 T03-1266 NLA	
11	99513008	Pivot Bolt Washer	M30	
12	21222287	Tracking Bush	Concentric	
13	21222221	Tracking Bush	Eccentric	
14	NLA	Thrust Plate	T03-1270 NLA Tracked Hanger	
15	T03-1271	Thrust Plate	T03-1271 NLA Untracked Hanger	
16	21222231	Bolt Shock Absorber	M24 x 250 mm Long	
17	99527004	Nut Shock Absorber Bolt	M24	
18	99513007	Washer Shock Absorber Bolt	M24	
19	21222395	Plate U-Bolt		
20	21223928	U-Bolt	270 mm X 24 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
21	21222923	Washer U-Bolt	24 mm	
22	21222243	Nut U-Bolt	24 mm	
23	0252733380	Nut	M12 Nyloc	
24	0251907	Washer	M12	
25	99528001	Nut	M22	
26	NLA	Washer	99510004 NLA M22	
27	99526002	Bolt	M12 x 55 mm Long	
28	99510003	Spring Washer	M12	
29	T03-7372	Spring Beam	FL9000 – M30 - (21222247)	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images

NLA — NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS



Notes

1. Item 1 used up till April 1999 then replaced by item 3.
2. Items 14 and 15 are fixed permanently to inside face of hangers. Only replace if damaged.
3. Refer PACCAR Parts. Ride Height required.


For further information contact your nearest authorised PACCAR Parts dealer.

Cummins Meritor

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS

FLEXAIR OVERSLUNG FL9000			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
30	21222330	Shim	Spring Beam
30A	21222329	Shim	Spring Beam
31	See Note 3	Pedestal Assembly Air Spring	

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS



Notes

1. Refer PACCAR Parts. Tracked and Untracked Hanger information required.
2. Refer PACCAR Parts. Ride Height required.
3. Refer to PACCAR Parts for a suitable alternative.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS

FLEXAIR OVERSLUNG FL9000H				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1,1A,1B	Refer Note 1	Hanger Untracked		
2	Refer Note 2	Pedestal Assembly		
3	21227883L	Spring Seat	Left Hand	
3A	21227883R	Spring Seat	Right Hand	
4	21222395	U-Bolt Plate		
5	21224376	Trailing Arm	With M30 Bush	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
5A	NLA	Trailing Arm	With M24 Bush 21227324 NLA	
5B	21222330	Shim	Spring Beam	
5C	NLA	Shim	Spring Beam 21222906 NLA	
6	21222234	Pivot Bolt	M30 x 200 mm	
6A	21222230PK10	Pivot Bolt	M24 X 195 mm (Pack Of 10)	
7	21223928	U-Bolt	M24 280 mm Long X 132 mm Internal Width	See Sections 22.1 & 22.2 For U-Bolt Information & Images
8	21224745	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
NI	912400	Shock Absorber	KONI Option	
8A	NLA	Shock Absorber Bush	T03-4022 NLA	
9	NLA	Bolt Shock Absorber	M24 X 250 mm Long 21222231 NLA	
10	NLA	Bolt Shock Absorber	M24 X 250 mm Long 21222231 NLA	
11	21222442	Air Spring		See Section 19 For Air Bags
12	99526002	Bolt	M12 X 55 mm	
13	99510003	Spring Washer	M12	
14	21222243	Nut U-Bolt	M24	
15	21222923PK50	Washer U-Bolt	M24 (Pack Of 50)	
16A	NLA	Pivot Bolt Nut	M30 T03-1266 NLA	
16	99527004	Pivot Bolt Nut	M24	
17A	99513008	Washer Pivot Bolt	M30	
17	99513007	Washer Pivot Bolt	M24	
18	99527004	Nut Shock Absorber Bolt	M24	
19	99513007	Washer Shock Absorber Bolt	M24	
20	49LNM12	Nut	M12	
21	49FWM12	Washer	M12	
22	99528001	Nut	M22	
23	NLA	Washer	M22 99510004 NLA	
NI	21222221	Tracking Bush	Eccentric M30	

NLA — NO LONGER AVAILABLE | NI - NOT ILLUSTRATED

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS



Notes

1. Refer PACCAR Parts. Tracked and Untracked Hanger information required.
2. Refer PACCAR Parts. Ride Height required.
3. Refer to PACCAR Parts for a suitable alternative.


For further information contact your nearest authorised PACCAR Parts dealer.

Cummins Meritor

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS

FLEXAIR OVERSLUNG FL9000H			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
24	21228663	Tracking Bush	Eccentric M24
NI	21222287	Tracking Bush	Eccentric M30
25	21228664	Tracking Bush	Eccentric M24
NI	NLA	Thrust Plate	Tracked Hanger, M30 T03-1270 NLA
NI	NLA	Thrust Plate	Untracked Hanger, M30 T03-1271 NLA
26	21224386	Thrust Plate	Tracked Hanger, M24
27	21222609	Pivot Bush	

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS



Notes

1. Item 1 used up till April 1999 then replaced by item 3.
2. Part Number shown for reference only. Refer to PACCAR Parts or Meritor for further options.
3. Items 14 and 15 are fixed permanently to inside face of hangers. Only replace if damaged.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS

FL9000L UNDERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	21222442	Air Spring		See Section 19 For Air Bags
2	NLA	Air Spring	T03-AS0032 NLA	
3	TRP21221307	Air Spring	See Note 1	
4	21224745	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
4A	912400	Shock Absorber	KONI Option	
5	NLA	Shock Absorber Bush	T03-4022 NLA	
6	21222395	Plate U-Bolt		
7	21222262	Seat - Spring		
8	21222609	Pivot Bush		
9	21222234	Pivot Bolt	M30 x 200 mm Long	
9A	21222230PK10	Pivot Bolt	M24 x 195 mm Long Pack Of 10	
10	NLA	Pivot Bolt Nut	M30 T03-1266 NLA	
10A	99527004	Pivot Bolt Nut	M24	
11	99513008	Pivot Bolt Washer	M30	
11A	99513007	Pivot Bolt Washer	M24	
12	21222287	Tracking Bush	Concentric	
13	21222221	Tracking Bush	Eccentric	
14	NLA	Thrust Plate	Tracked Hanger T03-1270 NLA See Note 3	
15	NLA	Thrust Plate	Untracked Hanger T03-1271 NLA See Note 3	
17	21222231	Bolt Shock Absorber	M24 x 250 mm Long 21222231 NA See Note 2	
18	99527004	Nut Shock Absorber Bolt	M24 Nyloc Zinc Plated	
19	99513007	Washer Shock Absorber Bolt	M24	
20	NA	Pedestal Assembly - Air Spring	Contact PACCAR Parts	
21	21223928	U-Bolt		See Sections 22.1 & 22.2 For U-Bolt Information & Images
22	21222923PK50	Washer U-Bolt	24 mm Packet Of 50	
23	21222243	Nut U-Bolt	24 mm	
24	NA	Nut	M12 See Note 2	
25	NA	Washer	M12 See Note 2	
26	99528001	Nut	M22	

NLA — NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS



Notes


1. Item 1 used up till April 1999 then replaced by item 3.
2. Part Number shown for reference only. Refer to PACCAR Parts or Meritor for further options.
3. Items 14 and 15 are fixed permanently to inside face of hangers. Only replace if damaged.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
MERITOR/ROR SUSPENSIONS

FL9000L UNDERSLUNG SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
27	99510004	Washer	M22 99510004 NA See Note 2
28	99526002	Bolt	M12 x 55 mm Long
29	99510003	Spring Washer	M12
30	T03-7372	Spring Beam	M30 (21222247)
30	21224664	Spring Beam	M24
31	21222906	Shim - Spring Beam	21222906 NA See Note 2
31	21222329	Shim - Spring Beam	
33	21222230PK10	Bolt Shock Absorber	M24 x 195 mm Long Packet Of 10
34	21224461	Plate U-Bolt	21224461 NA See Note 2

AIR BAG SUSPENSIONS
MERITOR/ROR FLEXAIR SUSPENSIONS



Notes

1. Refer PACCAR Parts. Ride Height Required.
2. Items 14 and 15 are fixed permanently to inside face of hangers. Only replace if damaged.
3. Part Number shown for reference only. Refer to PACCAR Parts or Meritor for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
MERITOR/ROR FLEXAIR SUSPENSIONS

FL9000M UNDERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	21222442	Air Spring		See Section 19 For Air Bags
2	T03-7373	Spring Beam	M30 (21224465) T03-7373 NLA	
NI	NA	Spring Beam	M24 (21227323) See Note 3	
3	21222906	Shim - Spring Beam	21222906 NA See Note 3	
NI	21222329	Shim - Spring Beam		
3A	21223608	Bolt	M16 x 126 mm Long	
3B	99527002	Nut	99527002 NA See Note 3	
4	NLA	Shock Absorber	T03-4020 NLA	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
5	NLA	Shock Absorber Bush	T03-4021 NLA	
6	21222395	Plate U-Bolt		
7	21222262	Seat Spring		
8	21222609	Pivot Bush	M30	
8A	21224663	Pivot Bush	M24	
9	21222234	Pivot Bolt	M30 x 200 mm Long	
9A	21222230PK10	Pivot Bolt	M24 x 195 mm Long Pack Of 10	
10	NLA	Pivot Bolt Nut	M30 T03-1266 NLA	
10A	99527004	Pivot Bolt Nut	M24	
11	99513008	Pivot Bolt Washer	M30	
11A	99513007	Pivot Bolt Washer	M24	
12	21222287	Tracking Bush	Concentric	
13	21222221	Tracking Bush	Eccentric	
14	NLA	Thrust Plate	Tracked Hanger T03-1270 NLA See Note 2	
15	NLA	Thrust Plate	Untracked Hanger T03-1271 NLA See Note 2	
17	21222231	Bolt Shock Absorber	M24 x 250 mm Long 21222231 NA See Note 3	
18	99527004	Nut Shock Absorber Bolt	M24 Nyloc Zinc Plated	
19	99513007	Washer Shock Absorber Bolt	M24	
20	NA	Plate - Support	See Note 1 and 3	
21	21222326	U-Bolt	315 mm x 24 mm FL9000M	See Sections 22.1 & 22.2 For U-Bolt Information & Images

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE | NI - NOT ILLUSTRATED

AIR BAG SUSPENSIONS
MERITOR/ROR FLEXAIR SUSPENSIONS



Notes

1. Refer PACCAR Parts. Ride Height Required.
2. Items 14 and 15 are fixed permanently to inside face of hangers. Only replace if damaged.
3. Part Number shown for reference only. Refer to PACCAR Parts or Meritor for further options.


For further information contact your nearest authorised PACCAR Parts dealer.

Cummins Meritor

AIR BAG SUSPENSIONS
MERITOR/ROR FLEXAIR SUSPENSIONS

FL9000M UNDERSLUNG SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
22	21222923PK50	Washer U-Bolt	24 mm Pack Of 50
23	21222243	Nut U-Bolt	24 mm
24	NA	Nut	M12 See Note 3
25	NA	Washer	M12 See Note 3
26	NA	Pedestal Assembly - Air Spring	Contact PACCAR Parts
27	NA	Hanger	See Note 1 and 2
28	99526000	Bolt	M12 x 55 mm Long 99526000 NA See Note 3
29	99510003	Spring Washer	M12
30	21222230PK10	Bolt Shock Absorber	M24 x 195 mm Long Pack Of 10
31	21222255	Stud	M16
32	99513009	Washer	M16 99513009 NA See Note 3
33	99527002	Nut	99527002 NA See Note 2
34	21224461	Plate U-Bolt	21224461 NA See Note 3

AIR BAG SUSPENSIONS
NEWAY SUSPENSIONS



Notes

1. Underslung AR75-6 150 mm Ride Height
2. Underslung AR75-9 230 mm Ride Height
3. Part Number shown for reference only. Refer to PACCAR Parts or Neway for further options.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
NEWAY SUSPENSIONS

UNDERSLUNG AR SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	90557023	Air Spring	AR-45	See Section 19 For Air Bags
1A	90557113	Air Spring	AR-75-6-9	
1B	90557009	Air Spring	AR-75-12 90557009 NA See Note 3	
2	90045337	Shock Absorber	AR-45	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	90044626	Shock Absorber	990044626 NLA AR-75-6-9 See Note 3	
2B	90044625	Shock Absorber	AR-75-12 90044625 NA See Note 3	
3	90508004	Shock Absorber Bush		
4	93201055	Pivot Bolt	1 ⅛"-7 X 9 ¼"	
5	T03-1127	Pivot Bush	Substitute For 90008139	
6	93400506	Pivot Bolt Nut		
7	90036177	Wear Disc		
8	90008147	Alignment Bushing		
9	90028083	Rubber Pad		
10	90028047	Rubber Wrapper	90028047 NA See Note 3	

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE

AIR BAG SUSPENSIONS
NEWAY SUSPENSIONS



Notes


1. Overslung AR-90-14 355 mm Ride Height
2. Overslung AR-92-12 305 mm Ride Height
3. Overslung AR-92-14 355 mm Ride Height
4. Overslung AR-92-15 355 mm Ride Height
5. Overslung AR-93-16 405 mm Ride Height
6. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
NEWAY SUSPENSIONS

OVERSLUNG AR SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	90557112	Air Spring	90557112 NA AR-90-14 See Note 6	See Section 25 For Air Bag Information & Images
1A	90557117	Air Spring	AR-92-12-14	
1B	90557118	Air Spring	AR-92-15, AR-93-16	
2	90044089	Shock Absorber	90044089 NA AR-90 See Note 6	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	90045337	Shock Absorber	AR-92-12	
2B	90045040	Shock Absorber	90045040 NA AR-92-14 See Note 6	
2C	90045054	Shock Absorber	90045054 NA AR-92-15 See Note 6	
2D	90044794	Shock Absorber	90044794 NA AR-93-16 See Note 6	
3	90508004	Shock Absorber Bush		
4	93201055	Pivot Bolt		
5	T03-1127	Pivot Bush	Alternative 90008139	
6	93400506	Pivot Bolt/Axle Bracket Nut		
7	90036177	Wear Disc		
8	90008147	Alignment Bushing		
9	T03-1128	Axle Bracket Bush	Alternative 90008149	
10	93201051	Axle Bracket Bolt		
11	90516500	Beam	Left Hand Complete With Bushes	
12	90516501	Beam	Right Hand Complete With Bushes	
13	90501289	Axle Seat	Left Hand	
14	90501290	Axle Seat	Right Hand	

AIR BAG SUSPENSIONS
NEWAY SUSPENSIONS



Notes


1. Underslung ARU-92-8 205 mm Ride Height
2. Underslung ARU-93-8 205 mm Ride Height

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
NEWAY SUSPENSIONS

UNDERSLUNG ARU SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	90557117	Air Spring	ARU-92-8	See Section 19 For Air Bags
1A	90557118	Air Spring	ARU-93-8	
2	90045338	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
3	90508004	Shock Absorber Bush		
4	93201055	Pivot Bolt		
4A	90508019	Pivot Bolt	Non Weld	
5	T03-1127	Pivot Bush	Metalastic Alternative 90008139	
6	93400506	Pivot Bolt/Axle Bracket Nut		
7	90036177	Wear Disc		
8	90008147	Alignment Bushing		
NI	90008185	Alignment Bushing	Non Weld	
NI	90008238	Alignment Bushing	Non Weld	
9	T03-1128	Axle Bracket Bush	Alternative 90008149	
10	93201051	Axle Bracket Bolt		

AIR BAG SUSPENSIONS
NEWAY SUSPENSIONS



Notes

1. Overslung RL228-14 355 mm Ride Height
2. Overslung RL228-15 380 mm Ride Height
3. Overslung RL228-16 – 405 mm Ride Height
4. Overslung RL250-12 305 mm Ride Height
5. Overslung RL250-14 355 mm Ride Height
6. Overslung RL250-15 380 mm Ride Height
7. Overslung RL250-16 405 mm Ride Height
8. Overslung RL250-17 430 mm Ride Height
9. Other ride heights may be encountered. Always check suspension model.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
NEWAY SUSPENSIONS


OVERSLUNG RL SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
1	90557156	Air Spring	All RL228 Models
1A	90557167	Air Spring	RL250-14/15
1B	90557168	Air Spring	RL250 -12/16/17
2	90045338	Shock Absorber	RL228-15
2A	90045534	Shock Absorber	RL250-15
3	90508004	Shock Absorber Bush	
4	93201055	Pivot Bolt	
4A	90508019	Pivot Bolt	Non Weld
5	T03-1128	Bush	Pivot / Axle Alternative 90008149
6	93400506	Pivot Bolt	Axle Bracket Nut
7	90036177	Wear Disc	
8	90008147	Alignment Bushing	
8A	90008185	Alignment Bushing	Non Weld
8B	90008238	Alignment Bushing	Non Weld
9	93201051	Axle Bracket Bolt	
10	90516566	RL228 Beam Assembly	Left Hand Complete With Bush
11	90516567	RL228 Beam Assembly	Right Hand Complete With Bush
12A	90501261	Axle Bracket	Left Hand Inside
12B	90501262	Axle Bracket	Right Hand Inside
13A	90001215	Axle Bracket	Left Hand Outside
13B	90001216	Axle Bracket	Right Hand Outside

See Section 19 For Air Bags

See Sections 20.1 & 20.2 For Shock Absorber Information & Images

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
NEWAY SUSPENSIONS



Notes

1. Underslung RLU228-8 305 mm Ride Height
2. Underslung RLU250-9 230 mm Ride Height
3. Other ride heights may be encountered. Always check suspension model.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
NEWAY SUSPENSIONS

UNDERSLUNG RLU SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	90557117	Air Spring		See Section 19 For Air Bags
2	90045337	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
3	90508004	Shock Absorber Bush		
4	93201055	Pivot Bolt		
4A	90508019	Pivot Bolt	Non Weld	
5	T03-1128	Pivot Bush	Alternative 90008149	
5A	T03-1127	Pivot Bush	Alternative 90008139 T03-1127 May Be Found On Some Installations	
6	93400506	Pivot Bolt/Axle Bracket Nut		
7	90036177	Wear Disc		
8	90008147	Alignment Bushing		
8A	90008185	Alignment Bushing	Non Weld	
8B	90008238	Alignment Bushing	Non Weld	
9	93201051	Axle Bracket Bolt		

NLA - NO LONGER AVAILABLE

PACCAR
GENUINE PARTS

QUALITY MATTERS

DAF and Kenworth customers can count on PACCAR Parts dealers to supply dependable original equipment (OE) parts for their trucks and rely on us to back these products with full warranty, product training and dealer support.

PACCAR Genuine packaged parts are OE first fit parts installed at the factory on Kenworth and DAF trucks.



63

AVAILABLE AT 63 DEALERS AUSTRALIA-WIDE

Visit **paccarparts.com.au/find-a-dealer**
or scan the QR code to find the nearest dealer now!

SCAN ME

TRUCK & TRAILER PARTS

TRP® WARRNAMBOOL



FIND US AT

987 Raglan Parade
Warrnambool VIC 3280


Phone: (03) 5560 5477



“ The TRP product is an important part of our DNA and through the TRP brand, we have quality product available at very competitive prices.”

- Matthew Neilson, Parts Manager.

AIR BAG SUSPENSIONS
REYCO SUSPENSIONS



Notes

1. Underslung 25ARUU 165 mm, 190 mm, 230 mm Ride Height
2. Underslung 30ARUU 230 mm Ride Height
3. Ensure that the parts required are NOT for the similar but older 21AR, 86AR or 87AR model Reyco suspensions.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
REYCO SUSPENSIONS

UNDERSLUNG 25ARUU / 30ARUU SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	B-2066	Air Spring	25ARUU 165 mm Ride Height	See Section 19 For Air Bags
1A	NLA	Air Spring	T03-AS0004 NLA 25ARUU 190 mm, 230 mm, 280 mm, 305 mm Ride Height	
1B	B-3830	Air Spring	30ARUU	
2	T03-4025	Shock Absorber	25ARUU	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	T03-4024	Shock Absorber	30ARUU	
3	T03-1272	Pivot Shaft	Threaded Both Ends	
4	T03-1273	Pivot Shaft - Nut		
5	T03-1274	Pivot Shaft Spring Washer		
6	T03-1275	Pivot Shaft Sleeve	Steel	
7	T03-1276	Sleeve Cover	Plastic	
8	T03-1277	Re-Align Yoke Assembly		
9	T03-1278	Flange Washer	Opposite Side	
10	T03-1123	Wear Spacers		
11	T03-1124	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
REYCO SUSPENSIONS



Notes

1. Overslung 23ARTU 380 mm, 405 mm, 430 mm Ride Height
2. Overslung 25ARTU 305 mm, 355 mm Ride Height
3. Overslung 30ARTU 380 mm, 430 mm Ride Height
4. Ensure that the parts required are NOT for the similar but older 21AR, 86AR or 87AR model Reyco suspensions.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
REYCO SUSPENSIONS

OVERSLUNG 23ARTU / 25ARTU / 30ARTU SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	S-21208	Air Spring	23ARTU	See Section 19 For Air Bags
1A	T03-AS0007	Air Spring	25ARTU	
1B	T03-AS0008	Air Spring	30ARTU	
2	T03-4024	Shock Absorber	23ARTU, 25ARTU, 30ARTU	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
3	T03-1272	Pivot Shaft	Threaded Both Ends	
4	T03-1273	Pivot Shaft - Nut		
5	T03-1274	Pivot Shaft Spring Washer		
6	T03-1275	Pivot Shaft Sleeve	Steel	
7	T03-1276	Sleeve Cover	Plastic	
8	T03-1277	Re-Align Yoke Assembly		
9	T03-1278	Flange Washer	Opposite Side	
10	T03-1123	Wear Spacers		
11	T03-1124	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

220 mm, 250 mm, 310 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm Long “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

MARK I & II UNDERSLUNG HEAVY DUTY AND MONO LITE SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	T03-AS3052-A	Air Spring		See Section 19 For Air Bags
2	91-2227	Shock Absorber	20 mm Bolt	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	912400	Shock Absorber	KONI 24 mm Bolt	
NI	299380	Pivot Bolt Kit	Contains Items 3, 4, 5, 6, 6A, 7, 9	
3	T03-1140	Pivot Bolt		
4	0203169000	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
5	T03-1142	Pivot Bolt Nut	M30 Nyloc Grade 8.0	
6	T03-1141	Outer Adjusting Boss		
6A	293067	Adjusting Boss Ring		
7	T03-1144	Inner Adjusting Boss		
7A	293067	Adjusting Boss Ring		
8	T03-1145	Pivot Adjusting Rod		
9	T03-1146	Key - Pivot Bolt	See Note 2	
10	T03-1147	Nut - Adjusting Rod		
11	T03-7371	Spring Beam	Underslung Double Leaf	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
12	T03-7370	Spring Beam	Underslung Single Leaf Suits Mono-Lite Suspension	
12A	T03-7366	Wrapper - Spring		
13	29-4029.A	Washer	U-Bolt	
14	29-4028.A	Nut	U-Bolt	
15	T03-8073	U-Bolt	Double Leaf Spring	See Sections 22.1 & 22.2 For U-Bolt Information & Images
16	T03-8074	U-Bolt	Single Leaf Spring	
17	29-5031.C	Offset Plate		
18	T03-1280	Hanger Repair Boss		
19	T03-4004	Shock Absorber Bush	KONI 20 mm	
19A	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
20	T03-7340	Axle Seat		
21	29-5032-1	Spring Seat	Right Hand 20 mm Shock Absorber Mount	
21A	T03-4031	Spring Seat	Right Hand 24 mm Shock Absorber Mount	

NLA - NO LONGER AVAILABLE | NI - NOT ILLUSTRATED | NA - NOT AVAILABLE

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

220 mm, 250 mm, 310 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm Long “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

MARK I & II UNDERSLUNG HEAVY DUTY AND MONO LITE SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
22	29-5032-2	Spring Seat	Left Hand 20 mm Shock Absorber Mount
22A	T03-4032	Spring Seat	Left Hand 24 mm Shock Absorber Mount
23	T03-7360	Spring Centre Pin	
24	29-5099.A	Nyloc Nut	M20 Class 8.0 -Shock Absorber
25	29-5043.A	Hardened Washer	M20
26	29-5041.C	Bolt	M20 Length 178 mm Class 12.9
27	29-5040.C	Bolt	M20 Length 226 mm Class 12.9
28	29-5014.A	Air Bag Mount Plate	220 mm Ride Height See Note 3
29	29-5031.C	Air Bag Mount Plate	250 mm Ride Height
30	29-5094.A	Air Bag Mount Plate	310 mm Ride Height See Note 3
31	29-5014.A	Air Bag Mount Plate	220 mm Ride Height Mono Lite See Note 3
32	29-5071.C	Air Bag Mount Plate	250 mm Ride Height Mono Lite See Note 3
33	29-5046.A	Nut	M12 Class 8.0 See Note 3
34	59-5045.A	Spring Washer	M12 See Note 3
35	29-5045.A	Spring Washer	M12 See Note 3
36	29-5044.A	Bolt	M12 Length 40 mm Class 8.0 See Note 3
37	29-5036.A	Spring Washer	See Note 3
38	29-5037-A	Bolt	M16 Length 40 mm Class 8.0 Suits Non Mono-Lite Suspension See Note 3
38A	29-5211.A	Bolt	M16 Length 35 mm Class 8.0 Suits Non Mono-Lite Suspension See Note 3
39	29-5210.A	Bolt	M16 Length 40 mm Class 8.0 Suits Non Mono-Lite Suspension See Note 3

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

370 mm, 420 mm, 480 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS


MARK I & II OVERSLUNG HEAVY DUTY AND MONO LITE SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	T03-AS3052-A	Air Spring		See Section 19 For Air Bags
2	91-2227	Shock Absorber	20 mm Bolt	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
2A	912400	Shock Absorber	KONI 24 mm Bolt	
3	299380	Pivot Bolt Kit	Contains Items 3, 4, 5, 6, 6A, 7, 9	
3	T03-1140	Pivot Bolt		
4	0203169000	Pivot Bush		See Section 19 For Air Suspension Bushes
5	T03-1142	Pivot Bolt Nut		
6	T03-1141	Outer Adjusting Boss		
6A	293067	Adjusting Boss Ring		
7	T03-1144	Inner Adjusting Boss		
8	T03-1145	Pivot Adjusting Rod		
9	T03-1146	Key - Pivot Bolt	See Note 2	
10	T03-1147	Nut - Adjusting Rod		
11	29-5031.C	Offset Plate		
12	29-4029.A	Washer	U-Bolt	
12A	29-4028.A	Nut	U-Bolt	
13	T03-7369	Spring Beam	Overslung Double Leaf Spring	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
14	T03-7368	Spring Beam	Suits Mono-Lite Suspension Overslung Single Leaf Spring Complete With Wrapper	
14A	T03-7366	Wrapper - Spring		
15	T03-8073	U-Bolt	305 mm X 127 mm X 20mm Suits Double Leaf Spring	See Sections 22.1 & 22.2 For U-Bolt Information & Images
16	T03-8074	U-Bolt	270 mm X 127 mm X 20 mm Suits Single Leaf Spring	
17	T03-8016	Spring Top Plate	Overslung Suspension	
18	T03-1280	Hanger Repair Boss	2 Per Hanger	
19	T03-4004	Shock Absorber Bush	Suits 90-2227 KONI 20 mm Shock Absorber	
19A	7052-25-2671	Shock Absorber Bush	Suits 91-2400 KONI 24 mm Shock Absorber	
20	T03-7340	Axle Seat		
21	T03-7332	Spring Seat	Underslung suspensions Right Hand	
22	T03-7333	Spring Seat	Underslung suspensions Left Hand	
23	T03-7360	Spring Centre Pin		
24	29-5099.A	Nyloc Nut	M20 Class 8.0 Shock Absorber	

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

370 mm, 420 mm, 480 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

MARK I & II OVERSLUNG HEAVY DUTY AND MONO LITE SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
25	29-5043.A	Hardened Washer	M20
26	29-5041.C	Bolt	M20 Length 178 mm Class 12.9
27	29-5040.C	Bolt	M20 Length 226 mm Class 12.9
28	29-5014.A	Air Bag Mount Plate	370 mm, 390 mm Ride Height
29	29-5071.A	Air Bag Mount Plate	420 mm Ride Height
30	29-5094-A	Air Bag Mount Plate	29-5094-A NA 480 mm Ride Height See Note 3
31	29-5014.A	Air Bag Mount Plate	Mono Lite 390 mm Ride Height See Note 3
32	29-5071.C	Air Bag Mount Plate	Mono Lite 420 mm Ride Height See Note 3
33	29-5046.A	Nut	M12 Class 8.0 See Note 3
34	59-5045.A	Spring Washer	M12 See Note 3
35	29-5045.A	Spring Washer	M12 See Note 3
36	29-5044.A	Bolt	M12 Length 40 mm Class 8.0 See Note 3
37	29-5036.A	Spring Washer	See Note 3
38	29-5037-A	Bolt	M16 Length 40 mm Class 8.0 Suits Non Mono-Lite Suspension See Note 3
38A	29-5211.A	Bolt	M16 Length 35 mm Class 8.0 Suits Non Mono-Lite Suspension See Note 3
39	29-5064.B	Bolt	M16 Length 50 mm Class 8.0 Suits Non Mono-Lite Suspension See Note 3
39A	29-5210.A	Bolt	M16 Length 40 mm Class 8.0 Suits Non Mono-Lite Suspension See Note 3

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

370 mm, 390 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS


MARK III OVERSLUNG HD300-OS STANDARD SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	NLA	Hanger Assembly	29-5145-1 NLA Right Hand Mark-III	
2	29-5145-2	Hanger Assembly	Right Hand Mark-III	
3	T03-8073	U-Bolt	305 mm X 127 mm X 20 mm Suits Double Leaf Spring	See Sections 22.1 & 22.2 For U-Bolt Information & Images
4	TRP21221307	Air Spring		See Section 19 For Air Bags
5	912400	Shock Absorber	KONI 24 mm Bolt	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
5A	7052-25-2671	Shock Absorber Bush	Suits 91-2400 KONI 24 mm Shock Absorber	
6	T03-7369	Spring Beam	Overslung Double Leaf Spring	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
NI	0203169000	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
6B	295001	Centre Bolt		
6C	295049	Nut	295049 NA Centre Bolt See Note 3	
7	T03-8016	Spring Top Plate	Overslung Suspension	
8	29-5333-R	Axle Saddle Assembly	29-5333-R NA Right Hand See Note 3	
9	29-5333-3R	Axle Saddle Assembly	29-5333-3R NA Left Hand See Note 3	
10	29-5031	Plate Mount	29-5031 NLA Offset	
11	29-5014	Plate Mount	29-5014 NA Air Bag See Note 3	
12	29-5330	Washer	29-5330 NA M24 See Note 3	
13	29-5339-1	Nut	M24	
14	29-5036	Spring Washer	29-5036 NA M16 See Note 3	
15	29-5037-1	Bolt	29-5037-1 NA M16 40 mm Long Class 8.8 See Note 3	
16	29-5053-4	Boss	Adjusting	

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE | NI - NOT ILLUSTRATED

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

370 mm, 390 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

MARK III OVERSLUNG HD300-OS STANDARD SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
17	29-5050-2	Boss	Adjusting Assembly
18	T03-1140	Pivot Bolt	
19	T03-1142	Pivot Bolt Nut	
20	29-5329	Pivot Nut	29-5329 NA M24 NYLOC See Note 3
21	99-3108	Spring Washer	99-3108 NA 30 mm Diameter See Note 3
22	29-5044	Bolt	29-5044 NA M12 X 40 mm Long See Note 3
23	29-5045	Spring Washer	29-5045 NA 12 mm Diameter See Note 3
24	29-5046	Nut	29-5046 NA M12 See Note 3
25	T03-1147	Nut	T03-1147 NA Adjusting Rod See Note 3
26	T03-1145	Pivot Adjusting Rod	T03-1145 NA See Note 3
27	29-5065	Washer	16 mm Diameter
28	T03-1146	Key - Pivot Bolt	See Note 2
29	29-5064	Bolt	29-5064 NA M16 X 50 mm Long See Note 3
30	29-5147-1	Washer	29-5147-1 NA Internal See Note 3

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

370 mm, 390 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

MARK III OVERSLUNG ML300-OS MONO-LITE SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	NLA	Hanger Assembly	29-5145-1 NLA Right Hand Mark-III	
2	29-5145-2	Hanger Assembly	Right Hand Mark-III	
3	T03-8073	U-Bolt	305 mm X 127 mm X 20mm Suits Double Leaf Spring	See Sections 22.1 & 22.2 For U-Bolt Information & Images
4	TRP21221307	Air Spring	Diameter 300 mm	See Section 19 For Air Bags
5	912400	Shock Absorber	KONI 24 mm Bolt	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
5A	7052-25-2671	Shock Absorber Bush	Suits 91-2400 KONI M24 Shock Absorber	
6	T03-7368	Spring Arm	Includes Wrapper	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
6A	0534830050	Wrapper - Spring		
6B	29.5254.1	Wrapper - Leaf	29.5254.1 NA See Note 3	
6C	0203169000	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
6D	814955	Centre Bolt	814955 NA See note 3	
6E	295049	Nut	295049 NA Centre Bolt See Note 3	
7	T03-8016	Spring Top Plate	Overslung Suspension	
8	29-5333-3R	Axle Saddle Assembly	29-5333-3R NA Right Hand See Note 3	
9	29-5333-3L	Axle Saddle Assembly	29-5333-3L NA Left Hand See Note 3	
10	29-5031	Plate Mount	29-5031 NLA Offset	
11	29-5014	Plate Mount	29-5014 NA Air Bag See Note 3	
12	29-5330	Washer	29-5330 NA M24 See Note 3	
13	29-5339-1	Nut	M24	
14	29-5036	Spring Washer	29-5036 NA M16 See Note 3	

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

370 mm, 390 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

MARK III OVERSLUNG ML300-OS MONO-LITE SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
15	29-5211	Bolt	29-5211 NA M16 X 35mm Long Class 8.8 See Note 3
16	29-5053-4	Boss	Adjusting
17	29-5050-2	Boss	Adjusting Assembly
18	T03-1140	Pivot Bolt	
19	T03-1142	Pivot Bolt Nut	
20	29-5329	Pivot Nut	29-5329 NA M24 NYLOC See Note 3
21	99-3108	Spring Washer	99-3108 NA 30 mm Diameter See Note 3
22	29-5147-1	Washer	29-5147-1 NA Internal See Note 3
23	29-5044	Bolt	29-5044 NA M12 X 40 mm Long See Note 3
24	29-5045	Spring Washer	29-5045 NA 12 mm Diameter See Note 3
25	29-5046	Nut	29-5046 NA M12 See Note 3
26	T03-1147	Nut	T03-1147 NA Adjusting Rod See Note 3
27	T03-1145	Pivot Adjusting Rod	T03-1145 NA See Note 3
28	29-5065	Washer	16 mm Diameter
29	T03-1146	Key - Pivot Bolt	See Note 2
30	29-5210	Bolt	29-5210 NA M16 X 45 mm Long See Note 3

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

200 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm Long “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

MARK III HD300-US UNDERSLUNG STANDARD SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	NLA	Hanger Assembly	29-5145-1 NLA Right Hand Mark-III	
2	29-5145-2	Hanger Assembly	Right Hand Mark-III	
3	T03-8073	U-Bolt	305 mm X 127 mm X 20mm Suits Double Leaf Spring	See Sections 22.1 & 22.2 For U-Bolt Information & Images
4	TRP21221307	Air Spring	Diameter 300 mm	See Section 19 For Air Bags
5	912400	Shock Absorber	KONI 24 mm Bolt	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
5A	7052-25-2671	Shock Absorber Bush	Suits 912400 KONI 24 mm Bolt Shock Absorber	
6	T03-7369	Spring Beam	Overslung Double Leaf Spring	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
6A	0203169000	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
7	T03-8016	Spring Top Plate	Overslung Suspension	
8	NLA	Axle Saddle Assembly	29-5333-1 NLA Right Hand 24 mm Shock Absorber Peg	
9	NLA	Axle Saddle Assembly	29-5333-2 NLA Left Hand 24 mm Shock Absorber Peg	
10	29-5031	Plate Mount	29-5031 NLA Offset	
11	29-5014	Plate Mount	29-5014 NA Air Bag See Note 3	
12	29-5330	Washer	29-5330 NA M24 See Note 3	
13	29-5339-1	Nut	M24	
14	29-5036	Spring Washer	29-5036 NA M16 See Note 3	
15	29-5037-1	Bolt	29-5037-1 NA M16 40 mm Long Class 8.8	
16	29-5053-4	Boss	Adjusting	
17	29-5050-2	Boss	Adjusting Assembly	
18	T03-1140	Pivot Bolt	M30	
19	T03-1142	Pivot Bolt Nut	M30 NYLOC Nut	

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

200 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm Long “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

MARK III HD300-US UNDERSLUNG STANDARD SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
20	29-5329	Pivot Nut	29-5329 NA M24 NYLOC See Note 3
21	99-3108	Spring Washer	99-3108 NA 30 mm Diameter See Note 3
22	29-5044	Bolt	29-5044 NA M12 X 40 mm Long See Note 3
23	29-5045	Spring Washer	29-5045 NA 12 mm Diameter See Note 3
24	29-5046	Nut	29-5046 NA M12 See Note 3
25	T03-1147	Nut	T03-1147 NA Adjusting Rod See Note 3
26	T03-1145	Pivot Adjusting Rod	T03-1145 NA See Note 3
27	29-5065	Washer	16 mm Diameter
28	T03-1146	Key - Pivot Bolt	See Note 2
29	29-5064	Bolt	29-5064 NA M16 X 50 mm Long See Note 3
30	29-5147-1	Washer	29-5147-1 NA Internal See Note 3

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

220 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

MARK III MONO LITE ML300-US UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	NLA	Hanger Assembly	29-5145-1 NLA Right Hand Mark-III	
2	29-5145-2	Hanger Assembly	Right Hand Mark-III	
3	T03-8073	U-Bolt	305 mm X 127 mm X 20mm Suits Double Leaf Spring	See Sections 22.1 & 22.2 For U-Bolt Information & Images
4	TRP21221307	Air Spring		See Section 19 For Air Bags
5	912400	Shock Absorber	KONI 24 mm Bolt	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
5A	7052-25-2671	Shock Absorber Bush	Suits 91-2400 KONI 24 mm Shock Absorber	
6	T03-7369	Spring Beam	Overslung Double Leaf Spring	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
6A	T03-7366	Wrapper - Spring		
6B	0203169000	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
7	NLA	Axle Saddle Assembly	29-5333-1 NLA Right Hand 24 mm Shock Absorber Peg	
8	NLA	Axle Saddle Assembly	29-5333-2 NLA Left Hand 24 mm Shock Absorber Peg	
9	29-5086	Axle Saddle	29-5086 NA Cast Axle Saddle See Note 3	
10	29-5031	Plate Mount	29-5031 NLA Offset	
11	29-5017	Mount Plate	29-5017 NA Air Bag Upper See Note 3	
12	29-5330	Washer	29-5330 NA M24 See Note 3	
13	29-5339-1	Nut	M24	
14	29-5036	Spring Washer	29-5036 NA M16 See Note 3	
15	29-5210	Bolt	29-5210 NA M16 45 mm Long Grade 8.8 Note 3	
16	29-5053-4	Boss	Adjusting	
17	29-5050-2	Boss	Adjusting Assembly	

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

220 mm Ride Height



Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS


MARK III MONO LITE ML300-US UNDERSLUNG SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
18	T03-1140	Pivot Bolt	M30
19	T03-1142	Pivot Bolt Nut	M30 NYLOC Nut
20	29-5329	Pivot Nut	29-5329 NA M24 NYLOC See Note 3
21	99-3108	Spring Washer	99-3108 NA 30 mm Diameter
22	29-5147-1	Washer	29-5147-1 NA Internal
23	29-5044	Bolt	29-5044 NA M12 X 40 mm Long
24	29-5045	Spring Washer	29-5045 NA 12 mm Diameter
25	T03-1147	Nut	T03-1147 NA Adjusting Rod
26	T03-1145	Pivot Adjusting Rod	T03-1145 NA See Note 3
27	29-5065	Washer	16 mm Diameter
28	T03-1146	Key - Pivot Bolt	See Note 2
25	T03-1147	Nut	T03-1147 NA Adjusting Rod
30	29-5211	Bolt	29-5211 NA M16 35 mm Long Grade 8.8 See Note 3

NLA - NO LONGER AVAILABLE


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

Pressed Hangers - 2 Leaf Springs
370 mm - 390 mm, 420 mm, 480 mm Ride Height





SECTION A-A



SECTION B-B

Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers. NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS


MARK IV OVERSLUNG SUSPENSION


ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	29-5169-2.G	Hanger	29-5169-2.G NA Left Hand 302 mm 370 mm, 390 mm Ride Height See Note 3	
	29-5171-2.D	Hanger	29-5171-2.D NA Left Hand 332 mm 480 mm Ride Height See Note 3	
	29-5172-2.D	Hanger	Left Hand 392 mm 480 mm Ride Height	
2	29-5169-1.G	Hanger	Right Hand 302 mm 370 mm, 390 mm Ride Height	
	29-5171-1.D	Hanger	Right Hand 332 mm 420 mm Ride Height	
	29-5172-1.D	Hanger	Right Hand 392 mm 480 mm Ride Height	
3	29-5003	Spring Arm	2 Leaf Overslung	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
3A	0203169000	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
4	29-5147-1A	Washer	Internal	
5	29-5342-1.C	Boss	Adjusting	
6	T03-1140	Pivot Bolt	M30	
7	99-3108	Spring Washer	99-3108 NA M30 See Note 3	
8	T03-1142	Nut	M30 NYLOC Grade 8.0	
9	29-5333-4.A	Top Plate Assembly	29-5333-4.A NA Left Hand 218 mm Stud See Note 3	
10	29-5333-3.A	Top Plate Assembly	29-5333-3.A NA Right Hand 218 mm Stud See Note 3	
11	29-5029.1	Top Plate		
12	T03-8073AU	U-Bolt	M24 Standard	See Sections 22.1 & 22.2 For U-Bolt Information & Images
13	29-5330	Washer	29-5330 NA M24 Hardened See Note 3	
14	29-5339-1.A	Nut U-Bolt	29-5339-1.A NA M24 See Note 3	

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

Pressed Hangers - 2 Leaf Springs
370 mm - 390 mm, 420 mm, 480 mm Ride Height





SECTION A-A



SECTION B-B

Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers. NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS


MARK IV OVERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
15	912400	Shock Absorber	KONI 24 mm Bolt	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
15A	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
17	29-5031-7.A	Plate Offset	29-5031-7.A NA See Note 3	
18	NA	Spring Washer	M16 See Note 3	
19	NA	Bolt	M16 40 mm Long Grade 8.8 See Note 3	
20	NA	Bolt	M16 50 mm Long Grade 8.8 See Note 3	
21	1R11-866	Air Bag	Late Style 2 Stud No Separate Air Supply Port	See Section 19 For Air Bags
	T03-AS3115-A	Air Bag	Alternative to 1R11-866	
21A	TRP21221307	Air Bag	Early Style 2 Stud 1 Separate Air Supply Port	
22	NA	Washer – M12	M12 See Note3	
23	NA	Bolt – M12 x 40mm (8.8)	M12 40 mm Long Grade 8.8 See Note 3	
24	29-5014-4.B	Plate Mounting	29-5014-4.B NA 220 mm Ride Height See Note 3	
24	29-5071-2.A	Pedestal	29-5071-2.A NA 250 mm Ride Height (Pair) See Note 3	
24	29-5094-4.A	Pedestal	29-5094-4.A NA 300 mm 320 mm Ride Height (Pair) See Note 3	
25	NA	Nut	M12 Grade 8.0 See Note 3	
26	NA	Nut	M22 Grade 8.0 See Note 3"	
27	NA	Spring Washer	7/8" See Note 3	
28	T03-1146	Key	See Note 2	

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

Pressed Hangers
370 mm - 390 mm, 420 mm, 480 mm Ride Height





SECTION A-A



SECTION B-B

Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS


MARK IV MONO LITE UNDERSLUNG SUSPENSION


ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	29-5169-2. GB61C61:F97	Hanger	29-5169-2.G NA Left Hand 302 mm 370 mm, 390 mm Ride Height See Note 3	
	29-5171-2.D	Hanger	29-5171-2.D NA Left Hand 332 mm 480 mm Ride Height See Note 3	
	29-5172-2.D	Hanger	Left Hand 392 mm 480 mm Ride Height	
2	29-5169-1.G	Hanger	Right Hand 302 mm 370 mm, 390 mm Ride Height	
	29-5171-1.D	Hanger	Right Hand 332 mm 420 mm Ride Height	
	29-5172-1.D	Hanger	Right Hand 392 mm 480 mm Ride Height	
3	T03-7370	Spring Arm	Mono Lite Underslung Single Leaf Spring Complete With Wrapper	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
3A	0203169000	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
4	29-5147-1A	Washer	Internal	
5	29-5342-1.C	Boss	Adjusting	
6	T03-1140	Pivot Bolt	M30	
7	99-3108	Spring Washer	99-3108 NA M30 See Note 3	
8	T03-1142	Nut	M30 NYLOC Grade 8.0	
9	29-5333-4.A	Top Plate Assembly	29-5333-4.A NA Left Hand 218 mm Stud See Note 3	
10	29-5333-3.A	Top Plate Assembly	29-5333-3.A NA Right Hand 218 mm Stud See Note 3	
11	29-5086-E	Axle Saddle	29-5086-E NA Cast Mono Lite See Note 3	
12	T03-8073AU	U-Bolt	M24 Standard	See Sections 22.1 & 22.2 For U-Bolt Information & Images
13	29-5330	Washer	29-5330 NA M24 Hardened See Note 3	
14	29-5339-1.A	Nut U-Bolt	29-5339-1.A NA M24 See Note 3	

NLA - NO LONGER AVAILABLE


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

Pressed Hangers
370 mm - 390 mm, 420 mm, 480 mm Ride Height





SECTION A-A



SECTION B-B

Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS


MARK IV MONO LITE UNDERSLUNG SUSPENSION


ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
15	912400	Shock Absorber	KONI 24 mm Bolt	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
15A	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
17	29-5031-7.A	Plate Offset	29-5031-7.A NA See Note 3	
18	NA	Spring Washer	M16 See Note 3	
19	NA	Bolt	M16 40 mm Long Grade 8.8 See Note 3	
20	NA	Bolt	M16 50 mm Long Grade 8.8 See Note 3	
21	1R11-866	Air Bag	Late Style 2 Stud No Separate Air Supply Port	See Section 19 For Air Bags
	T03-AS3115-A	Air Bag	Alternative to 1R11-866	
21A	TRP21221307	Air Bag	Early Style 2 Stud 1 Separate Air Supply Port	
22	NA	Washer – M12	M12 See Note3	
23	NA	Bolt – M12 x 40mm (8.8)	M12 40 mm Long Grade 8.8 See Note 3	
24	29-5014-4.B	Plate Mounting	29-5014-4.B NA 220 mm Ride Height See Note 3	
24	29-5071-2.A	Pedestal	29-5071-2.A NA 250 mm Ride Height (Pair) See Note 3	
24	29-5094-4.A	Pedestal	29-5094-4.A NA 300 mm 320 mm Ride Height (Pair) See Note 3	
25	NA	Nut	M12 Grade 8.0 See Note 3	
26	NA	Nut	M22 Grade 8.0 See Note 3	
27	NA	Spring Washer	7/8" See Note 3	
28	T03-1146	Key	See Note 2	

NLA - NO LONGER AVAILABLE


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

Pressed Hangers - 2 Leaf Springs
220 mm, 250 mm, 300 mm - 350 mm Ride Height





SECTION A-A



SECTION B-B

Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS


MARK IV UNDERSLUNG SUSPENSION


ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	29-5169-2.G	Hanger	29-5169-2.G NA Left Hand 302 mm 220mm Ride Height See Note 3	
	29-5171-2.D	Hanger	29-5171-2.D NA Left Hand 332 mm 250mm Ride Height See Note 3	
	29-5172-2.D	Hanger	29-5172-2.D NA Left Hand 392 mm 300 mm, 320 mm Ride Height See Note 3	
2	29-5169-1.G	Hanger	29-5169-1.G NA Right Hand 302 mm 220mm Ride Height See Note 3	
	29-5171-1.D	Hanger	29-5171-1.D NA Right Hand 332 mm 250mm Ride Height See Note 3	
	29-5172-1.D	Hanger	29-5172-1.D NA Right Hand 392 mm 300 mm, 320 mm Ride Height See Note 3	
3	29-5007	Spring Arm	29-5007 NA Underslung Double Leaf See Note 3	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
3A	0203169000	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
4	29-5147-1A	Washer	Internal	
5	29-5342-1.C	Boss	Adjusting	
6	T03-1140	Pivot Bolt	M30	
7	99-3108	Spring Washer	99-3108 NA M30 See Note 3	
8	T03-1142	Pivot Bolt Nut	M30 Nyloc Grade 8.0	
9	29-5327-4.A	Top Plate Assembly	29-5327-4.A NA Left Hand 218 mm Stud See Note 3	
10	29-5327-3.A	Top Plate Assembly	29-5327-3.A NA Right Hand 218 mm Stud See Note 3	
11	29-5027.G	Axle Saddle	29-5027.G NA Cast See Note 3	

NLA - NO LONGER AVAILABLE


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

Pressed Hangers - 2 Leaf Springs
220 mm, 250 mm, 300 mm - 350 mm Ride Height





SECTION A-A



SECTION B-B

Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS


MARK IV UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
12	29-5167-1.F	U-Bolt	29-5167-1.F M24 Standard See Note 3	See Sections 22.1 & 22.2 For U-Bolt Information & Images
13	29-5330	Washer	29-5330 M24 Hardened See Note 3	
14	29-5339-1.A	Nut - U-Bolt	29-5339-1.A NA M34 See Note 3	
15	912400	Shock Absorber	KONI 24 mm Bolt	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
15A	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
17	29-5031-7.A	Plate Offset	29-5031-7.A NA See Note 3	
18	NA	Spring Washer	M16 See Note 3	
19	NA	Bolt	M16 35 mm Long, Grade 8.8 See Note 3	
20	NA	Bolt	M16 45 mm Long, Grade 8.8 See Note 3	
21	1R11-866	Air Bag	Late Style 2 Stud No Separate Air Supply Port	See Section 19 For Air Bags
	T03-AS3115-A	Air Bag	Alternative to 1R11-866	
21A	TRP21221307	Air Bag	Early Style 2 Stud 1 Separate Air Supply Port	
22	NA	Washer	M12 See Note 3	
23	NA	Bolt	M12 40 mm Long Grade 8.8	
24	29-5014-4.B	Plate Mounting	29-5014-4.B NA 220 mm Ride Height See Note 3	
24	29-5071-2.A	Pedestal	29-5071-2.A NA 250 mm Ride Height Two Per Side See Note 3	
24	29-5094-4.A	Pedestal	29-5094-4.ANA 310 mm Ride Height Two Per Side See Note 3	
25	NA	Nut	M12 Grade 8.0 See Note 3	
26	NA	Nut	M22 Grade 8.0 See Note 3	
27	NA	Spring Washer	7/8" See Note 3	
28	T03-1146	Key - Pivot Bolt	See Note 2	

NLA - NO LONGER AVAILABLE


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

Pressed Hangers - 2 Leaf Springs
220 mm, 250 mm, 310 mm Ride Height





SECTION A-A



SECTION B-B

Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm Long “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS


MARK IV MONO LITE UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	29-5169-2.G	Hanger	29-5169-2.G NA Left Hand 302 mm 220mm Ride Height See Note 3	
	29-5171-2.D	Hanger	29-5171-2.D NA Left Hand 332 mm 250mm Ride Height See Note 3	
	29-5172-2.D	Hanger	29-5172-2.D NA Left Hand 392 mm 300 mm, 320 mm Ride Height See Note 3	
2	29-5169-1.G	Hanger	29-5169-1.G NA Right Hand 302 mm 220mm Ride Height See Note 3	
	29-5171-1.D	Hanger	29-5171-1.D NA Right Hand 332 mm 250mm Ride Height See Note 3	
	29-5172-1.D	Hanger	29-5172-1.D NA Right Hand 392 mm 300 mm, 320 mm Ride Height See Note 3	
3	T03-7370	Spring Beam	Underslung Double Leaf Suits Mono Lite Suspension	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
3A	0203169000	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
4	29-5147-1A	Washer	Internal	
5	29-5342-1.C	Boss	Adjusting	
6	T03-1140	Pivot Bolt	M30	
7	99-3108	Spring Washer	99-3108 NA M30 See Note 3	
8	T03-1142	Pivot Bolt Nut	M30 Nyloc Grade 8.0	
9	29-5327-4.A	Top Plate Assembly	29-5327-4.A NA Left Hand 218 mm Stud See Note 3	
10	29-5327-3.A	Top Plate Assembly	29-5327-3.A NA Right Hand 218 mm Stud See Note 3	
11	29-5086-E	Axle Saddle	29-5086-E NA Cast Mono Lite See Note 3	

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE


AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

Pressed Hangers - 2 Leaf Springs
220 mm, 250 mm, 310 mm Ride Height





SECTION A-A



SECTION B-B

Notes

1. This suspension is marketed by RFS Australia P/L and is fitted in production on Krueger Trailers.
   NOTE: Other suspension systems may also be encountered on Krueger Trailers.
2. Key dimensions are 6.05 mm X 6.05 mm X 20 mm Long “Make-A-Key” or similar.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
RFS SERIES 2000 SUSPENSIONS

MARK IV MONO LITE UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
12	29-5167-1.F	U-Bolt	29-5167-1.F M24 Standard See Note 3	See Sections 22.1 & 22.2 For U-Bolt Information & Images
13	29-5330	Washer	29-5330 M24 Hardened See Note 3	
14	29-5339-1.A	Nut - U-Bolt	29-5339-1.A NA M34 See Note 3	
15	912400	Shock Absorber	KONI 24 mm Bolt	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
15A	7052-25-2671	Shock Absorber Bush	KONI 24 mm	
17	29-5031-7.A	Plate Offset	29-5031-7.A NA See Note 3	
18	NA	Spring Washer	M16 See Note 3	
19	NA	Bolt	M16 35 mm Long, Grade 8.8 See Note 3	
20	NA	Bolt	M16 45 mm Long, Grade 8.8 See Note 3	
21	1R11-866	Air Bag	Late Style 2 Stud No Separate Air Supply Port	See Section 19 For Air Bags
	T03-AS3115-A	Air Bag	Alternative to 1R11-866	
21A	TRP21221307	Air Bag	Early Style 2 Stud 1 Separate Air Supply Port	
22	NA	Washer	M12 See Note 3	
23	NA	Bolt	M12 40 mm Long Grade 8.8 See Note 3	
24	29-5014-4.B	Plate Mounting	29-5014-4.B NA 220 mm Ride Height See Note 3	
24	29-5071-2.A	Pedestal	29-5071-2.A NA 250 mm Ride Height Two Per Side See Note 3	
24	29-5094-4.A	Pedestal	29-5094-4.ANA 310 mm Ride Height Two Per Side See Note 3	
25	NA	Nut	M12 Grade 8.0 See Note 3	
26	NA	Nut	M22 Grade 8.0 See Note 3	
27	NA	Spring Washer	7/8" See Note 3	
28	T03-1146	Key - Pivot Bolt	See Note 2	

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE

Our Difference. Your Advantage.



Exclusive member offers

PACCAR Financial Advantage is an exclusive loyalty program for PACCAR Financial customers. It is free to join and offers discounts on a variety of products to keep your business moving.

To find out more visit **paccarfinancial.com.au/advantage** or speak to your local finance manager.

PACCAR FINANCIAL
ADVANTAGE

PACCARPARTS

TRUCK & TRAILER PARTS

TRP® BURTON



FIND US AT

473 Burton Road
Burton SA 5110


Phone: (08) 8280 4800



The first TRP® Store to open in Australia.

AIR BAG SUSPENSIONS
RIDEWELL MONOPIVOT SUSPENSIONS

220mm RIDE HEIGHT



Notes

1. The Left Hand Side pivot bolt nut is welded permanently to the inside face of the hanger.
2. Early version wear plates were metal. These are no longer available.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
RIDEWELL MONOPIVOT SUSPENSIONS

EARLY VERSION SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
1	1R13-097	Air Spring	Overslung
2	1R12-352	Air Spring	Underslung
3	T03-4001	Shock Absorber	OEM Gas
3A	SA005TRP	Shock Absorber	Powerdown
3B	90-2396SP1	Shock Absorber	KONI
4	NLA	Pivot Bolt	T03-1253 NLA Right Hand Side Eccentric
5	NLA	Pivot Bolt Retainer	T03-1255 NLA Right Hand Side
6	T03-1256	Pivot Bolt Nut	Right Hand Side
7	T03-1259	Pivot Bolt	Left Hand Side
8	T03-1252	Pivot Bolt Washer	Left Hand Side
9	T03-1258	Pivot Bolt Retainer	Left Hand Side
10	NLA	Pivot Bush	
11	NLA	Wear Plate	Nylon
12	T03-7378L	Beam Assembly	Underslung Left Hand Side
13	T03-7378R	Beam Assembly	Underslung Right Hand Side

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
RIDEWELL MONOPIVOT SUSPENSIONS

200mm RIDE HEIGHT



Notes

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
RIDEWELL MONOPIVOT SUSPENSIONS

LATE VERSION SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
1	1R13-097	Air Spring	Overslung
2	1R12-352	Air Spring	Underslung
3	T03-4001	Shock Absorber	OEM Gas
3A	SA005TRP	Shock Absorber	Powerdown
3B	90-2396SP1	Shock Absorber	KONI
4	NLA	Pivot Bolt	Same Both Sides
5	NLA	Pivot Bolt Retainer	T03-1255 NLA Right Hand Side


NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

200mm RIDE HEIGHT



UNDERSLUNG U20/2500N3
200mm RIDE HEIGHT



Notes

1. Can use T03-1097 (Dimensionally the same)
2. See section 18.12.5 for detailed parts breakdown

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

U20, 2500E3 OR MODUL UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	3228002900	Air Spring		See Section 19 For Air Bags
2	T03-4008	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
3	T03-1263	Pivot Bolt		
4	T03-1264	Pivot Bolt Nut		
5	T03-1111	Pivot Bush	See Note 1	See Sections 19 & 19.1 For Air Suspension Bush Information & Images
6	T03-1262	Wear Plate		
7	T03-1261	Eccentric Washer	Outside	
8	T03-1260	Washer	Inside	


NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS


OVERSLUNG M42/2907E3
420mm RIDE HEIGHT



OVERSLUNG M42/2907N2
400mm RIDE HEIGHT



OVERSLUNG M42/2907N3
420mm RIDE HEIGHT



Notes

1. Can use T03-1097 (Dimensionally the same)

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

M42, 2907E3, 2907N2 AND 2907E3 OVERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	3228002900	Air Spring		See Section 19 For Air Bags
2	SAF2924V	Air Spring		
3	T03-4007	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
4	T03-1263	Pivot Bolt		
5	T03-1264	Pivot Bolt Nut		
6	T03-1111	Pivot Bush (Note 1)		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
7	T03-1262	Wear Plate		
8	T03-1261	Eccentric Washer	Outside	
9	T03-1260	Washer	Inside	


NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

OVERSLUNG EO50/3510E3
505mm RIDE HEIGHT



OVERSLUNG EO50/3504N2
505mm RIDE HEIGHT



Notes

1. Can use T03-1097 (Dimensionally the same)

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

EO50/3510E3, EO50/3504N2 OVERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	3228002900	Air spring		See Section 19 For Air Bags
2	SAF2924V	Air spring		
3	T03-4009	Shock Absorber		See Sections 20.1 & 20.2 For Shock Absorber Information & Images
4	T03-1263	Pivot Bolt		
5	T03-1264	Pivot Bolt Nut		
6	T03-1111	Pivot Bush (Note 1)		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
7	T03-1262	Wear Plate		
8	T03-1261	Eccentric Washer	Outside	
9	T03-1260	Washer	Inside	

NLA - NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

MODUL SUSPENSION
OVERSLUNG



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

OVERSLUNG MODULE M SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
100/101.1	2183075101	Hanger	250 mm Pivot Height - New Generation Old Generation Part No 2183074501 Left Hand	
100/101.1	2183075201	Hanger	2183075201 NA 250 mm Pivot Height Right Hand See Note 1	
100/101.1	2183075301	Hanger	2183075301 NA 290 mm Pivot Height Left Hand See Note 1	
100/101.1	2183075401	Hanger	2183075401 NA 290 mm Pivot Height Right Hand See Note 1	
100/101.1	2183075500	Hanger	2183075500 NA 335 mm Pivot Height Left Hand See Note 1	
100/101.1	2183075600	Hanger	2183075600 NA 335 mm Pivot Height Right Hand See Note 1	
200	3341104819S	Pivot Bolt Assembly	Includes 201 Bolt M30 X 205 mm Lock Nut M30 208 Flanged Eccentric Washer 208.1 Flanged Washer	
201	4343104888S	Pivot Bolt	M30 X 205 mm	
202	4247402280S	Lock Nut	M30	
207	4405207100S	U-Profile		
208	T03-1261	Flanged Eccentric Washer		
208.1	1101200100S	Flanged Washer		
209	3155108700	Trailing Arm	Single-Leaf 48 mm Thick (EN) Includes 211 Security Strap 214 Bush Substitute for 3155103602 Single-Leaf 48 mm (E) & 3155102701S Twin-Leaf 38/38 mm (N)	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
209	3155102701S	Trailing Arm	3155102701S NA See 3155108700 Twin-Leaf 38/38 mm Thick (N) (MCL. 214) See Note 1	
209	3155103501S	Trailing Arm	Twin-Leaf 43/43 mm Thick (S) Includes Bush 214	
210	4208200100	Trust Block	For Single Leaf Tailing Arm Only	
211	1345100502	Security Strap	For Single Leaf Tailing Arm Only	
214	4177301000	Bush	Heavy Duty 68/30 X 104	
216	1345003000	Locking Plate	95 mm X 5 mm 225 mm Suits Single Leaf Trailing Arm	
216	1345000703	Locking Plate	1345000703S NA 95 mm X 5 mm X 225 mm Suits Twin Leaf Trailing Arm See Note 1	
219	2010045300M	Spring Seat	LH - Suits Axle 127 mm	

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

MODUL SUSPENSION
OVERSLUNG



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS


OVERSLUNG MODULE M SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
219	2010045400M	Spring Seat	RH - Suits Axle 127 mm	
219	2010042901M	Spring Seat	Left Hand With Shock Absorber Bolt Stud for 146 mm Axle Suits Disc/Drum Brake Application	
219	2010043001M	Spring Seat	2010043001M NA Right Hand With Shock Absorber Bolt Stud for 146 mm Axle Suits Disc/Drum Brake Application See Note 1	
219	2010042901M	Spring Seat	2010042901M NA Left Hand With Shock Absorber Bolt Stud for 146 mm Axle Suits Disc/Drum Brake Application See Note 1	
219	2010043001M	Spring Seat	2010043001M NA Right Hand With Shock Absorber Bolt Stud for 146 mm Axle Suits Disc/Drum Brake Application See Note 1	
221	1402007101	U-Bolt	M22 X 1.5 267 mm Long For Single Leaf Arm and 127 mm Axle	See Sections 22.1 & 22.2 For U-Bolt Information & Images
221	1402007201	U-Bolt	M22 X 1.5 304 mm Long For Twin Leaf Arm and 127 mm Axle	
221	1402006901S	U-Bolt	1402006901S NA M22 X 1.5 307 mm Long For Twin Leaf Arm and 133 mm Axle See Note 1	
221	1402006401	U-Bolt	M22 X 1.5 285.5 mm Long For Single Leaf Arm and 146 mm Axle	
221	1402006501	U-Bolt	1402006501 NA M22 X 1.5 321 mm Long For Twin Leaf Arm and 146 mm Axle See Note 1	
222	1331020400	Washer - U-Bolt	39 mm OD X 22.5 mm ID X 3 mm Thick	
222	1331017700	Washer - U-Bolt	40 mm OD X 22 mm ID X 6 mm Thick	
223	4342004710	Nut - U-Bolt	M22 X 1.5	
228	2376002600	Shock Absorber	Standard Stroke 170 mm Length Minimum 325 mm Length Maximum 495 mm	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
228	2376502600	Shock Absorber	Road Friendly Stroke 170 mm Length Minimum 325 mm Length Maximum 495 mm	
230	4343203488	Bolt - Top Shock Absorber	M24 X 2.0 X 250 mm Long	
232.1	NA	Washer	M24 See Note 1	
232.2	4247404080	Lock Nut - Shock Absorber	M24 X 2.0	

NLA - NO LONGER AVAILABLE | NA - NOT AVAILABLE | NI - NOT ILLUSTRATED | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

MODUL SUSPENSION
OVERSLUNG



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

OVERSLUNG MODULE M SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
232.3	1097001100	Washer - Shock Absorber		
233	1043032700	Plate	1043032700 NA Left Hand 240 mm Diameter X 15 mm 55 mm Offset See Note 1	
233	1043032800	Plate	Right Hand 240 mm Diameter X 15 mm 55 mm Offset	
233	2043028900	Plate	2043028900 NA Left Hand 240 mm Diameter X 15 mm 70 mm Offset See Note 1	
233	2043029000	Plate	Right Hand 240 mm Diameter X 15 mm 70 mm Offset	
234	3228002900	Air Bag	SAF2618V 300 mm Diameter 4 Bolt (Long) Does Not Include Items 236.1 , 237 or 239	See Section 19 For Air Bags
234	3228002700	Air Bag	3228002700 NA SAF2918V 350 mm Diameter 4 Bolt (Long) Does Not Include Items 236.1 , 237 or 239 See Note 1	
234	3229003100S	Air Bag	3229003100S NA SAF2923V 350 mm Diameter 4 Bolt (Long) Does Not Include Items 236.1 , 237 or 239 See Note 1	
235.1	4343500888	Bolt	M20 X 80 mm Long Countersunk	
235.2	4247401280	Lock Nut	M20	
236	4343100788	Hex Bolt	4343100788 NA M12 X 30 mm Suits Air Bag See Note 2	
236.1	4343203700	Cut Screw	4343203700 NA 10 mm Diameter X 40 mm Long See Note 1	
237	4141000300	Spring Washer	4141000300 NA Aluminium See Note 1	
239	4342000460	Hex Nut	4342000460 NA M12 See Note 1	
240	1043026101	Air Bag Plate	1043026101 NA 5 mm See Note 1	
240.1	2237007001	Air Bag Pedestal	2237007001 NA 40 mm See Note 1	

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

MODUL SUSPENSION
OVERSLUNG



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.


For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

OVERSLUNG MODULE M SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
240.1	2237007101	Air Bag Pedestal	2237007101 NA 70 mm See Note 1
240.1	2237008001	Air Bag Pedestal	2237008001 NA 100 mm See Note 1
240.1	2237007201	Air Bag Pedestal	2237007201 NA 150 mm See Note 1
242	1350008810	Clamping Plate	1350008810 NA For 127 mm/133 mm Axle See Note 1
242	1350008610	Clamping Plate	1350008610 NA For 146 mm Axle See Note 1
NI	250812	Bolt - Spring Seat	2501812 NA M24 2.00 X 190 mm Long
NI	4247404080	Nut - Spring Seat	M24 X 2.0 NYLOC
250	XBAS0004	Shock Absorber Strap Bracket	2 mm Thick - New style

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

MODUL SUSPENSION
UNDERSLUNG



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS


UNDERSLUNG MODUL U SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
100/101.1	2183075101	Hanger	250 mm Pivot Height - New Generation Old Generation Part No 2183074501 Left Hand	
100/101.1	2183075201	Hanger	2183075201 NA 250 mm Pivot Height Right Hand See Note 1	
100/101.1	2183075301	Hanger	2183075301 NA 290 mm Pivot Height Left Hand See Note 1	
100/101.1	2183075401	Hanger	2183075401 NA 290 mm Pivot Height Right Hand See Note 1	
100/101.1	2183075500	Hanger	2183075500 NA 335 mm Pivot Height Left Hand See Note 1	
100/101.1	2183075600	Hanger	2183075600 NA 335 mm Pivot Height Right Hand See Note 1	
200	3341104819S	Pivot Bolt Assembly	Includes 201 Bolt M30 X 205 mm Lock Nut M30 208 Flanged Eccentric Washer 208.1 Flanged Washer	
201	4343104888S	Pivot Bolt	M30 X 205 mm	
202	4247402280S	Lock Nut	M30	
207	4405207100S	U-Profile		
208	T03-1261	Flanged Eccentric Washer		
208.1	1101200100S	Flanged Washer		
209	3155108600	Trailing Arm	Single-Leaf 51 mm Thick (EN) Includes 211 Security Strap 214 Bush Substitute for 3155104401 Single-Leaf 48 mm (E) & 3155104601 Twin-Leaf 38/38 mm (N)	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
209	3155104800	Trailing Arm	3155104800 NA Twin-Leaf 43/43 mm Thick (S) Includes Bush 214 See Note 1	
210	4208200100	Trust Block	For Single Leaf Tailing Arm Only	
211	1345100901	Security Strap	For Single Leaf Tailing Arm Only	
214	4177301000	Bush	Heavy Duty 68/30 X 104	
216	1345003000	Locking Plate	95 mm X 5 mm 225 mm Suits Single Leaf Trailing Arm	
216	1345000703	Locking Plate	1345000703S NA 95 mm X 5 mm X 225 mm Suits Twin Leaf Trailing Arm See Note 1	
219	1010044500	Spring Seat	No Shock Absorber Stud Suits 127 mm Axle	

NLA — NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

MODUL SUSPENSION
UNDERSLUNG



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS


UNDERSLUNG MODUL U SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
219	1010036802	Spring Seat	No Shock Absorber Stud Suits 146 mm Disc Brake Axle	
219	2010043701	Spring Seat	Left Hand With Shock Absorber Stud M24 X 2.0 Suits 146 mm Axle	
219	2010043801	Spring Seat	Right Hand With Shock Absorber Stud M24 X 2.0 Suits 146 mm Axle	
219	2010045300M	Spring Seat	LH - Suits 127 mm Axle	
219	2010045400M	Spring Seat	RH - Suits 127 mm Axle	
221	1402007101	U-Bolt	M22 X 1 .5 267 mm Long For Single Leaf Arm and 127 mm Axle	See Sections 22.1 & 22.2 For U-Bolt Information & Images
221	1402007201	U-Bolt	M22 X 1 .5 304 mm Long For Twin Leaf Arm and 127 mm Axle	
221	1402006901S	U-Bolt	1402006901S NA M22 X 1 .5 307 mm Long For Twin Leaf Arm and 133 mm Axle See Note 1	
221	1402006401	U-Bolt	M22 X 1 .5 285.5 mm Long For Single Leaf Arm and 146 mm Axle	
221	1402006501	U-Bolt	1402006501 NA M22 X 1 .5 321 mm Long For Twin Leaf Arm and 146 mm Axle See Note 1	
222	1331017700	Washer - U-Bolt	40 mm OD X 22 mm ID X 6 mm Thick	
223	4342004710	Nut - U-Bolt	M22 X 1.5	
228	2376002700			
228	T03-4009	Shock Absorber	Standard	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
228	2376002700	Shock Absorber	2376002700 NA Standard See Note 1	
230	4343203488	Bolt - Top Shock Absorber	M24 X 2.0 X 250 mm Long	
232.2	4247404080	Lock Nut - Shock Absorber	M24 X 2.0	
232.3	1097001100	Washer - Shock Absorber		
233	1043032700	Plate	1043032700 NA Left Hand 240 mm Diameter X 15 mm 55 mm Offset See Note 1	
233	1043032800	Plate	Right Hand 240 mm Diameter X 15 mm 55 mm Offset	

NLA — NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

MODUL SUSPENSION
UNDERSLUNG



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS


UNDERSLUNG MODUL U SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
233	2043028900	Plate	2043028900 NA Left Hand 240 mm Diameter X 15 mm 70 mm Offset See Note 1	
233	2043029000	Plate	Right Hand 240 mm Diameter X 15 mm 70 mm Offset	
234	3228002900	Air Bag	SAF2618V 300 mm Diameter 4 Bolt (Long) Does Not Include Items 236.1 , 237 or 239	See Section 19 For Air Bags
234	3228002700	Air Bag	3228002700 NA SAF2918V 350 mm Diameter 4 Bolt (Long) Does Not Include Items 236.1 , 237 or 239 See Note 1	
234	3229003100S	Air Bag	3229003100S NA SAF2923V 350 mm Diameter 4 Bolt (Long) Does Not Include Items 236.1 , 237 or 239 See Note 1	
235.1	4343500888	Bolt	M20 X 80 mm Long Countersunk	
236	4343100788	Hex Bolt	4343100788 NA M12 X 30 mm Suits Air Bag See Note 2	
236.1	4343203700	Cut Screw	4343203700 NA 10 mm Diameter X 40 mm Long See Note 1	
237	4141000300	Spring Washer	4141000300 NA Aluminium See Note 1	
239	4342000460	Hex Nut	4342000460 NA M12 See Note 1	
240	1043026101	Air Bag Plate	1043026101 NA 5 mm See Note 1	
240.1	2237007001	Air Bag Pedestal	2237007001 NA 40 mm See Note 1	
240.1	2237007101	Air Bag Pedestal	2237007101 NA 70 mm See Note 1	
240.1	2237008001	Air Bag Pedestal	2237008001 NA 100 mm See Note 1	
242	2350020100	Clamping Plate	2350020100 NA Left Hand With Shock Absorber Bolt M24 X 2.0 X 230 mm Long For 127 mm Axle See Note 1	

NLA — NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

MODUL SUSPENSION
UNDERSLUNG



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS


UNDERSLUNG MODUL U SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
242	2350020000	Clamping Plate	2350020000 NA Right Hand With Shock Absorber Bolt M24 X 2.0 X 230 mm Long For 127 mm Axle See Note 1
242	1350008800	Clamping Plate	1350008800 NA For 127 mm/133 mm Axle See Note 1
242	1350008610	Clamping Plate	1350008610 NA For 146 mm Axle See Note 1
242	2350009701	Clamping Plate	2350009701 NA Left Hand With Shock Absorber Stud M24 X 2.0 Suits U33 Disc Brake Axle For 146 mm Axle See Note 1
242	2350009801	Clamping Plate	2350009801 NA Right Hand With Shock Absorber Stud M24 X 2.0 Suits U33 Disc Brake Axle For 146 mm Axle See Note 1
242	2350012600	Clamping Plate	2350012600 NA Left Hand With Shock Absorber Stud M24 X 2.0 Suits U25 Disc Brake Axle For 146 mm Axle See Note 1
NI	250812	Bolt - Spring Seat	2501812 NA M24 2.00 X 190 mm Long
250	XBAS0004	Shock Absorber Strap Bracket	2 mm Thick - New style

NLA — NO LONGER AVAILABLE

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

INTRADISC & INTRADRUM UNDERSLUNG & OVERSLUNG

IO - OVERSLUNG
IU - UNDERSLUNG



RK2377 – HANGER REPAIR KIT, INCLUDES REPAIR BOSS, BOLT, NUT, WASHERS.

Notes

1. Ride height, steel or alloy construction, and overslung or underslung information required.
2. Ride height, and overslung or underslung information required.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

INTRADISC & INTRADRUM UNDERSLUNG & OVERSLUNG SUSPENSION


ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	2183082502	Hanger	Steel 200 mm Height See Note 1	
1	2183082602	Hanger	Steel 250 mm Height See Note 1	
1	2183082701	Hanger	2183082701 NA Steel 300 mm Height See Note 1 & 3	
1	2183082801	Hanger	2183082801 NA Steel 350 mm Height See Note 1 & 3	
1	2183083000	Hanger	2183083000 NA Alloy 250 mm Height See Note 1 & 3	
1	2183083100	Hanger	2183083100 NA Alloy 300 mm Height See Note 1 & 3	
1	2183083200	Hanger	2183083200 NA Alloy 350 mm Height See Note 1 & 3	
2	3341104819S	Pivot Bolt Kit	Suits Steel Hanger Includes Bolt 4343104888S & Nut 4247402280S	
3	4343104888S	Pivot Bolt	M30 X 240 mm Suits Steel Hanger	
3	4343105388	Pivot Bolt	M30 X 240 mm Suits Alloy Hanger	
4	4247402280S	Nut	M30 NYLOC	
5	4331502900S	Wear Plate	Plastic	
6	1123000101S	Alignment Washer	102 mm X 20 mm Eccentric	
7	1101200100S	Washer	M20 X 5 mm Thick	
8	4177302800S	Pivot Bush		
9	3341280210	Shock Absorber Bottom Bolt Kit	Includes Bolt 4343280210S & Nut 4247404410S	
10	4343280210S	Shock Absorber Bottom Bolt	M20 X 155 mm Long	
11	4247404410S	Shock Absorber Nut	M20 Flanged	
12	2376008400	Shock Absorber	Standard See Note 2	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
12	2376008500	Shock Absorber	Standard See Note 2	
12	2376507000	Shock Absorber	Road Friendly See Note 2	
12	2376507100	Shock Absorber	Road Friendly See Note 2	
12	2376507200	Shock Absorber	Road Friendly See Note 2	

NLA — NO LONGER AVAILABLE | NI - NOT ILLUSTRATED | NA - NOT AVAILABLE

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

INTRADISC & INTRADRUM UNDERSLUNG & OVERSLUNG

IO - OVERSLUNG
IU - UNDERSLUNG



RK2377 – HANGER REPAIR KIT, INCLUDES REPAIR BOSS, BOLT, NUT, WASHERS.

Notes

1. Ride height, steel or alloy construction, and overslung or underslung information required.
2. Ride height, and overslung or underslung information required.
3. Part Number shown for reference only. Refer to PACCAR Parts for further options.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
SAF-HOLLAND SUSPENSIONS

INTRADISC & INTRADRUM UNDERSLUNG & OVERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
13	3044105400	Shock Absorber Top Bolt Kit	Suits Alloy Hanger Includes Bolt 4343280410S & Nut 4247404410S	
14	4343280310	Shock Absorber Top Bolt	Suits Steel Hanger M20 X 125 mm Long (125 mm Under Bolt Head)	
14	4343280410S	Shock Absorber Top Bolt	Suits Alloy Hanger M20 X 205 mm Long	
NI	1097000800	Spacer Washer	Suits Alloy Hanger 10 mm X 5 mm	
15	3228103300	Air Bag	SAF 2619V 300 mm Diameter Includes Bolt 4343103688S & Lock Nut 4247404710S Single Bolt Part Number On Unit	See Section 19 For Air Bags
15	3228104100S	Air Bag	SAF 2924V 350 mm Diameter Single Bolt Part Number On Unit	
15	3228104200	Air Bag	SAF 2919V 350 mm	
16	4343103688S	Hex Bolt	M16 X 40 mm Long Suits SAF 0027 & 1041 Air Bags	
17	4247400780S	Lock Nut	M16 Suits SAF 0033 Air Bags	
NI	4141000600S	Spring Washer	M12	
18	4247404710S	Lock Nut	M12	
19	1043026101S	Air Bag Top Plate	5 mm Thick	
20	2237008101S	Air Bag Pedestal	50 mm	
20	2237008001S	Air Bag Pedestal	100 mm	
20	2237008201S	Air Bag Pedestal	150 mm	
21	1284605200S	Air Bag Plate	5 mm Suits 60 mm Offset Air Bags	



PacLease



Repair and Maintenance Agreements to suit your needs

A PacLease Repair and Maintenance Agreement will give you the confidence your Kenworth or DAF truck will stay in optimal condition.

With three levels of care available, our agreements are designed to increase vehicle utilisation and protect your truck from unexpected downtime events.

Our nationwide extensive dealer network provides convenient service and support where and when you need it.

1800 455 155 | **paclease.com.au**

Melbourne | Sydney | Brisbane | Adelaide | Perth | Hobart | Darwin | Mt Gambier | Wodonga | Canberra

TRUCK & TRAILER PARTS

TRP® SOMERTON, GEELONG & BALLARAT



TRP® BALLARAT
FIND US AT

39 Selkirk Drive
Wendouree VIC 3355

Phone: (03) 4333 9700



TRP® SOMERTON
FIND US AT

2/15 Cooper Street
Campbellfield VIC 3061

Phone: (03) 9219 6601

TRP® GEELONG
FIND US AT

2/27 Success Court
Corio VIC 3214


Phone: (03) 5274 2646



AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

ULTRA LITE 230 - 325 9 TON MONO LEAF UNDERSLUNG

230 mm - 325 mm RIDE HEIGHT



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.
2. Weweler Suspensions are distributed by Fuwa K-Hitch.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

ULTRA LITE 230 - 325 9 TON MONO LEAF UNDERSLUNG SUSPENSION


ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	WUT001C45A285	Hanger	WUT001C45A285 NA See Note 1	
2	WUT010A04K	Wear Plate	Adjustable	
3	WUT010A06K	Plate	Tracking	
4	WUT006001A78A	Seat – Axle	Suits 127 mm Diameter Axles	
6	WUT005A54A	U-Bolt Plate	WUT005A54A NA 127 mm X 120 mm See Note 1	
8	WF001A437HG75	Trailing Arm		
8A	WC234264	Pivot Bush		
9	WB001M24B064	U-Bolt	M24 X 270 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
10	WC290140	Nut	M24 X 2.0 Grade 10.0	
11	WC300657	Washer	M24	
12	WD8A91-2643W	Shock Absorber	Type 2643W	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
13	WUS07364F	Air Spring	Euro	See Section 19 For Air Bags
14	WC275128	Bolt	WC275128 NA Shock Absorber Top M20 X 2.0 X 240 mm Long Grade 10.9 See Note 1	
15	WC330063	Nut	NYLOC M20 X 2.0	
16	WC275126	Bolt	WC275126 NA Shock Absorber M20 X 2.0 X 175 mm Long Grade 10.9 See Note 1	
17	WC300951	Washer	WC300951 NA M20 See Note 1	
18	WC401227D	Pivot Bolt	M27 X 186 mm Long	
19	WUBM27N006ZN	Nut	NYLOC M27 X 2.0	
20	WUT009A09G	Washer	46 mm OD, 30 mm ID	
22	WC270602	Bolt	M12 X 30 mm Long	
23	WC275612	Bolt	Allen Key Head M12 X 60 mm Long	
24	WC301348	Washer	M12	
25	WC330021	Lock Nut	M12 Grade 8.0	
30	WUT003A24K	Plate	Offset 65 mm	
31	WUT996A04B	Bracing Mount	WUT996A04B NA Bolt On See Note 1	
32	WUT001A45A310	Hanger	WUT001A45A310 NA With Wear Plate See Note 1	

NA - NOT AVAILABLE | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

ULTRA LITE 375 - 475 9 TON OVERSLUNG

375 mm - 475 mm RIDE HEIGHT



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.
2. Weweler Suspensions are distributed by Fuwa K-Hitch.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

ULTRA LITE 375 - 475 9 TON OVERSLUNG SUSPENSION


ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1A	WUT001C45A285	Hanger	WUT001C45A285 NA 375 mm Ride Height See Note 1	
1B	WUT001C45A310	Hanger	400 mm Ride Height	
1C	WUT001C45A335	Hanger	425 mm Ride Height	
2	WUT010A04K	Wear Plate	Adjustable	
3	WUT010A06K	Plate	Tracking	
4	WUT006001L78A	Seat – Axle	Left Hand Suits 127 mm Diameter Axles	
5	WUT006001R78A	Seat – Axle	Right Hand Suits 127 mm Diameter Axles	
6	WUT005001A73A	U-Bolt Plate		
8	WF001A437HE75	Trailing Arm		
8A	WC234264	Pivot Bush		
9	WB001M24B064	U-Bolt	M24 X 270 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
10	WC290140	Nut	M24 X 2.0 Grade 10.0	
11	WC300657	Washer	M24	
12	WD8A91-2643W	Shock Absorber	Type 2643W	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
13	WUS07364F	Air Spring	Euro	See Section 19 For Air Bags
14	WC275128	Bolt	WC275128 NA Shock Absorber Top M20 X 2.0 X 240 mm Long Grade 10.9 See Note 1	
15	WC330063	Nut	NYLOC M20 X 2.0	
16	WC275126	Bolt	WC275126 NA Shock Absorber M20 X 2.0 X 175 mm Long Grade 10.9 See Note 1	
17	WC300951	Washer	WC300951 NA M20 See Note 1	
18	WC401227D	Pivot Bolt	M27 X 186 mm Long	
19	WUBM27N006ZN	Nut	NYLOC M27 X 2.0	
20	WUT009A09G	Washer	46 mm OD, 30 mm ID	
22	WC270602	Bolt	M12 X 30 mm Long	
23	WC275612	Bolt	Allen Key Head M12 X 60 mm Long	
24	WC301348	Washer	M12	
25	WC330021	Lock Nut	M12 Grade 8.0	
26	WUT003A24K	Plate	Offset 65 mm	
27	WUT011A00E022	Pedestal	WUT011A00E022 NA Bolt Hole To Centre Line Offset ""C"" = 30 mm 400 mm Ride Height	

NA - NOT AVAILABLE | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

ULTRA LITE 375 - 475 9 TON OVERSLUNG

375 mm - 475 mm RIDE HEIGHT



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.
2. Weweler Suspensions are distributed by Fuwa K-Hitch.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

ULTRA LITE 375 - 475 9 TON OVERSLUNG SUSPENSION			
ITEM NO.	**PART NO.**	**DESCRIPTION**	**COMMENTS**
27A	WUT011A00E042	Pedestal	WUT011A00E042 NA Bolt Hole To Centre Line Offset ""C"" = 30 mm 425 mm Ride Height
28	WUT996A04B	Bracing Mount	WUT996A04B NA Bolt On See Note 1
29	WUT001A45A285	Hanger	WUT001A45A285 NA With Wear Plate 375 mm Ride Height See Note 1
29A	WUT001A45A310	Hanger	WUT001A45A310 NA With Wear Plate 400 mm Ride Height See Note 1
29B	WUT001A45A335	Hanger	WUT001A45A335 NA With Wear Plate 425 mm Ride Height See Note 1

AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

EURO 230 - 315 9 TON TWIN LEAF UNDERSLUNG

230 mm - 315 mm RIDE HEIGHT



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.
2. Weweler Suspensions are distributed by Fuwa K-Hitch.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS


EURO 230 - 315 9 TON TWIN LEAF UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	WUT001C45A310	Hanger	400 mm Ride Height	
2	WUT010A04K	Wear Plate	Adjustable	
3	WUT010A06K	Plate	Tracking	
4	WUT006001A78A	Seat – Axle	Suits 127 mm Diameter Axles	
6	WUT005A54A	U-Bolt Plate	WUT005A54A NA 127 mm X 120 mm See Note 1	
8	WF001A137DG75	Trailing Arm	Euro	
8A	WC234264	Pivot Bush		
9	WB001M24B077	U-Bolt	M24 X 295 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
10	WC290140	Nut	M24 X 2.0 Grade 10.0	
11	WC300657	Washer	M24	
12	WD8A91-2643W	Shock Absorber	Type 2643W	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
13	WUS07364F	Air Spring	Euro	See Section 19 For Air Bags
14	WC275128	Bolt	WC275128 NA Shock Absorber Top M20 X 2.0 X 240 mm Long Grade 10.9 See Note 1	
15	WC330063	Nut	NYLOC M20 X 2.0	
16	WC275126	Bolt	WC275126 NA Shock Absorber M20 X 2.0 X 175 mm Long Grade 10.9 See Note 1	
17	WC300951	Washer	WC300951 NA M20 See Note 1	
18	WC401227D	Pivot Bolt	M27 X 186 mm Long	
19	WUBM27N006ZN	Nut	NYLOC M27 X 2.0	
20	WUT009A09G	Washer	46 mm OD, 30 mm ID	
21	WC270614	Bolt	WC270614 NA M12 X 60 mm Long See Note 1	
23	WC275603	Bolt	Allen Key Head Countersunk	
24	WC301348	Washer	M12	
25	WC330021	Lock Nut	M12 Grade 8.0	
26	WUT996A04B	Bracing Mount	WUT996A04B NA Bolt On See Note 1	
27	WC281082	Bolt	WC281082 NA M12 See Note 1	
28	WUT001A45A310	Hanger	WUT001A45A310 NA With Wear Plate See Note 1	

NA - NOT AVAILABLE | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

ULTRA LITE 375 - 475 TWIN LEAF 9 TON OVERSLUNG

375 mm - 475 mm RIDE HEIGHT



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.
2. Weweler Suspensions are distributed by Fuwa K-Hitch.

For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

ULTRA LITE 375 - 475 TWIN LEAF 9 TON OVERSLUNG SUSPENSION


ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1A	WUT001C45A285	Hanger	WUT001C45A285 NA 375 mm Ride Height See Note 1	
1B	WUT001C45A310	Hanger	400 mm Ride Height	
1C	WUT001C45A335	Hanger	425 mm Ride Height	
2	WUT010A04K	Wear Plate	Adjustable	
3	WUT010A06K	Plate	Tracking	
4	WUT006001L78A	Seat – Axle	Left Hand Suits 127 mm Diameter Axles	
5	WUT006001R78A	Seat – Axle	Right Hand Suits 127 mm Diameter Axles	
6	WUT005001A73A	U-Bolt Plate		
8	WF001A137DE75	Trailing Arm	Euro	
8A	WC234264	Pivot Bush		
9	WB001M24B077	U-Bolt	M24 X 295 mm	See Sections 22.1 & 22.2 For U-Bolt Information & Images
10	WC290140	Nut	M24 X 2.0 Grade 10.0	
11	WC300657	Washer	M24	
12	WD8A91-2643W	Shock Absorber	Type 2643W	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
13	WUS07364F	Air Spring	Euro	See Section 19 For Air Bags
14	WC275128	Bolt	WC275128 NA Shock Absorber Top M20 X 2.0 X 240 mm Long Grade 10.9 See Note 1	
15	WC330063	Nut	NYLOC M20 X 2.0	
16	WC275126	Bolt	WC275126 NA Shock Absorber M20 X 2.0 X 175 mm Long Grade 10.9 See Note 1	
17	WC300951	Washer	WC300951 NA M20 See Note 1	
18	WC401227D	Pivot Bolt	M27 X 186 mm Long	
19	WUBM27N006ZN	Nut	NYLOC M27 X 2.0	
20	WUT009A09G	Washer	46 mm OD, 30 mm ID	
21	WC270614	Bolt	WC270614 NA M12 X 60 mm Long See Note 1	
22	WC270602	Bolt	M12 X 30 mm Long	
23	WC275603	Bolt	Allen Key Head Countersunk	
24	WC301348	Washer	M12	
25	WC330021	Lock Nut	M12 Grade 8.0	

NA - NOT AVAILABLE | OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER

AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

ULTRA LITE 375 - 475 TWIN LEAF 9 TON OVERSLUNG

375 mm - 475 mm RIDE HEIGHT



Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.
2. Weweler Suspensions are distributed by Fuwa K-Hitch.

For further information contact your nearest authorised PACCAR Parts dealer.


AIR BAG SUSPENSIONS
WEWELER SUSPENSIONS

ULTRA LITE 375 - 475 TWIN LEAF 9 TON OVERSLUNG SUSPENSION			
ITEM NO.	**PART NO.**	**DESCRIPTION**	**COMMENTS**
26	WUT003A19K	Plate	WUT003A19K NA Offset 30 mm / 50 mm See Note 1
27	WUT011A00E022	Pedestal	WUT011A00E022 NA Bolt Hole To Centre Line Offset "C" = 30 mm 400 mm Ride Height
27A	WUT011A00E042	Pedestal	WUT011A00E042 NA Bolt Hole To Centre Line Offset "C" = 30 mm 425 mm Ride Height
28	WUT996A04B	Bracing Mount	WUT996A04B NA Bolt On See Note 1
29	WC281082	Nut	WC281082 NA See Note 1
30	WUT001A45A285	Hanger	WUT001A45A285 NA With Wear Plate 375 mm Ride Height See Note 1
30A	WUT001A45A310	Hanger	WUT001A45A310 NA With Wear Plate 400 mm Ride Height See Note 1
30B	WUT001A45A335	Hanger	WUT001A45A335 NA With Wear Plate 425 mm Ride Height See Note 1

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR 1 (UNDERSLUNG SHOWN)

200, 300, 350, 400mm RIDE HEIGHT



Notes

1. Early Tecair 1 shock absorbers had a bar pin at the bottom mount.
2. Suspension is only configured as underslung as shown.

For further information contact your nearest authorised PACCAR Parts dealer.

YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS


TECAIR 1 UNDERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	T03-AS3180-A	Air Spring	200 mm Ride Height	See Section 19 For Air Bags
2	T03-AS3233-A	Air Spring	300 mm - 400 mm Ride Height	
3	91-2542	Shock Absorber	Bolt Mount KONI	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
	T03-4012	Shock Absorber	Bolt Mount OEM Boge	
	P185	Shock Absorber	Bolt Mount Powerdown	
	T03-4011	Shock Absorber	Pin Mount OEM KONI	
	NLA	Shock Absorber	90-2067 NLA Pin Mount KONI	
	P52449	Shock Absorber	Pin Mount Powerdown	
NI	T03-4002	Shock Absorber Bush	58 mm Long X 24 mm ID X 42.5 mm OD Suits KONI Shock Absorber	
NI	T03-4014	Shock Absorber Bush	OEM Suits Boge Shock Absorber	
NI	PDB390K3	Shock Absorber Bush	Suits P185 Powerdown Shock Absorber	
NI	T03-4014S	Shock Absorber Bush Sleeve		
4	T03-1245	Pivot Bolt Kit	Includes Lock Nut And Washer	
5	T03-1097	Pivot Bush		
6	T03-1250	Wear Pad	Tecair 1 2 Required	
7	T03-4005	Shock Absorber Bolt Assembly	Upper M24 X 180 mm Long Includes Lock Nut And Washer	
8	T03-4010	Shock Absorber Bolt Assembly	Lower M24 X 135 mm Long Includes Lock Nut And Washer	
9	T03-7350	Spring Beam	9 tonne Includes T03-1097 Pivot Bush	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
10	T03-7351	Spring Beam	11 tonne Includes T03-1097 Pivot Bush	

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR 1 (UNDERSLUNG SHOWN)

200, 300, 350, 400mm RIDE HEIGHT



Notes

1. Early Tecair 1 shock absorbers had a bar pin at the bottom mount.
2. Suspension is only configured as underslung as shown.

For further information contact your nearest authorised PACCAR Parts dealer.

YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS


TECAIR 1 UNDERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
11	T03-RS970	Restraint Strap	Red Tecair 1 200 mm Ride Height
	T03-RS1070	Restraint Strap	Yellow Tecair 1 280 mm Ride Height
	T03-RS1170	Restraint Strap	Black Tecair 1 300 mm Ride Height
	T03-RS1270	Restraint Strap	Orange Tecair 1 350 mm Ride Height
	T03-RS1370	Restraint Strap	Blue Tecair 1 400 mm Ride Height
	61786866/1570	Restraint Strap	Orange Tecair 1 1570 mm Ride Height
NI	T03-AS506324	Axle Lift Air Bag	Contact PACCAR Parts
13	T03-1281	Hanger Repair Boss	
NI	T03-1250	Hanger Wear Pad	Contact PACCAR Parts
14	T03-8076	U-Bolt	See Sections 22.1 & 22.2 For U-Bolt Information & Images
15	T03-8077	Spring Bottom Plate	
16	61506234	Plate Tracking	
17	49LNM12	Nut	M12 NYLOC
18	61790542	Plate	Air Bag Top
19	61787688	Reinforcement Plate	80 mm Offset Airbag
20	Various	Axle Seat	See Note 1 Contact PACCAR Parts
21	61506284	Shim	Upper
22	49SHM12175080	Bolt	M12 X 1.75 X 80 mm Long Socket Head
23	49HBM12175030	Bolt	M12 X 1.75 X 30 mm Long Hex Head
24	49SWM12	Spring Washer	M12
25	49CSM12175070	Bolt	M12 X 1.75 X 70 mm Long Countersunk Head
26	61506234	Plate Tracking	
27	61506225/01	Shock Absorber Boss	Pre 1995 Shouldered Type
	61506225/02	Shock Absorber Boss	Post 1995 Straight Type
NI	61506248	Bar Pin	See Note 1 Lower Shock Absorber Mount

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR 1 (UNDERSLUNG SHOWN)

200, 300, 350, 400mm RIDE HEIGHT



Notes

1. Early Tecair 1 shock absorbers had a bar pin at the bottom mount.
2. Suspension is only configured as underslung as shown.

For further information contact your nearest authorised PACCAR Parts dealer.


YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR 1 UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
28	61SB786154	Axle Strap Bolt Assembly	Nylon Strap	
	61SB786155	Axle Strap Bolt Assembly	Wire Rope	
NI	Various	Height Control Valve	Contact PACCAR Parts	See Section 26 For Suspension Height Control Systems and Component Information & Images

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR 1 (UNDERSLUNG SHOWN)



UNDERSLUNG MODEL

OVERSLUNG MODEL

Notes

1. T03-4002 – 58 mm long x 24 mm I.D. x 42.5 mm O.D.
2. 91-2756 replaced 90-2260

For further information contact your nearest authorised PACCAR Parts dealer.

YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS


TECAIR 2 UNDERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	T03-AS3180-A	Air Spring		See Section 19 For Air Bags
2	T03-4013	Shock Absorber	OEM	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
	91-2756	Shock Absorber	KONI	
	SA009TRP	Shock Absorber	Powerdown	
NI	T03-4002	Shock Absorber Bush	58 mm Long X 24 mm ID X 42.5 mm OD Suits KONI Shock Absorber	
3	T03-1245	Pivot Bolt Kit	Includes Lock Nut And Washer	
4	T03-1097	Pivot Bush	Included with Spring Beam T03-7352	
5	T03-1251	Wear Pad	Tecair 2	
6	T03-4005	Shock Absorber Bolt Assembly	Upper Includes Lock Nut And Washer	
7	T03-4010	Shock Absorber Bolt Assembly	Lower M24 X 135 mm Long Includes Lock Nut And Washer	
8	T03-7352	Spring Beam	Includes T03-1097 Pivot Bush	See Sections 21.1, 21.2 & 21.3 For Springs and Spring Component Information & Images
9	T03-7352W	Spring Beam Wrapper		
NI	NLA	Plastic Insert for Spring Wrapper	T03-7352WP NLA	
NI	T03-7352P1N	Dowel Pin		
NI	T03-AS787820	Axle Lift Air Bag		
11	T03-1279	Hanger Pivot Boss		
12	T03-8075	U-Bolt	M24 x 270 mm Long	See Sections 22.1 & 22.2 For U-Bolt Information & Images
12A	61SB506245/290	U-Bolt	M24 x 290 mm Long	
12B	T03-8076	U-Bolt	M24 x 320 mm Long	
13	61787807	Clamp Plate	Suits Underslung And Overslung	
13A	61787801	Axle Seat	Without Shock Absorber Lugs Suits Overslung	
14	61SB787801	Axle Seat	With Shock Absorber Lugs Suits Underslung	
14A	61787806	Shock Absorber Mounting Lug	2 Per Axle Seat Required	
15	49HBM12175030	Bolt	M12 X 1.75 X 30 mm Long Hex Head	
16	49SWM12	Spring Washer	M12	
17	49LNM12	Nut	M12 NYLOC	
18	61790542	Plate	Air Bag Top	
19	61792342	Plate	Air Bag Bottom	
20	49HBM12175055	Bolt	M12 X 1.75 X 55 mm Long Hex Head	
21	49HBM12175065	Bolt	M12 X 1.75 X 65 mm Long Hex Head	
22	61506225/01	Shock Absorber Boss	Pre 1995 Shouldered Type	

NLA - NO LONGER AVAILABLE | NI - NOT ILLUSTRATED |OD - OUTSIDE DIAMETER | ID - INSIDE DIAMETER | OEM - ORIGINAL EQUIPMENT MANUFACTURER

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR 1 (UNDERSLUNG SHOWN)



UNDERSLUNG MODEL

OVERSLUNG MODEL

Notes

1. T03-4002 – 58 mm long x 24 mm I.D. x 42.5 mm O.D.
2. 91-2756 replaced 90-2260

For further information contact your nearest authorised PACCAR Parts dealer.


YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR 2 UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
22A	61506225/02	Shock Absorber Boss	Post 1995 Straight Type	
24	61787805	Hanger	235 mm, 420 mm Ride Height	
24	T03-3363	Hanger	285 mm, 470 mm Ride Height	
24	T03-3364	Hanger	335 mm, 520 mm Ride Height	
24	61787805/3	Hanger	360 mm, 545 mm Ride Height	
24	61787805/5	Hanger	260 mm, 445 mm Ride Height	
24	61787805/6	Hanger	310 mm, 495 mm Ride Height	
NI	Various	Height Control Valve	Contact PACCAR Parts	See Section 26 For Suspension Height Control Systems and Component Information & Images

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR FB OVERSLUNG AND UNDERSLUNG



OVERSLUNG MODEL SHOWN

Notes

1. Suspension shown was originally marketed as Evotrac.
2. May be Boge or Powerdown brand shock absorbers.
3. T03-4015 is a tapered poly bush to suit Powerdown shock absorbers.
   4 required per shock absorber.
   Boge shock absorber bush T03-4023B is a straight bush. Requires sleeve T03-4023.
4. Shock Absorber P1075 can be used, York are now using this as their OEM shock absorber.

For further information contact your nearest authorised PACCAR Parts dealer.

YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS


TECAIR FB OVERSLUNG AND UNDERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	T03-AS2501-B	Air Spring	720N 185 mm High	See Section 19 For Air Bags
1A	NLA	Air Spring Piston	T03-AS2501-P NLA Suits T03-AS2501-B Air Spring 720N 185 mm High	
2	T03-610052	Shock Absorber	OEM See Note 2	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
	88-1564	Shock Absorber	KONI	
	P42052	Shock Absorber	Powerdown	
NI	T03-4015	Shock Absorber Bush	OEM Suits T03-610052 Shock Absorber See Note 3	
3	T03-AS2502-B	Air Spring	644N 135 mm High	See Section 19 For Air Bags
3A	NLA	Air Spring Piston	T03-AS2503-P NLA Suits T03-AS2502-B Air Spring 644N 135 mm High	
NI	61610122	Air Spring	One Piece	
4	P1075	Shock Absorber	Powerdown See Note 4	
	NLA	Shock Absorber Bush	T03-4016 NLA Suits T03-610053 Shock Absorber	
5	61SB610366	Pivot Bush		
NI	61SB610365/01	Pivot Bush Kit	Includes Pivot Bush 61SB610366 Pivot Pin Lock Bar T03-1249 Pivot Pin Kit T03-1248 (Pivot Pin, Locking Bolt, Washer) Parts for 1 Side	See Sections 19 & 19.1 For Air Suspension Bush Information & Images
NI	61SB610365/02	Pivot Bush Kit	Includes Pivot Bush 61SB610366 Pivot Pin Lock Bar T03-1249 Pivot Pin Kit T03-1248 (Pivot Pin, Locking Bolt, Washer) Parts for 1 Axle (2 Sides)	
6	61SB786157	Top Shock Absorber Bolt Assembly	⅝" UNC X 3½" Long	
7	T03-1249	Pivot Pin Lock Bar		
8	T03-1248	Pivot Pin Kit	Includes Pivot Pin Locking Bolt And Pivot Pin Washer Included In Pivot Bush Kit 61SB610365/01	
9	T03-7355L	Beam	Left Hand 150 mm / 190 mm Ride Height	
9A	T03-7355R	Beam	Right Hand 150 mm / 190 mm Ride Height	
10	NLA	Beam	Left Hand 300 mm Ride Height	
10A	NLA	Beam	T03-7356L NLA Right Hand 300 mm Ride Height	
11	T03-7357L	Beam	T03-7356R NLA Left Hand 370 mm / 400 mm Ride Height	
11B	T03-7357R	Beam	Right Hand 370 mm / 400 mm Ride Height	
12	T03-RSFB01	Restraint Strap	Blue 150 mm / 300 mm / 370 mm Ride Height	

NLA - NO LONGER AVAILABLE | NI - NOT ILLUSTRATED | OEM - ORIGINAL EQUIPMENT MANUFACTURER

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR FB OVERSLUNG AND UNDERSLUNG



OVERSLUNG MODEL SHOWN

Notes

1. Suspension shown was originally marketed as Evotrac.
2. May be Boge or Powerdown brand shock absorbers.
3. T03-4015 is a tapered poly bush to suit Powerdown shock absorbers.
   4 required per shock absorber.
   Boge shock absorber bush T03-4023B is a straight bush. Requires sleeve T03-4023.
4. Shock Absorber P1075 can be used, York are now using this as their OEM shock absorber.

For further information contact your nearest authorised PACCAR Parts dealer.

YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS


TECAIR FB OVERSLUNG AND UNDERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
12A	T03-RSFB02	Restraint Strap	Green 190 mm / 400 mm Ride Height	
12B	T03-RSFB03	Restraint Strap	Black 420 mm Ride Height	
12C	T03-RSFB04	Restraint Strap	Red 190 mm / 400 mm / 420 mm Ride Height	
13	NLA	Ring	T03-7353R NLA See Tube T03-7353T	
14	T03-7353T	Tube	Includes Ring T03-7353R	
15	61610054	Shock Absorber Bracket		
16	49HB5/8UNC3.25	Bolt	⅝" UNC X 3¼" Long Hex Head	
17	49FWH5/8	Flat Washer	⅝" Heavy Duty	
18	49FWM12	Flat Washer	M12	
19	49SWM12	Spring Washer	M12	
20	49HBM12175030	Bolt	M12 X 1.75 X 30 mm Long Hex Head	
21	T03-3365L	Hanger	Front Left Hand	
21A	T03-3365R	Hanger	Front Right Hand	
22	61610067	Chassis Stop		
23	T03-61610205	Top Mount		
NI	Various	Height Control Valve	Contact PACCAR Parts	See Section 26 For Suspension Height Control Systems and Component Information & Images

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR FB - VRH UNDERSLUNG AND OVERSLUNG

UNDERSLUNG TECAIR FB - VRH
190, 235, 280mm RIDE HEIGHT

OVERSLUNG TECAIR FB - VRH
360, 405, 450mm RIDE HEIGHT



Notes

1. Conversion to Sealed Bag – 61610158/01 for Ride Heights 190 mm / 400 mm
2. Conversion to Sealed Bag – 61610158/02 for Ride Heights 150 mm / 300 mm / 370 mm

For further information contact your nearest authorised PACCAR Parts dealer.

YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR FB - VRH UNDERSLUNG AND OVERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	T03-AS2501-B	Air Spring	720N 185 mm High Non Sealed Bag Type See Note 1 and 2	See Section 19 For Air Bags
1A	NLA	Air Spring Piston	T03-AS2501-P NLA Suits T03-AS2501-B Air Spring 720N 185 mm High Non Sealed Type	
2	T03-AS610121	Air Spring	Sealed Bag Type See Options Below	
	AS3046A	Air Spring	Sealed Bag Type Aluminium Piston Suits T03-AS610121 Air Spring	
	AS3046A	Air Spring	Sealed Bag Type Plastic Piston	
2A	61610128	Bottom Plate	Suits Sealed Bag	
3	T03-610052	Shock Absorber	OEM Boge	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
	88-1564	Shock Absorber	KONI	
	SA007TRP	Shock Absorber	Powerdown	
NI	T03-4023B	Shock Absorber Bush	Suits OEM Boge Shock Absorber	
NI	T03-4023	Shock Absorber Bush Sleeve		
4	61610054	Upper Shock Absorber Bracket		
5	61SB610366	Pivot Bush		See Sections 19 & 19.1 For Air Suspension Bush Information & Images
NI	61SB610365/01	Pivot Bush Kit	Includes Pivot Bush 61SB610366 Pivot Pin Lock Bar T03-1249 Pivot Pin Kit T03-1248 (Pivot Pin, Locking Bolt, Washer) Parts for 1 Side	
NI	61SB610365/02	Pivot Bush Kit	Includes Pivot Bush 61SB610366 Pivot Pin Lock Bar T03-1249 Pivot Pin Kit T03-1248 (Pivot Pin, Locking Bolt, Washer) Parts for 1 Axle (2 Sides)	
6	T03-1249	Pivot Pin Lock Bar	Included In Pivot Bush Kit 61SB610365/01	
7	T03-1248	Pivot Pin Kit	Includes Pivot Pin Locking Bolt And Pivot Pin Washer Included In Pivot Bush Kit 61SB610365/01	
8	NLA	Beam	T03-7358L NLA Left Hand Overslung Suits Non Sealed Bag	
8A	NLA	Beam	T03-7358R NLA Right Hand Overslung Suits Non Sealed Bag	
9	T03-7359L	Beam	Left Hand Overslung Suits Sealed Bag	
9A	T03-7359R	Beam	Right Hand Overslung Suits Sealed Bag	
10	NLA	Beam	T03-7360L NLA Left Hand Underslung Suits Non Sealed Bag	
10A	NLA	Beam	T03-7360R NLA Right Hand Underslung Suits Non Sealed Bag	


NLA - NO LONGER AVAILABLE | NI - NOT ILLUSTRATED | OEM - ORIGINAL EQUIPMENT MANUFACTURER

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR FB - VRH UNDERSLUNG AND OVERSLUNG

UNDERSLUNG TECAIR FB - VRH
190, 235, 280mm RIDE HEIGHT

OVERSLUNG TECAIR FB - VRH
360, 405, 450mm RIDE HEIGHT



Notes

1. Conversion to Sealed Bag – 61610158/01 for Ride Heights 190 mm / 400 mm
2. Conversion to Sealed Bag – 61610158/02 for Ride Heights 150 mm / 300 mm / 370 mm

For further information contact your nearest authorised PACCAR Parts dealer.

YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR FB - VRH UNDERSLUNG AND OVERSLUNG SUSPENSION


ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
11	T03-7361L	Beam	Left Hand Underslung Suits Sealed Bag
11A	T03-7361R	Beam	Right Hand Underslung Suits Sealed Bag
12	T03-RSFB01	Restraint Strap	Blue 150 mm / 300 mm / 370 mm Ride Height
	T03-RSFB02	Restraint Strap	Green 190 mm / 400 mm Ride Height
	T03-RSFB03	Restraint Strap	Black 420 mm Ride Height
	T03-RSFB04	Restraint Strap	Red 190 mm / 400 mm / 420 mm Ride Height
	61610065/06	Restraint Strap	Yellow
13	T03-3366L	Hanger	Left Hand 190 mm / 360 mm Ride Height
	T03-3366R	Hanger	Right Hand 190 mm / 360 mm Ride Height
	T03-3367L	Hanger	Left Hand 235 mm / 405 mm Ride Height
	T03-3367R	Hanger	Right Hand 235 mm / 405 mm Ride Height
	T03-3368L	Hanger	Left Hand 280 mm / 450 mm Ride Height
	T03-3368R	Hanger	Right Hand 280 mm / 450 mm Ride Height
14	61SB786157	Bolt	Shock Absorber Top Bolt Assembly ⅝" UNC X 3½" Long Includes ⅝" UNC Nut and ⅝" Washer
15	T03-61610205	Top Mount	190 mm / 360 mm Ride Height Suits Non Sealed Bag
	61610196/01	Top Mount	235 mm / 405 mm Ride Height Suits Non Sealed Bag
	61610196/02	Top Mount	280 mm / 450 mm Ride Height Suits Non Sealed Bag
	61610156	Top Mount	190 mm / 360 mm Ride Height Suits Sealed Bag
	61610197/01	Top Mount	235 mm / 405 mm Ride Height Suits Sealed Bag
	61610197/02	Top Mount	280 mm / 450 mm Ride Height Suits Sealed Bag
17	49SW1/2	Spring Washer	½" Suit Sealed Bag
17	49HB1/2UNC1.50	Bolt	½" UNC X 1½" Long Hex Head Suits Sealed Bag
18	49FWM12	Flat Washer	M12 Suits Non Sealed Bag
19	49SWM12	Spring Washer	M12 Suits Non Sealed Bag
20	49HB5/8UNC3.25	Bolt	⅝" UNC X 3¼" Long Hex Head Suits Non Sealed Bag
21	49FWH5/8	Flat Washer	⅝" Heavy Duty
22	49HB5/8UNC3.25	Bolt	⅝" UNC X 3¼" Long Hex Head

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR FB - VRH UNDERSLUNG AND OVERSLUNG

UNDERSLUNG TECAIR FB - VRH
190, 235, 280mm RIDE HEIGHT

OVERSLUNG TECAIR FB - VRH
360, 405, 450mm RIDE HEIGHT



Notes

1. Conversion to Sealed Bag – 61610158/01 for Ride Heights 190 mm / 400 mm
2. Conversion to Sealed Bag – 61610158/02 for Ride Heights 150 mm / 300 mm / 370 mm

For further information contact your nearest authorised PACCAR Parts dealer.


YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR FB - VRH UNDERSLUNG AND OVERSLUNG SUSPENSION			
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS
23	61610067	Chassis Stop	Suits 190 mm / 235 mm / 280 mm / 360 mm Ride Height
	61610067/1	Chassis Stop	Suits 405 mm / 450 mm Ride Height
24	49LNT3/4UNF	Nut	¾" UNF Nyloc Suits Sealed Bag
25	49LNT1/2UNC	Nut	½" UNC Nyloc Suits Sealed Bag

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR DURATRAC OVERSLUNG



Notes

For further information contact your nearest authorised PACCAR Parts dealer.

YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS


TECAIR DURATRAC OVERSLUNG SUSPENSION

ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
1	61610414/1/01	Hanger	Front Left Hand 260 mm / 380 mm Ride Height	
	61610414/1/02	Hanger	Front Right Hand 260 mm / 380 mm Ride Height	
	61610414/2/01	Hanger	Front Left Hand 300 mm / 420 mm Ride Height	
	61610414/2/02	Hanger	Front Right Hand 300 mm / 420 mm Ride Height	
	61610414/3/01	Hanger	Front Left Hand 340 mm / 460 mm Ride Height	
	61610414/3/02	Hanger	Front Right Hand 340 mm / 460 mm Ride Height	
	61610414/4/01	Hanger	Front Left Hand 240 mm / 360 mm Ride Height	
	61610414/4/02	Hanger	Front Right Hand 240 mm / 360 mm Ride Height	
2	61SB506247	Pivot Bolt	M30 X 190 mm Long Included In Pivot Bush Kit 61SB610477	
3	49LNM30	Cone Lock Nut	M30 Included In Pivot Bush Kit 61SB610477	
4	61506470/30	Flat Washer	M30	
5	61792123	Inner Washer	M30 Heavy Duty Included In Pivot Bush Kit 61SB610477	
6	61792120	Cam Ring		
7	61610478	Thrust Washer	Included In Pivot Bush Kit 61SB610477	
8	61610477	Pivot Bush	Included In Pivot Bush Kit 61SB610477	See Sections 19 & 19.1 For Air Suspension Bush Information & Images
9	NLA	Shock Absorber Stud	61610479 NLA M24 x 140 mm Long	
	49HBM24300100	Shock Absorber Stud	M24 x 140 mm Long	
10	61610442/B0GE	Shock Absorber	Boge	See Sections 20.1 & 20.2 For Shock Absorber Information & Images
	91-2756	Shock Absorber	KONI	
NI	61610464	Bush Assy Shock Absorber	Suits KONI Shock Absorber	
11	61610400/01	Beam Assembly	Underslung Left Hand	
	61610400/02	Beam Assembly	Underslung Right Hand	
	61610404/01	Beam Assembly	Overslung Left Hand	
	NLA	Beam Assembly	61610404/02 NLA Overslung Right Hand	

NLA - NO LONGER AVAILABLE | NI - NOT ILLUSTRATED

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR DURATRAC OVERSLUNG



Notes

For further information contact your nearest authorised PACCAR Parts dealer.

YORK

AIR BAG SUSPENSIONS
YORK SUSPENSIONS

TECAIR DURATRAC OVERSLUNG SUSPENSION				
ITEM NO.	PART NO.	DESCRIPTION	COMMENTS	
12	61610156	Air Bag Top Plate	260 mm / 360 mm / 380 mm Ride Height	
	61610197/07	Air Bag Top Plate	340 mm / 460 mm Ride Height	
	61610197/06	Air Bag Top Plate	300 mm / 420 mm Ride Height	
13	49LNT3/4UNF	Nut	NYLOC ¾" UNF	
14	49LNT1/2UNC	Nut	NYLOC ½" UNC	
15	T03-AS3187-A	Air Bag	Sealed	See Section 19 For Air Bags
16	49HB1/2UNC1.50	Bolt	Hex Head ½" UNC x 1½" Long	
17	49SW1/2	Spring Washer	½" UNC	
18	61506250	Washer	M24 Heavy Duty Shock Absorber Bolt Only	
NI	49LNM24	Nut	NYLOC M24 Shock Absorber Stud Only	
19	61SB610477	Pivot Bush Repair Kit	Includes 1 X Pivot Bush 61610477 2 X Thrust Washers 61610478 2 X Heavy Duty Washers 61792123 1 X Pivot Bolt 61SB506247 1 X Cone Lock Nut 49LNM30	

NOTES

PACCAR PARTS

KENWORTH GENUINE MERCHANDISE

DAF GENUINE PARTS

PACCAR GENUINE PARTS

TRP TRUCK & TRAILER PARTS

DON'T MISS OUT

ON THE LATEST DEALS!

Sign up to our Catalogue now!

www.paccarparts.com.au/catalogues



PACCAR PARTS

AVAILABLE AT 63 DEALERS AUSTRALIA-WIDE

Visit **paccarparts.com.au** or **Freecall*** **1800 PPARTS (772 787)**


To find your nearest dealer, **SCAN HERE**

* Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.

NOTES

AIR BAG SUSPENSION BUSHES
DIMENSIONAL COMPARISON

PART NO.	SUSPENSION	OUTSIDE DIAMETER	INSIDE DIAMETER	LENGTH
0203169000	BPW and RFS Heavy Duty Steel Inner Sleeve & Steel Outer Case Rubber Bush See Note 1	57.12 mm	30.10 mm	102.05 mm
0203160600	BPW Steel Inner Sleeve Rubber Bush	59.94 mm	30.15 mm	101.91 mm
WC234264	HOLLAND Steel Inner Sleeve Rubber Bush See Note 2			
21222609	MERITOR Steel Inner Sleeve & Steel Outer Case Rubber Bush			
T03-1111 41773010005	SAF Steel Inner Sleeve & Steel Outer Case Rubber Bush	68.20 mm	30.15 mm	104.11 mm
T03-1097	YORK Steel Inner Sleeve & Steel Outer Case Rubber Bush			










Notes

1. BPW and RFS heavy duty bushes are the same dimensions and construction.
2. Holland and Meritor bushes are the same dimensions as the BPW bushes, but without the steel outer case. The BPW bushes can be used as a heavy duty alternative.
3. York and SAF bushes are the same dimensions and construction.








For further information contact your nearest authorised PACCAR Parts dealer.

AIR BAG INFORMATION
AIR BAG DIMENSIONS

AIR BAG DIMENSIONS			
PACCAR PART'S PART NUMBER	**OEM'S PART NUMBER**	**SUSPENSION TYPE/MODEL**	**AIR BAG DIMENSIONS**
1R12-352	1003589010C	Ridewell Monopivot 240 Underslung	
1R13-097	1001R13097G	Ridewell Monopivot 240 Overslung	
90557023	90557023 (W01-358-8749)	Neway AR45	
90557113	90557113	Neway AR75-6-9	
90557117	90557117	Neway AR92-12-14, ARU92-8 Neway RLU228-8, RLU250-9	
90557118	90557118	Neway AR92-15, AR93-16, ARU93-8	
S-21208	S-21208	Hendrickson HT230 Dual Stud To Secure Top Plate	








AIR BAG INFORMATION
AIR BAG DIMENSIONS

AIR BAG DIMENSIONS

PACCAR PART'S PART NUMBER	OEM'S PART NUMBER	SUSPENSION TYPE/MODEL	AIR BAG DIMENSIONS
S-23611	S-23611	Hendrickson Low Mount Intraax	
S-23612	S-23612	Hendrickson Low Mount Intraax	
S-23721	S-23721	Hendrickson Low Mount Intraax	
T03-AS2501-B	2001	Evotrac 720N (X400 & U190)	
	61.610049	York FB 720N (190/400mm Ride Height)	
T03-AS2502-B	2002	Evotrac 644N (X360 & X300)	
	61.61005	York FB 644N (150/300/370mm Ride Height)	
0542942580 (Bellows Only) T03-0542943420 (Assembly with Piston)	0542942260 (New)	BPW Type D36	
	0542940010 (Old)		
0542942570 (Bellows Only) T03-0542943360 (Assembly with Piston)	0542942250 (New)	BPW Type D30	
	0542940030 (Old)		








AIR BAG INFORMATION
AIR BAG DIMENSIONS

AIR BAG DIMENSIONS

PACCAR PART'S PART NUMBER	OEM'S PART NUMBER	SUSPENSION TYPE/MODEL	AIR BAG DIMENSIONS
0542942560 (Bellows Only) T03-0542943350 (Assembly with Piston)	0542942200 (New) 0542940910 (Old)	BPW Type D30K	
TRP21221307	2501202	Weweler / Holland 9 Ton E & U Series	
	295034	Krueger (RFS Suspension)	
	21221307	ROR/Weweler Flexair WFL510/520	
T03-AS3180-A	2501201	Weweler / Holland 11 Tonne H Series	
	61-506243/01	York Tecair 1 (200mm Mounting Height)	
	61-506243/01	York Tecair 2	
90557156	90557156	Neway RL228-15, RL250-15	
90557167	90557167	Neway RLU250-14-15	
90557168	90557168	Neway RLU250-12-16-17	
B-2066	B-2066	Hendrickson T9-106	





AIR BAG INFORMATION
AIR BAG DIMENSIONS

AIR BAG DIMENSIONS

PACCAR PART'S PART NUMBER	OEM'S PART NUMBER	SUSPENSION TYPE/MODEL	AIR BAG DIMENSIONS
B-3830	B-3830	Hendrickson HT300U	
B-4771	B-4771	Hendrickson HT300 - T15/17	
C-20127	C-20127	Hendrickson HT250US Underslung	
C-21784	C-21784 Assembly C-20901 Bag Only B-21786 Top Ring Only	Hendrickson INTRAXX AA250	
T03-AS0006	12883-02	Reyco 30ARUU	
T03-AS0009	23433-01	Reyco 23ARTU	
T03-AS0028	21222442	Meritor Flexair 9 Ton Standard FL9000	

OEM - ORIGINAL EQUIPMENT MANUFACTURER

AIR BAG INFORMATION
AIR BAG DIMENSIONS

AIR BAG DIMENSIONS			
PACCAR PART'S PART NUMBER	**OEM'S PART NUMBER**	**SUSPENSION TYPE/MODEL**	**AIR BAG DIMENSIONS**
T03-AS0030	2122239	Meritor Flexair 11 Ton FL11000	
T03-AS3186-A	21222239	Meritor Flexair 11 Ton Standard FL11000	
	61-505859/01	York Tecair 1 (300 - 400mm Mounting Height)	
T03-C-20010	C-20010	Hendrickson HT230 Overslung Single Stud To Secure Top Plate Replaced By S-21208	
T03-C-20124	C-20124	Hendrickson HT250U Underslung	

NOTES

AIR BAG INFORMATION
AIR BAG CROSS REFERENCE

CROSS REFERENCE PART NUMBER	PACCAR PART NUMBER
29.4062	T03-AS3180-A
29.5034	TRP21221307
1359	B-2066
1528	B-2066
2001	T03-AS2501-B
2002	T03-AS2502-B
2727	B-2066
3049	T03-1T15M9-9130
4810	T03-AS3180-A
6297	TRP21221307
9276	S-21208
9441	61610122
39373	57122-002
39391	T03-AS3125-A
50405	49048-002
352107	S-21208
411627	T03-AS2521-B
520728	B-2066
626908	T03-AS3180-A
1080707	T03-AS3180-A
1622116	T03-AS3233-A
2501201	T03-AS3180-A
2501202	TRP21221307
20427803	AS2573
21215632	T03-AS3180-A
21215633	T03-AS3233-A
21221307	TRP21221307
21222239	T03-AS3233-A
21223269	T03-AS3125-A
61610049	T03-AS2501-B
61610050	T03-AS2502-B
61610121	T03-AS610121
61610121	AS3046A
90557027	B-2066
90557075	B-2066
90557215	1R12-484
311770000	T03-AS3233-A
311780000	T03-AS3180-A
0542940010	0542942580
0542940030	0542942570
0542940910	0542942560
0542942200	0542942560
0542942250	0542942570
0542942260	0542942580
0542943350	0542943650
0542943360	0542943660
0542943420	0542943690
0542943600	0542943690
2228000200	T03-AS3180-A
2229000200	T03-AS3180-A
2229000300	T03-AS3233-A
3228000300	T03-AS3233-A
3228002700	3228002700S
3228104100	3228104100S
3229002900	3228002900
6813200017	W01-377-9781
1E21	T03-AS2502-B
1010-16	N100521-001
12882-01	B-2066
12883-02	T03-AS0006
12884-01	T03-AS3061-A
16-16773-000	W01-377-9781
1670043C1	T03-AS3074-A
1686386C1	T03-AS3074-A
18813-01	T03-AS2235-A
1D28A2	T03-AS3180-A
1D28B-2	T03-AS3233-A
1DK20C-54	TRP21221307
1DK21	0542942570
1DK21A-8	TRP21221307
1DK21K	0542942560
1DK32	0542942580
1F21	T03-AS2501-B
1R10-704	T03-AS2564
1R11-028	K303-15
1R11-039	61610122
1R11-111	TRP21221307
1R11-700	0542942570
1R11-703	0542942560
1R12-092	B-2066
1R12-092	AS3046A
1R12-092	B-2066
1R12-095	90557023
1R12-103	T03-AS3054-A
1R12-186	W01-377-9781
1R12-188	T03-AS3061-A
1R12-189	W01-377-9781
1R12-207	B-2066
1R12-256	S-14249
1R12-281	1T15M9-9130
1R12-303	W01-377-9781
1R12-352	T03-AS3043-A
1R12-366	C-20217
1R12-375	T03-C-20124
1R12-401	T03-AS3074-A
1R12-403	57122-002
1R12-484	90557348
1R12-547	T03-AS610121
1R12-552	90557212
1R12-553	90557213
1R12-603	W01-377-9781
1R13-038	B-3830
1R13-077	S-21208
1R13-097	T03-AS3100-A
1R13-118	C-20127
1R13-119	S-21208
1R13-144	C-20127
1R13-155	T03-AS3126-A
1R13-155	N100521-001
1R14-019	T03-AS3233-A
1R14-039	98734-101
1R14-059	T03-AS3180-A
1R14-061	T03-AS3233-A
1R14-171	C-20901
1R14-171	C-21784
1R14-705	T03-AS3233-A
1R14-716	T03-AS3180-A
1R1A-390-295	T03-AS2502-B
1R1A-390-295	T03-AS2502-B
1R2A	T03-AS2501-B
1R2A-460-295	T03-AS2501-B
1S12-019	57122-002
1T15A-3	T03-AS3032-B

Notes

For further information contact your local PACCAR Parts dealership.

AIR BAG INFORMATION
AIR BAG CROSS REFERENCE

CROSS REFERENCE PART NUMBER	PACCAR PART NUMBER
1T15BM4	S-21208
1T15M-20706	T03-AS3032-B
1T15M6-9082	B-2066
1T15M6-9083	T03-AS3050-A
1T15M9-9101	T03-AS0006
1T15M9-9101	T03-AS0006
1T15M9-9101	B-3830
1T15M9-9130	B-3830
1T15MBT10	1T15M9-9130
1T15MBTW6	S-23611
1T15MM9	S-23721
1T15MP7	T03-C-20124
1T15MPW7	TRP21221307
1T15MPW7	TRP21221307
1T15MPW7	TRP21221307
1T15MT8	T03-AS3115-A
1T15VM35	57122-002
1T15VMR8	67043-002
1T15-ZR6	W01-377-9781
1T16-M6	B-2066
1T17B5-8740	T03-AS0009
1T17B5-8740	S-21208
1T17DJ7	21229214
1T-19F7	T03-AS3187-A
1T-19F7	T03-AS3187-A
1T19F7-7337	T03-AS3180-A
1T19-FC5	C-20901
1T19-FC6	C-20901
1T19L-11	T03-AS3233-A
1T19L-7	T03-AS3180-A
1T19-LC6	C-20901
20018-01	T03-AS2235-A
23433-01	T03-AS0009
2520-B	0542942580
2523-B	0542942560
2532-B	0542942570
2918V	3228002700S
2923V	T03-AS3233-A
2924V	3228104100S
2B12-440	T03-AS2235-A
36416K	T03-AS2564

CROSS REFERENCE PART NUMBER	PACCAR PART NUMBER
3810K	T03-AS3180-A
391320K	T03-AS3180-A
4156N	B-2066
4156NP04	B-2066
4810NP06	T03-AS3180-A
4813N	T03-AS3233-A
4813NP06	T03-AS3233-A
48195-001	T03-AS3061-A
50405-002	49048-002
50405-002L	49048-002
50405-2	49048-002
50898-001	50898-002
556-03-8014	T03-AS2501-B
556-03-8017	T03-AS2502-B
566-22-3-058	TRP21221307
566-22-3-500	0542942570
566-22-3-501	0542942560
566-22-3-521	TRP21221307
566-24-3-036	S-21208
566-24-3-097	T03-AS610121
566-24-3-275	W01-377-9781
566-26-3-015	B-3830
566-26-3-036	S-21208
566-26-3-037	S-21208
566-26-3-053	S-21208
566-28-3-015	98734-101
566-28-3-020	T03-AS3233-A
566-28-3-021	T03-AS3180-A
566-28-3-023	98734-101
56917-001	58849-002
56917-002	58849-002
57122-001	57122-002
61-505859/01	T03-AS3233-A
61-506243/01	T03-AS3180-A
644N	T03-AS2502-B
6605N	AS2573
6608N	T03-AS2564
6608N901	T03-AS2564
720N	T03-AS2501-B
727N	T03-AS2515-B
810MB	T03-AS3180-A

CROSS REFERENCE PART NUMBER	PACCAR PART NUMBER
811MB	T03-AS3233-A
813MB	T03-AS3233-A
881MB	0542942580
896N	T03-AS2521-B
928N	T03-AS2528-B
930N	T03-AS2530-B
940MB	0542942560
941MB	0542942570
AU566-26-3-039	C-20127
B121	T03-AS2502-B
B149	T03-AS2515-B
B152	T03-AS2501-B
B154	T03-AS2501-B
B-4771	98734-101
C-20010	S-21208
C-20124	T03-C-20124
CF1518779	1T15M9-9130
D11U30	0542942570
D11U31	0542942560
D13B01	T03-AS3180-A
D13B02	T03-AS3233-A
D13B19	T03-AS3233-A
D13B20	T03-AS3180-A
D13B29	0542942580
IT9051	98734-101
IT9055	B-2066
IT9056	T03-AS3180-A
IT9057	T03-AS3233-A
IT9058	T03-AS2502-B
IT9059	T03-AS2502-B
IT9060G	0542942570
IT9061G	0542942580
IT9062	T03-C-20010
IT9063	T03-AS2235-A
IT9070G	0542942560
IT9071	TRP21221307
IT9072	S-21208
K261-26	T03-AS3180-A
K506-22SU	B-2066
K506-22SU	B-2066
KR501-01	S-21208

Notes

For further information contact your local PACCAR Parts dealership.

AIR BAG INFORMATION
AIR BAG CROSS REFERENCE

CROSS REFERENCE PART NUMBER	PACCAR PART NUMBER
KR621-26	T03-AS3180-A
KR622-26	T03-AS3233-A
KR730-01	0542942570
KR836-01T	0542942580
MLF7026	T03-AS3233-A
MLF7045	0542942560
MLF7047	0542942570
MLF7066	0542942580
QTDAMLF7026	T03-AS3233-A
QTDAMLF7045	0542942560
QTDAMLF7047	0542942570
QTDAMLF7066	0542942580
S-20010	S-21208
S-20127	C-20127
S-25559	S-21208
SP0011	TRP21221307
SP0015	T03-AS3180-A
SP0016	T03-AS3233-A
SP0019	S-21208
SP0020	0542942570
SP0020AS	0542942570
SP0022	0542942580
SP0022AS	0542942580
SP0026	0542942560
SP0026AS	0542942560
SP0028	21222442
SP0030	21222239
SP0031	T03-AS2502-B

CROSS REFERENCE PART NUMBER	PACCAR PART NUMBER
SP0035	C-20901
SP0038	T03-C-20124
SP0039	T03-AS2235-A
SP0040	T03-AS2501-B
SP0045	90557117
SP0047	S-21208
SP0049	90557118
SP0057	S-21800
SP099	3228002700S
UR730-01	0542942570
UR7320-01T	0542942560
UR732-01	0542942560
UR836-01	0542942580
W01-358-6297	TRP21221307
W01-358-7224	T03-AS2205-A
W01-358-7550	T03-AS2235-A
W01-358-7555	T03-AS2235-A
W01-358-8637	T03-AS3126-A
W01-358-8637	N100521-001
W01-358-8752	T03-AS3100-A
W01-358-8752	T03-AS3100-A
W01-358-8793	90557270
W01-358-9057	T03-AS3044-B
W01-358-9057	T03-AS3044-B
W01-358-9082	T03-AS610121
W01-358-9082	B-2066
W01-358-9122	T03-AS3185-A
W01-358-9122	90557185

CROSS REFERENCE PART NUMBER	PACCAR PART NUMBER
W01-358-9141	T03-AS3187-A
W01-358-9141	61610443
W01-358-9152	T03-AS3233-A
W01-358-9265	T03-C-20124
W01-358-9270	S-21208
W01-358-9371	T03-AS3074-A
W01-358-9373	57122-002
W01-358-9373	57122-002
W01-358-9391	T03-AS3125-A
W01-358-9663	60271-002
W01-358-9781	W01-377-9781
W01-358-9865	67043-002
W01-455-9663	60271-002
W01-455-9865	67043-002
W01-675-8793	90557270
W01-M58-6297	TRP21221307
W01-M58-6339	T03-AS3233-A
W01-M58-6345	T03-AS3180-A
W01-M58-6364	T03-AS3233-A
W01-M58-7337	T03-AS3180-A
W01-M58-7345	T03-AS3233-A
W01-M58-8608	T03-AS3198-A
W01-M58-8608	21229214
W01-M58-8775	T03-AS3180-A
W01-M58-8840	T03-AS3115-A
W01-M58-8978	0542942580
Z41745	T03-1T15M9-9130

Notes


For further information contact your local PACCAR Parts dealership.

YORK AXLE AND SUSPENSION SPARE PARTS

SAF Holland Group

Available from your local PACCAR Dealer

YORK





YORK YTE 115 HEAVY DUTY MECHANICAL SUSPENSION SYSTEM

- Quad-Axle 100-Ton Suspension System.
- Higher synchronised swinging of fabricated rocker improves load sharing in rough terrain.
- Replaceable wear pad.

GENUINE YORK SPARE PARTS AVAILABLE THROUGH PACCAR











www.safholland.com.au

SAF-HOLLAND (Aust) Pty Ltd
Sales: 1300 131 613
Email: sales@safholland.com.au

YORK delivers superior quality, total suspension and axle solutions for the semi-trailer and road tanker industry.

SAF · Holland · NEWAY · KL · V.ORLANDI · YORK

PACCAR PARTS

AVAILABLE AT 63 DEALERS AUSTRALIA-WIDE

Visit **paccarparts.com.au** or **Freecall*** **1800 PPARTS (772 787)**

* Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.

To find your nearest dealer, **SCAN HERE**

NOTES

NOTES

NOTES

NOTES


1472301 AD
THIS SIDE IN

SUSPENSION COMPONENTS

SHOCK ABSORBERS	**329**
SHOCK ABSORBER QUICK REFERENCE	330
SHOCK ABSORBER BUSH AND SLEEVE QUICK REFERENCE	334
SPRINGS AND COMPONENTS	**339**
SPRINGS	339
SPRING LEAVES	341
CENTRE BOLTS	343
PACCAR U-BOLT PART NUMBERS	344
U-BOLTS	345
TORQUE RODS AND COMPONENTS	349
EQUALISERS BUSHES	352
EQUALISER AND TORQUE ROD BOLTS AND NUTS	354
SUSPENSION EQUALISERS	357

PART NUMBER CROSS REFERENCE	**358**
CROSS REFERENCE INDEX	358
BPW TRANSPEC	358
COLRAIN	359
FREIGHTER	362
IVECO	362
KRUEGER	363
REYCO	364
SAF HOLLAND AND YORK	364
SINCLAIR	366
SX TRAILERS	368
WABCO	368
WATTS	369

TO VIEW THE DIGITAL VERSION OF THE PACCAR PARTS TRAILER CATALOGUE **SCAN HERE!**

SHOCK ABSORBERS
SHOCK ABSORBER QUICK REFERENCE

MAKE	MODEL	COMMENTS	OEM PART NUMBER	PACCAR PARTS PART NUMBER	KONI PART NUMBER	POWERDOWN PART NUMBER
BPW	AL Air Light Series SL Series		0237221400	0237228302	91-2207	SA014TRP
			0237021800			
			0237221400			
	HD Series		0237021800	0237021802	90-2024SP1	SA013TRP
	ALII Airlight II Series	Front Mount	0237221400	0237228302	91-2207	SA014TRP
			0237025200			
			0237228300			
		Rear Mount	0237021800	0237021802	90-2024SP1	SA013TRP
Hendrickson	HT230		S-20889	S-20889	90-2396SP1	SA005TRP
	HT250U		S-24023	S-24023		SA005TRP
	HT250US	6½" Ride Height	S-23744	S-23744		P162
	HT250US	7½", 8½", 14" Ride Height	S-23743	S-23743		SA008TRP
	HT300		S-20889	S-20889	90-2396SP1	SA005TRP
	HT300U		S-21699	S-21699		SA005TRP
	Intraax AA250		S-21699	S-21699		SA005TRP
	Intraax AA250 Low Ride	165 mm to 230 mm Ride Height	S-24579	S-24579		P162
	Intraax AA250 Low Ride	305 mm Ride Height	S-24023	S-24023		SA005TRP
	T9-106	228 mm Ride Height	A-4084	A-4084		
	T15 / T17	380 mm, 430 mm Ride Height	S-20889	S-20886	90-2466SP1	P1095
Holland	All		2501192	T03-2501192	91-2227	SA010TRP
Maxitraax	Maxitraax		S-21699	S-21699		SA005TRP
FUWA K-Hitch	K Ride	Underslung	KHAS075	KHAS075	912400	
	K Ride	Overslung				
Meritor / ROR Flexair	FL11000 Series		21224745	21224745	912400	SA011TRP
	FL9000					
	FL9000L					
	FL9000H					
	FL9000HL					
	FL9000HLL		21224034			
	FL9000M					
Neway	AR45, AR92-12		90045337	90045337	90-2396SP1	P1082
	AR75-6-9		90044626			P1095
	AR75-12		90044625			P1006
	AR90		90044089			P1104
	AR92-14		90045040			
	AR92-15		90045054			
	AR93-16		90044794			
	ARU92-8		90044642	90045338		P1102
	ARU93-8					
	RL228-15		90045338	90045338		
	RL250-15		90045099	90045534		P1104
	RLU228-8		90045337	90045337		
	RLU250-9					

OEM - ORIGINAL EQUIPMENT MANUFACTURER

SHOCK ABSORBERS
SHOCK ABSORBER QUICK REFERENCE

MAKE	MODEL	COMMENTS	OEM PART NUMBER	PACCAR PARTS PART NUMBER	KONI PART NUMBER	POWERDOWN PART NUMBER
Reyco	25ARUU		23553-01	T03-4025		
	30ARUU		SA005TRP	T03-4024		SA005TRP
	23/25/30ARTU					
RFS	2000 Series	M20 Bolt	29-5035.A	91-2227	91-2227	SA010TRP
	2000 Series	M24 Bolt	29-5235	912400	912400	SA011TRP
Ridewell	Monopivot	Underslung & Overslung	1270563B003	T03-4001 (Gas)	90-2396SP1	SA005TRP
SAF	U20/2500		2376002700S	T03-4008		
	M42/2907		2376002600S	T03-4007	91-2207	SA014TRP
	E050/3510		2376003100S	T03-4009	91-2377	
	E050/3504					
	Modul Underslung	Standard	2376002600	2376002600		
		Road Friendly	2376502600	2376502600		
	Modul Overslung	Standard	2376002600S	T03-4007	91-2207	SA014TRP
		Road Friendly	2376502600S			SA014TRP
	Intradrun Intradisc	Contact PACCAR Parts. Standard And Road Friendly Options Available. Ride Height Information Is Required.				
SACHS	RFS 2000 Series	20 mm Bolt	401700123444		91-2227	
		24 mm Bolt	451700112787		91-2277	
TMC	LMC Series		626110			SA007TRP
			626412			P162M1
			626500			SA009TRP
	11T Series		626906			P185
Watson and Chalin	TA-250-T	Underslung 165 mm Ride Height	KH17300	KH17300		
	TA-300-T					
	TA-250-T	Underslung 190 mm, 230 mm, 305 mm Ride Height	WC17297	WC17297		
	TA-300-T					
	TA-250-U	Overslung 380 mm Ride Height	WC17297	WC17297		
	TA-300-U					
	TA-250-U	Overslung 430 mm Ride Height	KH10147	KH10147		
	TA-300-U					

SHOCK ABSORBERS
SHOCK ABSORBER QUICK REFERENCE

MAKE	MODEL	COMMENTS	OEM PART NUMBER	PACCAR PARTS PART NUMBER	KONI PART NUMBER	POWERDOWN PART NUMBER
Weweler	Ultra Light 230	Underslung 190 mm to 340 mm Ride Height	WD8A91-2643W	WD8A91-2643W		
	Ultra Light 375 / 400 / 425	Overslung 325 mm to 515 mm Ride Height				
	Euro 230	Underslung 230 mm to 330 mm Ride Height				
	Euro 375 / 400 / 425	Overslung 375 mm to 570 mm Ride Height				
	Heavy Duty 11 Tonne	Underslung 195 mm to 350 mm Ride Height				
		Overslung 390 mm to 570 mm Ride Height				
York	Tecair 1	Pin Mount	61506717/01	T03-4011		P52449
		Eye Mount	61506717/02	T03-4012	91-2542	P185
	Tecair2		T03-4013	T03-4013	91-2756	SA009TRP
	Tecair FB	190, 400 mm	61610052	T03-610052	88-1564	SA007TRP
		150,300, 370 mm	61610053	P1075		P1075
	Tecair FB VRH		61610052	T03-610052	88-1564	SA007TRP
	Duratrac	BOGE	61610442/ B0GE	61610442/ B0GE		
		KONI	61610442/ KONI	91-2756	91-2756	SA009TRP

OEM - ORIGINAL EQUIPMENT MANUFACTURER

NOTES

SHOCK ABSORBERS
SHOCK ABSORBER BUSH AND SLEEVE QUICK REFERENCE

MAKE	MODEL	PACCAR PARTS PART NUMBER	OEM PART NUMBER	SHOCK ABSORBER BUSHES		SLEEVES
				PART NUMBER	QUANTITY PER SHOCK ABSORBER	PART NUMBER
BPW	AL / SL Series	0237228302	0237221400	T03-4017 NLA 0228050100 NLA See Note 1	2	T03-4018 NLA 0203162100 NLA See Note 1
			0237025200			
			0237228300			
		91-2207	0237021800			
		SA014TRP	SA014TRP	PD067K1 Polyurethane See Note 2	2	PD067K1 See Note 2
	HD Series	0237021802	0237021800	T03-4017 NLA 0228050100 NLA See Note 1	2	T03-4018 NLA 0203162100 NLA See Note 1
		90-2024SP1	0237021700			
		P42550	P42550	PD067K1 Polyurethane See Note 2	2	PD067K1 See Note 2
	Airlight 2	T03-4000	0237221400	T03-4017 NLA 0228050100 NLA See Note 1	2	T03-4018 NLA 0203162100 NLA See Note 1
			0237025200			
			0237228300			
		91-2207	0237221400			
		P53024	0237021400	PD067K1 Polyurethane See Note 2	2	PD067K1 See Note 2
		T03-4003	0237021800	T03-4017 NLA 0228050100 NLA See Note 1	2	T03-4018 NLA 0203162100 NLA See Note 1
		90-2024SP1	0237026002			
		P42550	P42550	PD067K1 Polyurethane See Note 2	2	PD067K1 See Note 2

Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.
2. Supplied as a Bush and Sleeve Kit.
3. 98941-006-8P Hendrickson Shock Absorber Bush Kit Also Available - Includes 8 Bushes 4 per shock absorber.

For further information contact your local PACCAR Parts dealership.

NLA — NO LONGER AVAILABLE | OEM — ORIGINAL EQUIPMENT MANUFACTURER

SHOCK ABSORBERS
SHOCK ABSORBER BUSH AND SLEEVE QUICK REFERENCE

MAKE	MODEL	PACCAR PARTS PART NUMBER	OEM PART NUMBER	SHOCK ABSORBER BUSHES		SLEEVES
				PART NUMBER	QUANTITY PER SHOCK ABSORBER	PART NUMBER
Hendrickson	HT230 / HT300	90-2396SP1	S-20889	98941-005	2	98941-008 See Note 3
	HT250U	90-2396SP1	S-24023	98941-006-8P Pack of 8 Bushes		
	HT250US 6½" Ride Height	S-23744	S-23744	98941-005		
	HT250US 7½", 8½" - 14" Ride Height	S-23743	S-23743			
	HT300U	S-21699	S-21699	98941-005	4	
		90-2319SP1 NLA See Note 1	90-2319SP1 NLA See Note 1	98941-006-8P Pack of 8 Bushes		
	Intraax AA250	S-21699	S-21699	98941-005		
		90-2319SP1 NLA See Note 1	90-2319SP1 NLA See Note 1	98941-006-8P Pack of 8 Bushes		
	Intraax AA250 Low Ride	S-24579	S-24579	98941-006-8P Pack of 8 Bushes		
		S-24023	S-24023			
	T9-106	A-4084	A-4084	98941-006-8P Pack of 8 Bushes		
	T15 / T17	S-20886	S-20886	98941-006-8P Pack of 8 Bushes		
Holland	Euro Series	T03-2501192	2501192	T03-2501193	2	Comes with Bush
	HD Series	91-2227	91-2227	T03-4004		
	Ultra Lite	912400	912400	7052-25-2671		
		123840	123840			
Maxitraax	Maxitraax	S-21699	S-21699			
Meritor / ROR	FL11000 Series	21224745	21223928	T03-4022		
Flexair	FL9000					
	FL9000L	912400	91-2400	7052-25-2671		Comes with Bush
	FL9000M		21223928			
Neway	AR45	90045337	90045337	90508804	4	Comes with Bush
	AR92-12					
	ARU92-8	90045338	90045338			
	ARU93-8					
	RL228-15					
	RL250-15	90045534	90045534			
	RLU228-8	90045337	90045337			
	RLU250-9					
Reyco	25ARUU	T03-4025 NLA See Note 1	23553-01			
	30ARUU	T03-4024	P126			
	23/25/30ARTU	T03-4024	P126			

Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.
2. Supplied as a Bush and Sleeve Kit.
3. 98941-006-8P Hendrickson Shock Absorber Bush Kit Also Available - Includes 8 Bushes 4 per shock absorber.

For further information contact your local PACCAR Parts dealership.

NLA — NO LONGER AVAILABLE | OEM — ORIGINAL EQUIPMENT MANUFACTURER

SHOCK ABSORBERS
SHOCK ABSORBER BUSH AND SLEEVE QUICK REFERENCE

MAKE	MODEL	PACCAR PARTS PART NUMBER	OEM PART NUMBER	SHOCK ABSORBER BUSHES		SLEEVES
				PART NUMBER	QUANTITY PER SHOCK ABSORBER	PART NUMBER
RFS	2000 Series	91-2227	29-5035.A	T03-4004	2	
	2000 Series	912400	29-5235	7052-25-2671		
Ridewell	Monopivot	T03-4001 (Gas)	1270563B003			
		90-2396SP1	90-2396SP1			
		SA005TRP	P126	CR132L (Polyurethane)	2	CR132LK1
				RCR132L (Rubber)		
SAF	U20/2500	T03-4008	2376002700S			
	M42/2907	T03-4007	2376002600S			
	E050/3510	T03-4009	2376003100S			
	E050/3504					
	Modul	T03-4007	2376002600S			
	Overslung					
	Modul	2376502600S	2376502600S			
	Overslung					
		Standard				
	Intradrum / Intradisc	2376008500	2376008500			
		Road Friendly				
		2376507000	2376507000			
		2376507100	2376507100			
		2376507200	2376507200			
Watson & Chalin	TA-250-T	KH17300	KH17300			
	TA-300-T					
	TA-250-T	WC17297	WC17297			
	TA-300-T					
	TA-250-U	KH10147	KH10147			
	TA-300-U					
Weweler	All	WD8A91-2643W	WD8A91-2643W			

Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.
2. Supplied as a Bush and Sleeve Kit.
3. 98941-006-8P Hendrickson Shock Absorber Bush Kit Also Available - Includes 8 Bushes 4 per shock absorber.

For further information contact your local PACCAR Parts dealership.

NLA — NO LONGER AVAILABLE | OEM — ORIGINAL EQUIPMENT MANUFACTURER

SHOCK ABSORBERS
SHOCK ABSORBER BUSH AND SLEEVE QUICK REFERENCE

MAKE	MODEL	PACCAR PARTS PART NUMBER	OEM PART NUMBER	SHOCK ABSORBER BUSHES		SLEEVES
				PART NUMBER	QUANTITY PER SHOCK ABSORBER	PART NUMBER
York	Tecair 1	T03-4011	61506717/01	T03-4002	2	
		90-2067 NLA See Note 1	90-2067			
		P52449	P52449			
		T03-4012	61506717/02	T03-4014		T03-4014S
		91-2542	90-2542			
		P185	P185	PDB390K3		
	Tecair 2	T03-4013	61787803	T03-4002		
		91-2756	91-2756			
		SA009TRP	P52260			
	Tecair FB	T03-610052	61610052	T03-4015		
		T03-610052 (Boge)	61610052	T03-4023B		T03-4023
		88-1564	88-1564			
		SA007TRP	P171	PDB171K		
		P1075	61610053	T03-4016		
		P1075	P42053			
	Tecair FB VRH	T03-610052	61610052	T03-4023B		T03-4023
		88-1564	88-1564			
		SA007TRP	P171			
	Duratrac	61610442/B0GE	61610442/B0GE	61610464		
		91-2756	91-2756			

Notes

1. Part Number shown for reference only. Refer to PACCAR Parts for further options.
2. Supplied as a Bush and Sleeve Kit.
3. 98941-006-8P Hendrickson Shock Absorber Bush Kit Also Available - Includes 8 Bushes 4 per shock absorber.

For further information contact your local PACCAR Parts dealership.

NLA — NO LONGER AVAILABLE | OEM — ORIGINAL EQUIPMENT MANUFACTURER

NOTES

SPRINGS AND COMPONENTS
SPRINGS

PART NUMBER	APPLICATION	NUMBER OF LEAVES/STYLE	LEAF SIZE
T03-7401AU	Fruehauf	13 – 2 Hook	76 mm x 10 mm
T03-7404	Fruehauf	8	76 mm
T03-7407-2H	Haulmark	10 – 2 Hook	76 mm x 11 mm
T03-7407HD	Haulmark	11 – 1 Hook	76 mm x 11 mm
T03-7409	General Purpose ROR, Fruehauf See Note 1	3	76 mm
T03-7410AU	General Purpose End Pack See Note 1	8 – 1 Hook	76 mm x 12 mm
T03-7411AU	General Purpose Centre Pack See Note 1	8 – 2 Hook	76 mm x 12 mm
T03-7415AU	General Purpose End Pack See Note 1	9 – 1 Hook	76 mm x 12 mm
T03-7418AU	General Purpose Centre Pack See Note 1	9 – 2 Hook	76 mm x 12 mm
T03-7420 NLA	McGrath End Pack	14 – 1 Hook	76 mm x 10 mm
T03-7438AU	Freighter	9	90 mm x 10 mm
T03-7438HDAU	Freighter	10	90 mm x 10 mm
T03-7443 NLA	Hendrickson E4	8	76 mm x 13 mm
T03-7469 NLA	Transpro See Note 2	8 High – 2 Hook	76 mm x 12 mm
T03-7473	Transpro Low Arch – End Spring 0079-02 See Note 2	3	76 mm
T03-7474 NLA	Transpro Low Arch – Centre Spring 0335-00 See Note 2	3	76 mm
T03-7477 NLA	Transpro High Arch – End Spring 0079-01 See Note 2	3	76 mm
T03-7480NLA	Transpro Centre Spring 1601-02 See Note 2	2	76 mm

Notes

1. General purpose springs suit the following make of suspensions – Haulmark, York Macteco, Sinclair, Krueger.
2. Reyco Transpro 3 leaf springs can be identified by the Reyco part number stamped into the hook end. For example 0079-02

For further information contact your local PACCAR Parts dealership.

NLA — NO LONGER AVAILABLE

NOTES

SPRINGS AND COMPONENTS
SPRING LEAVES

PART NUMBER	APPLICATION	DESCRIPTION
T03-7402AU	Fruehauf - 13 Leaf	1st and 2nd Main Leaf
T03-7403	Fruehauf - 13 Leaf	3rd Leaf - Double Hook Leaf
T03-7408	Haulmark - 10 Leaf	Main Leaf
T03-7412AU	General Purpose - 8 and 9 Leaf (Suits T03-7410)	1st and 2nd Main Leaf
T03-7439AU	Freighter - 9 & 10 leaf	1st and 2nd Leaf
T03-7444	Hendrickson - E4	1st Main Leaf
T03-7464	Transpro 8 Leaf Medium - End	Top Leaf
T03-7465	Transpro 8 Leaf Medium - End	Hook Leaf
T03-7466	Transpro 8 Leaf Medium -Centre	Top Leaf
T03-7467	Transpro 8 Leaf Medium -Centre	Hook Leaf
T03-7471	Transpro 8 Leaf High - End	Hook Leaf
T03-7472	Transpro 8 Leaf High - Centre	Hook Leaf

Notes

For further information contact your local PACCAR Parts dealership.

NOTES

SPRINGS AND COMPONENTS
CENTRE BOLTS

PART NUMBER	LENGTH	LENGTH OF THREAD
⅜" Diameter Centre Bolt and Nut		
T03-7448	6"	4" (100 mm)
T03-7451	7"	4" (100 mm)
T03-7534	8"	6" (150 mm)
T03-7535	10"	7" (175 mm)
7/16" Diameter Centre Bolt and Nut		
T03-7531	6"	4" (100 mm)
T03-7450	7"	4" (100 mm)
T03-7454	8"	5" (125 mm)
T03-7532AU	10"	7" (175 mm)
½" Diameter Centre Bolt and Nut		
T03-7446	5"	4" (100 mm)
T03-7447AU	6"	4" (100 mm)
T03-7449AU	7"	4" (100 mm)
T03-7453AU	8"	6" (150 mm)
T03-7455	10"	9" (230 mm)
T03-7533AU	12"	10" (250 mm)

Notes


1. Length measured from end of bolt to under the bolt head.

For further information contact your local PACCAR Parts dealership.


PACCAR U-BOLT PART NUMBERS

T03-UBA-145AU

PACCAR Product Group	U-Bolt Identification	U-Bolt Profile Code	U-bolt length in 1/10th's of an inch, e.g. 145 = 14.5" = 14½"
		A 3" Round x ⅞" B 5" Round x ⅞" C 5" Square x ⅞" D 3½" Round x ⅞" E 3½" Round x ¾" F 5" Round x ¾"	(Any lettering at the end of the part number e.g. "AU" is only an internal PACCAR coding.)



Square Bend Type



Round Bend Type

NOTES

1. Width of U-Bolts listed is the inside width. Dimension A above.
2. Length of U-Bolts listed is the inside length. Dimension B above.
3. All U-Bolts are Grade 5 material which is only suitable for trailer applications
4. Most U-Bolts are supplied with nuts and washers.
5. All U-Bolt threads are UNF.
6. Refer to OEM documentation for correct tightening torque.
7. Always retorque U-Bolts at OEM recommended service intervals.

SPRINGS AND COMPONENTS
U-BOLTS

PART NUMBER	LENGTH	LENGTH OF THREAD
3" Round Bend x ⅞" Profile Code – A		
T03-UBA-135	13½"	4"
T03-UBA-145AU	14½"	4"
T03-UBA-155AU	15½"	4"
T03-UBA-165AU	16½"	4"
T03-UBA-175AU	17½"	4"
5" Round Bend x ⅞" Profile Code – B		
T03-UBB-10AU	10"	3"
T03-UBB-125AU	12½"	3"
T03-UBB-135AU	13½"	4"
T03-UBB-145AU	14½"	4"
T03-UBB-155AU	15½"	4"
T03-UBB-165AU	16½"	4"
5" Square Bend x ⅞" Profile Code – C		
T03-UBC-125AU	12½"	3"
T03-UBC-135AU	13½"	4"
T03-UBC-145AU	14½"	4"
T03-UBC-155AU	15½"	4"
3½" Round Bend x ⅞" Profile Code – D NOTE Nuts and Washers NOT Supplied with U-Bolt		
T03-UBD-145AU	14½"	3"
3½" Round Bend x ¾" Profile Code – E NOTE Nuts and Washers NOT Supplied with U-Bolt		
T03-UBE-145	14½"	3"
T03-UBE-155AU	15½"	3"
5" Round Bend x ¾" Profile Code – F NOTE Nuts and Washers NOT Supplied with U-Bolt		
T03-UBF-125AU	12½"	3"
T03-UBF-135AU	13½"	4"
T03-UBF-145AU	14½"	4"
T03-UBF-155	15½"	4"

U-Bolt Washers	
Part Number	**Size**
254012507	24 mm
48248	¾"
T03-8052	⅞"

U-Bolt Nuts	
Part Number	**Size**
252207412	24 mm
T03-8020	¾"
T03-8051	⅞"

Notes

For further information contact your local PACCAR Parts dealership.

TRUCK & TRAILER PARTS

TRP® GOSFORD



FIND US AT

2 Yandina Road
West Gosford NSW 2250

Phone: (02) 4964 0697

“ The TRP range of affordable, quality truck and trailer parts enables us to supply a wide range of spare parts at competitive prices for our customers.”

- Mike Fowler, General Manager Gilbert & Roach.

TRUCK & TRAILER PARTS

TRP® NEW ZEALAND STORES

TRP® GISBORNE

FIND US AT
5 Commerce Place
Awapuni,
4071 New Zealand
Phone: 0011 64 (6) 261 5660





TRP® NEW PLYMOUTH

FIND US AT
15 Mustang Drive
New Plymouth 4312 New Zealand
Phone: 0011 64 (6) 262 0009



TRP® PALMERSTON NORTH

FIND US AT
22 Malden St
Palmerston North,
4414 New Zealand
Phone: 0011 64 (6) 222 3400



TRP® TIMARU

FIND US AT
207 Hilton Highway
Timaru 7910 New Zealand
Phone: 0011 64 (6) 264 6000

NOTES

TORQUE RODS
TORQUE RODS AND COMPONENTS

RIGID TORQUE RODS

23.1.1

PART NO.	APPLICATION	LENGTH		BUSH PART NUMBER	DESC
KH600003/495	General Purpose Suspensions — 8′ 1″ Spread Overslung Axle ROR Suspensions — 9′ 1″ Spread Overslung Axle	495 mm	19½”	Tapered Bush T03-1301-M T03-1301-P T03-1301SP See Note 1	
KH600003/470	General Purpose Suspensions — 8′ 1″ Spread Underslung Axle — 10′ 1″ Spread Overslung Axle	470 mm	18½”		
KH600003/565	General Purpose Suspensions — 9′ 1″ Spread Overslung Axle ROR Suspensions — 10′ 1″ Spread Overslung Axle	565 mm	22¼”	Straight Bush T03-1308-M T03-1308-P T03-1308-PST See Note 2	
KH600003/380	General Purpose Suspensions	380 mm	15″		
KH600003/395	General Purpose Suspensions	395 mm	15½″		Front Torque Rod
T03-1331	Reyco — 8″ 1′ Spread Underslung & Overslung Axles	479 mm	18⅞”	T03-1315	
T03-1333	Reyco — 10′ 1″ Spread Overslung Axle	635 mm	25”		
T03-1366	Reyco Model 21B Suspensions — Underslung & Overslung Axles	413 mm	16¼”		Front Torque Rod
T03-1317	Reyco-Transpro Model 88 & 89 Suspensions — 9′ 1″ Spread Underslung & Overslung″	578 mm	22¾”	T03-1308-M See Note 2	

ADJUSTABLE TORQUE ROD SCREWS

23.1.2

PART NO.	APPLICATION	LENGTH		BUSH PART NUMBER	DESC
1925	General Purpose Suspensions	260 mm	10¼″	1½″	Torque Rod Screw — Adjustable Torque Rod
1927	General Purpose Suspensions	350 mm	13¾″		
KH600006/415	General Purpose Suspensions	420 mm	16½″		


TORQUE ROD ENDS

23.1.3

	PART NO.	APPLICATION	THREAD SIZE	BUSH PART NUMBER	DESC
	FW68-0502L	General Purpose Suspensions	1½″	T03-1301-M, T031301-P or T03-1301-SP See Note 1	Left Hand
	FW68-0502R				Right Hand



TORQUE RODS
TORQUE RODS AND COMPONENTS

TORQUE ROD BUSHES

	PART NO.	DIMENSIONS			APPLICATION
	T03-1301-M	Internal Diameter		32 mm / 1¼"	General Purpose Suspensions Fruehauf 'F' Type Suspensions ROR Suspensions Freighter VE 50 Suspensions
		Outside Diameter	(Min)	46 mm / 1 13/16"	
			(Max)	54 mm / 2⅛"	
		Length		59 mm / 2 5/16"	
		Material		Rubber With Nylon Sleeve (USA Mullins Bush)	
	T03-1301-P	Internal Diameter		32 mm / 1¼"	
		Outside Diameter	(Min)	46 mm / 1 13/16"	
			(Max)	54 mm / 2⅛"	
		Length		62 mm / 2 7/16"	
		Material		Yellow Polypropylene	
	T03-1301SP	Internal Diameter		32 mm / 1¼"	
		Outside Diameter	(Min)	46 mm / 1 13/16"	
			(Max)	54 mm / 2⅛"	
		Length		59 mm / 2 5/16"	
		Material		Red Polypropylene (Split Bush)	
	SP1302AU	Internal Diameter		25 mm / 1"	Freighter TAA39 Suspensions Freighter TAA29 Suspensions
		Outside Diameter		49 mm / 1 5/16"	
		Length		75 mm / 3"	
		Material		Rubber With Steel Sleeve (Fitting Tool - T03-1340)	
	T03-1303	Internal Diameter		33 mm / 1 15/16"	Freighter TAA29 Suspensions
		Outside Diameter		59 mm / 2 5/16"	
		Length		57 mm / 2¼"	
		Material		Rubber With Steel Sleeve	
	T03-1308-M	Internal Diameter		22 mm / ⅞"	General Purpose Suspensions Reyco/Transpro 88 Suspensions Reyco/Transpro 102W Suspensions
		Outside Diameter		49 mm / 1 15/16"	
		Length		76 mm / 3"	
		Material		Rubber With Steel Sleeve (USA Mullins Bush — Fitting Tool - T03-1340)	
	T03-1308-P	Internal Diameter		23 mm / 1 5/16"	General Purpose Suspensions Reyco/Transpro 88 Suspensions
		Outside Diameter		46 mm / 1 13/16"	
		Length		72 mm / 2 13/16"	
		Material		Polypropylene	
	T03-1308-PST	Internal Diameter		23 mm / 1 5/16"	General Purpose Suspensions Reyco/Transpro 88 Suspensions
		Outside Diameter		46 mm / 1 13/16"	
		Length		72 mm / 2 13/16"	
		Material		Polypropylene With Steel Sleeve	

TORQUE RODS
TORQUE RODS AND COMPONENTS

TORQUE ROD BUSHES

	PART NO.	DIMENSIONS			APPLICATION
	0511396050	Internal Diameter		30 mm / 1 13/16"	BPW VB Suspensions
		Outside Diameter		60 mm / 2¾"	
		Length		67 mm / 2 5/8"	
		Material		Rubber With Steel Sleeve	
	T03-1313	Internal Diameter		31 mm / 1 13/16"	Freighter TAA35 Suspensions Freighter VA35 Suspensions Replaces T03-1304 or T03-1305
		Outside Diameter	(Min)	55 mm / 2 13/16"	
			(Max)	80 mm / 3 1/8"	
		Length		51 mm / 2"	
		Material		Rubber	
	TWT1315	Internal Diameter		27 mm / 1 1/16"	Reyco Truck Suspensions 102 / 102W / 102AR Also Used For Early Hanger End Bush
		Outside Diameter	(Min)	55 mm / 1 13/16"	
			(Max)	78 mm / 3 1/16"	
		Length		72 mm / 2 13/16"	
		Material		Rubber With Steel Sleeve	
	T03-1315	Internal Diameter		25 mm / 1"	York TST Suspensions
		Outside Diameter	(Min)	46 mm / 1 13/16"	
			(Max)	59 mm / 2 5/16"	
		Length		76 mm / 3"	
		Material		Rubber With Steel Sleeve	


Notes

1. T03-1301-M, T03-1301-P & T03-1301SP are for tapered bush applications
2. T03-1308-M, T03-1308-P & t03-1308-PST are for straight bush applications
   — "M" Indicates a USA Mullins bush
   — "SP" Indicates Split Red Polypropylene bush
   — "PST" Indicates a polypropylene bush with a steel sleeve

For further information contact your local PACCAR Parts dealership.



EQUALISERS AND COMPONENTS
EQUALISERS BUSHES

EQUALISER BUSHES



	PART NO.	DIMENSIONS				APPLICATION
	T03-1101	Internal Diameter		51 mm	2"	General Purpose Suspensions Fruehauf 'F' Type Suspensions ROR Suspensions Freighter VE 50 Suspensions
		Outside Diameter	(Min)	69 mm	2 11/16"	
			(Max)	89 mm	3 1/2"	
		Length		111 mm	4 3/4"	
		Material		Rubber With Nylon Sleeve		
	T03-1101-M	Internal Diameter		51 mm	2"	General Purpose Suspensions Fruehauf 'F' Type Suspensions ROR Suspensions Freighter VE 50 Suspensions USA Mullins Bush
		Outside Diameter	(Min)	69 mm	2 11/16"	
			(Max)	89 mm	3 1/2"	
		Length		111 mm	4 3/4"	
		Material		Rubber With Nylon Sleeve		
	T03-1101-P	Internal Diameter		51 mm	2"	General Purpose Suspensions Fruehauf 'F' Type Suspensions ROR Suspensions Freighter VE 50 Suspensions
		Outside Diameter	(Min)	69 mm	2 11/16"	
			(Max)	89 mm	3 1/2"	
		Length		110 mm	4 5/16"	
		Material		Yellow Polypropylene		
	T03-1101SP	Internal Diameter		51 mm	2"	General Purpose Suspensions Fruehauf 'F' Type Suspensions ROR Suspensions Freighter VE 50 Suspensions
		Outside Diameter	(Min)	68 mm	2 5/8"	
			(Max)	89 mm	3 1/2"	
		Length		109 mm	4 1/4"	
		Material		Red Polypropylene - Split		
	T03-1102	Internal Diameter		20 mm	3/4"	Early McGrath Suspensions
		Outside Diameter		83 mm	3 1/4"	
		Length		100 mm	3 15/16"	
		Material		Rubber With Steel Sleeve		
	T03-1104	Internal Diameter		51 mm	2"	Freighter TAA29 Suspensions Freighter TAA30 Suspensions
		Outside Diameter		79 mm	3 1/8"	
		Length				
		Material		Rubber With Nylon Sleeve		
	T03-1105	Internal Diameter		58 mm	2 1/4"	Freighter TAA35 Suspensions Outer Bush Freighter VA35 Suspensions Outer Bush Use With Inner Bush T03-1120
		Outside Diameter	(Min)	76 mm	3"	
			(Max)	93 mm	3 5/8"	
		Length		49 mm	1 15/16"	
		Material		Rubber		
	T03-1106	Internal Diameter		51 mm	2"	Freighter TAA35 Suspensions Outer Bush Freighter VA35 Suspensions Outer Bush Use With Inner Bush - T03-1107
		Outside Diameter	(Min)	77 mm	3 1/16"	
			(Max)	94 mm	3 5/8"	
		Length		56 mm	2 3/16"	
		Material		Red Polypropylene		

EQUALISERS AND COMPONENTS
EQUALISERS BUSHES

EQUALISER BUSHES




	PART NO.	DIMENSIONS				APPLICATION
	T03-1107	Internal Diameter		51 mm	2"	Freighter TAA35 Suspensions Inner Bush Freighter VA35 Suspensions Inner Bush Use With Outer Bush - T03-1106
		Outside Diameter	(Min)	70 mm	2¾"	
			(Max)	89 mm	3½"	
		Length		54 mm	2⅛"	
		Material		Red Polypropylene		
	WT1103	Internal Diameter		20 mm	¾"	Freighter TAA39 Suspensions Freighter TAA49 Suspensions
		Outside Diameter		83 mm	3¼"	
		Length		112 mm	4¾"	
		Material		Rubber With Steel Sleeve		
	T03-1115	Internal Diameter		102 mm	4"	Hutch H900 Single Point Suspensions Trunnion Bush
		Outside Diameter		124 mm	4⅞"	
		Length		231 mm	9⅛"	
		Material		Rubber		
	T03-1115P	Internal Diameter		102 mm	4"	Hutch H900 Single Point Suspensions Trunnion Bush
		Outside Diameter		124 mm	4⅞"	
		Length		231 mm	9⅛"	
		Material		White Polypropylene		
	T03-1120	Internal Diameter	(Min)	48 mm	1⅞"	Freighter TAA35 Suspensions Inner Bush Freighter VA35 Suspensions Inner Bush Use With Outer Bush - T03-1105
			(Max)	64 mm	2½"	
		Outside Diameter	(Min)	68 mm	2¹¹⁄₁₆"	
			(Max)	85 mm	3¾"	
		Length		58 mm	2⁵⁄₁₆"	
		Material		Rubber		
	T03-1134	Internal Diameter		25 mm	1"	Reyco/Transpro 88 Suspension Standard Bush
		Outside Diameter		85 mm	3¹¹⁄₃₂"	
		Length		102 mm	4"	
		Material		Rubber With Steel Sleeve		
	T03-1134HD	Internal Diameter		25 mm	1"	Reyco/Transpro 88 Suspension Heavy Duty Bush
		Outside Diameter		88 mm	3¹⁵⁄₃₂"	
		Length		102 mm	4"	
		Material		Rubber With Steel Sleeve		

EQUALISERS AND COMPONENTS
EQUALISER AND TORQUE ROD BOLTS AND NUTS

EQUALISER AND TORQUE ROD BOLTS AND NUTS				
	PART NO.	DESC.	DIMENSIONS	APPLICATION
	K041-701-550	Torque Rod Bolt	5½" Long X ⅞" UNF	General Purpose Suspensions Reyco/Transpro Suspensions Use With Nut - K169-143-144CA Use With Washer - T03-8052
	K169-143-144CA	Torque Rod Bolt Nut	⅞" UNF Nyloc"	General Purpose Suspensions Reyco/Transpro Suspensions Use With Bolt - K041-701-550 Use With Washer - T03-8052
	K169-143-164CA Or T03-5505	Torque Rod Bolt Nut	1" UNF Nyloc"	Freighter Suspension - VA35
	T03-0331	Repair Boss	⅞" ID X 1¾" OD X 7/16" Thick	Early General Purpose Suspensions With Straight Bushes To Repair Worn Torque Rod Eyes In Hangers"=
	T03-1201HD	Equaliser Bolt, Nut & Washer	11½" Long X 2" Diameter X 1" UNF Thread	General Purpose Suspensions Includes Nyloc Nut T03-5505
	T03-1204	Equaliser Bolt	6" Long X ¾" Diameter – ⅝" X 18 TPI Thread	McGrath / Fruehauf S2 Use With Nut - T03-1205
	T03-1205	Equaliser Bolt Nut	15⁄16" A/F – ⅝" X 18 TPI Thread	Freighter Suspensions - TAA49 McGrath / Fruehauf S2 Use With Bolt – T03-1204, T03-1206 Use With Washer - T03-1228
	T03-1206	Equaliser Pin	6½" Long X ¾" Diameter – ⅝" X 18 TPI Thread	Freighter Suspensions - TAA49 Use With Nut - T03-1205
	T03-1209	Equaliser Bolt	6½" Long X 1" Diameter	Reyco/Transpro 88 Suspensions Use With Nut - T03-1210
	T03-1210	Equaliser Bolt Nut	37 mm A/F	Reyco/Transpro 88 Suspensions Use With Bolt - T03-1209
	T03-1223	Equaliser Pin Washer	4¼" OD X 1⅛" ID X 3/16" Thick	General Purpose Suspensions

EQUALISERS AND COMPONENTS
EQUALISER AND TORQUE ROD BOLTS AND NUTS

EQUALISER AND TORQUE ROD BOLTS AND NUTS

	PART NO.	DESC.	DIMENSIONS	APPLICATION
	T03-1231	Equaliser Pin, Nut & Washer	12½" Long X 2" Diameter 1" UNF	Lusty Allison Suspensions Includes Nyloc Nut T03-5055 Includes Washer T03-1452
	T03-1329	Torque Rod Bolt Washer	70 mm OD X 25 mm ID X 5 mm Thick	Reyco 21B Suspensions Use With Torque Rod Bolt - E-1166 Use With Torque Rod Nut - T03-1405
	T03-1401HD	Torque Rod Bolt, Nut & Washer	6½" Long X 1¼" Diameter	General Purpose Suspensions Includes Nyloc Nut T03-5055 Includes Washer T03-1452
	T03-1401AU	Torque Rod Bolt, Nut & Washer	6½" Long X 1¼" Diameter	General Purpose Suspensions Includes Nyloc Nut T03-5055 Includes Washer T03-1452
	E-1166	Torque Rod Bolt	7" Long X 1" Diameter	Reyco 21B Suspensions Use With Washer - T03-1452 Use With Nut - T03-1405
	T03-1405	Torque Rod Bolt Nut	37 mm A/F	Reyco 21B Suspensions Use With Washer - T03-1452 Use With Bolt - E-1166
	T03-1452	Torque Rod Bolt Washer	63 mm OD X 26 mm ID X 4 mm Thick	General Purpose Suspensions Use With To Bolt T03-1401HD
	T03-8052	Torque Rod Bolt Washer	44 mm OD X 24 mm (⅞") ID X 3 mm Thick	General Purpose Suspensions
	E-1967	Equaliser Shaft	8⅛" Length (Overall) X 1½" Diameter	Reyco 102W Suspensions Use With Nut - E-1968 Use With Spring Washer - E-1969
	E-1968	Equaliser Shaft Nut	2¼" A/F	Reyco 102W Suspensions Use With Equaliser Shaft E-1967 Use With Spring Washer - E-1969
	E-1969	Equaliser Shaft Spring Washer	2¼" OD X 1½" ID X ¼" Thick	Reyco 102W Suspensions Use With Equaliser Shaft E-1967 Use With Nut E-1968

OEM - ORIGINAL EQUIPMENT MANUFACTURER

NOTES

EQUALISERS AND COMPONENTS
SUSPENSION EQUALISERS

SUSPENSION EQUALISERS				
	PART NO.	DESC.	DIMENSIONS	APPLICATION
	T03-1151	Cast Iron	Length - 450 mm Width - 117 mm	Freighter TAA29 Suspensions 9′ 1″ Axle Spread Use With Equaliser Bush - T03-1104 (Supplied)
	KH690007	Cast Iron	Length - 395 mm Width - 107 mm	General Purpose Suspensions 8′ 1″ Axle Spread Use With Equaliser Bush - T03-1101
	KH690010	Cast Iron	Length - 750 mm Width - 108 mm	General Purpose Suspensions 10′ 1″ Axle Spread Use With Equaliser Bush - T03-1101
	KH690020	Cast Iron	Length - 600 mm Width - 107 mm	General Purpose Suspensions 9′ 1″ Axle Spread Use With Equaliser Bush - T03-1101
	0650-00	Fabricated Steel	Length - 420 mm Width - 95 mm	Transpro/Reyco Model 88 Suspensions 8′ 1″ Axle Spread Use With Equaliser Bush - T03-1134
	T03-1195-C	Cast Iron	Length - 420 mm Width - 95 mm	Transpro/Reyco Model 88 Suspensions 8′ 1″ Axle Spread Use With Equaliser Bush - T03-1134
	T03-1196	Cast Iron	Length - 460 mm Width - 105 mm	Reyco 21B Suspensions 8′ 1″ Axle Spread Equaliser Bush NLA
	E-2843	Cast Iron	Length - 410 mm Width - 105 mm	Reyco 102W – Pre 1985 Use With Equaliser Bush - E-1966 (Slotted)
	E-3978	Cast Iron	Length - 410 mm Width - 105 mm	Reyco 102W – Post 1985 Use With Equaliser Bush - E-3977

OEM - ORIGINAL EQUIPMENT MANUFACTURER

PART NUMBER CROSS REFERENCE
CROSS REFERENCE INDEX

25.1

COMPETITOR	SECTION - PAGE
BPW TRANSPEC	27.2 - xx
COLRAIN	27.3 - xx
FREIGHTER	27.4 - xx
IVECO	27.5 - xx

COMPETITOR	SECTION - PAGE
KRUEGER	27.6 - xx
REYCO	27.7 - xx
SAF HOLLAND AND YORK	27.8 - xx
SINCLAIR	27.9 - xx

COMPETITOR	SECTION - PAGE
SX TRAILERS	27.10 - xx
WABCO	27.11 - xx
WATTS	27.12 - xx

PART NUMBER CROSS REFERENCE
BPW TRANSPEC

25.2

BPW PART NUMBER	PACCAR PART NUMBER
AS0025/4310	AS0025/4310
AS0025/4540	AS0025/4540
AS0025/4540	AS0025/4540
0203160KIT	T03-1112
0203169KIT	0203169K1T
02.011.15.00.0	0201150300
02.031.16.00.0	0203160600
02.031.16.00.0	0203169000
02.350.06.00.0	0235060200
02.370.02.00.0	0237021800
02.370.02.00.0	0237228302
02.372.22.00.0	0237228302
02.372.22.00.0	0237228302
02.431.10.00.0	T03-1701
02.431.09.20.0HB	HCVHBABV464-02-T29
02.431.11.00.0	T03-1701
02.522.20.12.2	0252207412
02.522.20.12.2	0252207412
02.540.01.04.4	T03-0511
02.540.01.07.7	0254012507
03.109.96.40.0	0310967240
03.113.02.06.0TS	0311302060TS
03.113.39.70.0	T03-1116
03.138.84.74.4	0313841174
03.138.84.41.1	0313844041
03.138.84.80.0	T03-8070
03.138.84.84.4	T03-8070
03.138.84.54.4	0313844154
03.139.93.30.0	0542942580
03.195.50.60.0	0319500960
03.260.01.10.0	0326015010
03.320.03.40.0	0332031270

BPW PART NUMBER	PACCAR PART NUMBER
03.320.36.08.0TS	AS-0191
03.340.01.20.0	0334014120
03.340.01.70.0	0334015270
05.082.21.30.0	0508212830
05.082.21.80.0	0508213180
05.082.21.90.0	0508213190
05.082.21.40.0	0508213240
05.082.21.80.0	0508213480
05.082.21.90.0	0508213590
05.113.39.50.0	0511396050
05.139.93.00.0	0513939580
05.139.93.10.0	0513939510
05.139.93.20.0	0542942580
05.145.52.30.0	0514522430
05.327.71.10.0	0532714010
05.327.71.90.0	0532714090
05.327.71.10.0	0532714110
05.327.71.40.0	0532714140
05.348.83.50.0	0534830050
05.375.63.48.0MTPL	0537563480MTPL
05.375.63.48.0MTPR	0537563480MTPR
05.375.63.48.0UTPL	T03-3350L
05.375.63.48.0UTPR	T03-3350R
05.375.56.80.0	0537566280
0537566280PL	0537566290PL
0537563480MTPR	0537563480MTPR
0537563480UTPL	T03-3350L
0537563480UTPR	T03-3350R
05.375.56.80.0	0537566280
05.375.66.28.0PL	0537566290PL
05.375.56.90.0	0537566290
05.375.66.29.0PR	0537566290PR

BPW PART NUMBER	PACCAR PART NUMBER
05.375.56.00.0	0537566300
05.375.66.30.0P	0537566300P
05.375.56.10.0	0537566310
05.375.66.31.0P	0537566310P
05.429.94.10.0	0542942580
05.429.94.10.0	0542942580
05.429.94.30.0	0542942570
05.429.94.10.0	0542942560
05.429.94.00.0	0542942560
05.429.42.25.0	0542942570
05.429.94.60.0	0542942580
05.429.94.60.0	0542942560
05.429.94.70.0	0542942570
05.429.94.80.0	0542942580
05.429.94.50.0	0542943650
05.429.94.60.0	0542943660
05.429.94.20.0	0542943690
05.429.94.00.0	0542943690
05.429.94.50.0	0542943650
05.429.94.60.0	0542943660
05.429.94.90.0	0542943690
05.801.10.30.0	0513939580
05.801.10.30.0	0580109730
05.801.10.40.0	0513939510
05.801.10.40.0	0580109740
05.880.03.50.0	0588034150
02.5070.95.00	0250709500
02.5070.96.00	0250709600
02.5220.74.12	0252207412
02.5273.33.80	0252733380
02.5401.25.07	0254012507
02.5401.31.01	0254013101

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
BPW TRANSPEC

BPW PART NUMBER	PACCAR PART NUMBER
02.6201.61.01	0262016101
03.084.74.43.0	0308474430
03.113.23.01.0	0311323010
03.138.41.01.4	0313841014
03.138.41.17.4	0313841174
03.138.41.19.4	0313841194
03.138.44.08.4	0313844084
03.145.25.38.0	0314525380
03.164.35.01.0	0316435010
03.164.35.02.0	0316435020
03.179.03.08.0	0317903080
03.260.15.01.0	0326015010
03.280.95.02.0	0328095020
03.280.95.03.0	0328095030
03.281.54.18.0	0328154180
03.310.31.38.0	0331031380
03.320.31.27.0	0332031270
03.320.34.53.0	0332034530
03.340.12.23.0	0334012230
03.340.12.24.0	0334012240
03.340.14.19.0	0334014190
03.340.15.27.0	0334015270
03.341.02.18.0	0334102180
03.341.05.05.0	0334105050

BPW PART NUMBER	PACCAR PART NUMBER
05.082.12.83.0	0508212830
05.082.13.18.0	0508213180
05.082.13.19.0	0508213190
05.082.13.24.0	0508213240
05.082.13.59.0	0508213590
05.139.39.51.0	0513939510
05.139.39.52.0	0513939520
05.139.39.58.0	0513939580
03.145.25.03.0	0514525070
05.145.25.46.0	0514525460
05.327.14.01.0	0532714010
05.327.14.02.0	0532714020
05.327.14.03.0	0532714030
05.327.14.05.0	0532714050
05.327.14.06.0	0532714060
05.327.14.07.0	0532714070
05.327.14.08.0	0532714080
05.327.14.09.0	0532714090
05.327.14.10.0	0532714100
05.327.14.11.0	0532714110
05.327.14.12.0	0532714120
05.327.14.14.0	0532714140
05.327.14.18.0	0532714180
05.327.14.19.0	0532714190

BPW PART NUMBER	PACCAR PART NUMBER
05.327.14.20.0	0532714200
05.327.14.21.0	0532714210
05.348.30.05.0	0534830050
05.375.44.30.8	0537544308
05.375.44.31.8	0537544318
05.375.44.32.8	0537544328
05.375.44.33.8	0537544338
05.375.44.45.8	0537544458
05.375.44.46.8	0537544468
05.375.44.47.8	0537544478
05.397.26.03.0	0539726030
05.429.42.56.0	0542942560
05.429.42.57.0	0542942570
05.429.42.58.0	0542942580
05.429.43.65.0	0542943650
05.429.43.66.0	0542943660
05.429.43.69.0	0542943690
05.801.09.73.0	0580109730
05.801.09.74.0	0580109740
05.801.21.32.0	0580121320
0203169KIT	0203169K1T
0203160K1T	T03-1112
534830050	T03-7366

PART NUMBER CROSS REFERENCE
COLRAIN

COLRAIN PART NUMBER	PACCAR PART NUMBER
CG9004	99510003
CH0506	T03-0506
CH0513	E-1166
CH0520	T03-2501226
CH0521	T03-2501249
CH0523	T03-2501231
CH0533	T03-4010
CH0535	21222230PK10
CH0536	99526002
CH0537	21222230PK10
CH0538	21222255

COLRAIN PART NUMBER	PACCAR PART NUMBER
CH0500	T03-1140
CH0520	T03-2501226
CH0550	T03-1140
CH0565	21222255
CH2008	21222329
CH5505	T03-5505
CH5507	T03-5507
CH5513	T03-2501228
CH5514	T03-2501234
CH5521	99527004
CH5522	99527004

COLRAIN PART NUMBER	PACCAR PART NUMBER
CH5523	93400136 or 99528001
CH5525	99527003
CH9004	99510003
CH9005	99513007 or 99513008
CH9006	21222923PK50 or 99513007
CH9007	99510003
CH9011	99510003
FR24959	T03-7307
SP0011	TRP21221307

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
COLRAIN

COLRAIN PART NUMBER	PACCAR PART NUMBER
SP0014	61610122 (YORK)
SP0015	T03-AS3180-A
SP0016	T03-AS3233-A
SP0019	S-21208
SP0020	0542942570
SP0020AS	0542942570
SP0022	0542942580
SP0022AS	0542942580
SP0026	0542942560
SP0026AS	0542942560
SP0028	21222442
SP0030	21222239
SP0031	T03-AS2502-B
SP0035	C-20901
SP0038	T03-C-20124
SP0039	T03-AS2235-A
SP0040	T03-AS2501-B
SP0045	90557117
SP0049	90557118
SP0047	S-21208
SP0054	29-5031.C
SP0200	90555105
SP0225	90054630
SP0401	0513939580
SP0402	0513939510
SP0403	0542942580
SP1101-P	T03-1101-P
SP1101PG	T03-1101-P
SP1102	T03-1102
SP1104	T03-1104
SP1105	T03-1105
SP1108	WT1103
SP1120	T03-1120
SP1151	T03-1151
SP1182	KH690007
SP1183	KH690010
SP1188	KH900032
SP1189	T03-1189
SP-1195	0650-00
SP1196	T03-1196
SP1201-HD	T03-1201HD
SP1223	T03-1223

COLRAIN PART NUMBER	PACCAR PART NUMBER
SP1225	T03-1225
SP1234	T03-1281
SP1300	21225103
SP1301	T03-1301-M
SP1301-P	T03-1301-P
SP1301PG	T03-1301-P
SP1302	SP1302AU
SP1303	T03-1303
SP1306	T03-1306
SP1308	T03-1308-M
SP1308-P	T03-1308-P
SP1309	T03-1309
SP1315	T03-1315
SP1324	21222609 (HD VERSION 0203169000)
SP1324	T03-1122
SP1324PG	21224663
SP1355	1927
SP1356	T03-1356
SP1366	T03-1366
SP1370	KH600003/495
SP1372	FW68-0502L
SP1373	FW68-0502R
SP1376	T03-1334
SP1392	T03-1331
SP1381	T03-1336
SP1401-HD	T03-1401HD
SP1417	KH600003/470
SP1417	KH600003/470
SP1420	KH600006/415
SP1420	KH600006/415
SP1421	T03-1421
SP1421	T03-1421
SP1431	61SB610366
SP1432	61SB610366
SP1452	T03-1452
SP1455	T03-1329
SP1457	T03-2501227
SP1481	21222223
SP1482	21222690
SP1601	T03-1127
SP1601PG	T03-1127

COLRAIN PART NUMBER	PACCAR PART NUMBER
SP1603	T03-1128
SP1603PG	T03-1128
SP1650	93201051
SP1651	93400506
SP1655	93201055
SP1656	90008147
SP1657	90036177
SP2004	21222399
SP2005	21222395 (ROR)
SP2005	T03-8016 (RFS)
SP2006	T03-7372
SP2007	21222330
SP2008	21222329
SP2009	21222230PK10 or 21222234
SP2011	21222221
SP2012	21222287
SP2015	21222248
SP2016	21224436
SP2016 L/R	21222262
SP2017	21222262
SP2068	21224664
SP2220	21225155
SP2221	21225104
SP2223	21228663
SP2225	21224386
SP2235	21224664
SP3330	T03-3330
SP3331	KH900001
SP3332-M	T03-3332DB
SP3333	KH690037
SP3338	T03-3338
SP6953	B-11613-2P
SP7001	91-2227
SP7003	90045338
SP7032	T03-4013
SP7033	T03-4012
SP7034	S-2212
SP7036	S-20889
SP7048	0237228302
SP7057	T03-610052
SP7058	P1075

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
COLRAIN

COLRAIN PART NUMBER	PACCAR PART NUMBER
SP7062	0237021802 (BPW)
SP7130	C-20069
SP7131	A-20031
SP7135	T03-4014
SP7145	90508004
SP7155	0203169000
SP7155PG	0203169000
SP7157PG	0203169K1T
SP7161	T03-1245
SP7165	T03-1097
SP7167	0311302060TS
SP7168	61506284
SP7169	61506234
SP7170	T03-8077
SP7176	T03-4010
SP7181	T03-1248
SP7183	T03-1249
SP7184	T03-1248
SP7185	T03-AS2501-P
SP7187	T03-RSFB01
SP7188	T03-RSFB04
SP7197	T03-RS1370
SP7199	T03-RS1170
SP7201	T03-1141
SP7202	T03-1144
SP7203	T03-1145
SP7204	T03-1146
SP7304	KH690027
SP7305	KH690025
SP7308	T03-7308
SP7308	T03-7308
SP7401	T03-7401AU

COLRAIN PART NUMBER	PACCAR PART NUMBER
SP7402	T03-7402AU
SP7403	T03-7403
SP7405	T03-7368
SP7410	T03-7410AU
SP7411	T03-7411AU
SP7412	T03-7412AU
SP7415	T03-7415AU
SP7420	T03-7420
SP7423	T03-7423
SP7425	T03-7409
SP7430	T03-7369
SP7431	T03-7371
SP7435	T03-7433
SP7436	T03-7433
SP7437	T03-7434
SP7438	T03-7438AU
SP7439	T03-7439AU
SP7446	T03-7446
SP7447	T03-7447AU
SP7448	T03-7448
SP7449	T03-7449AU
SP7450	T03-7450
SP7451	T03-7451
SP7453	T03-7453AU
SP7455	T03-7455
SP7458	T03-7533AU
SP7463	T03-7477
SP7464	T03-7473
SP7466	T03-7474
SP7477	T03-7350
SP7478	T03-7352
SP7479	T03-7351
SP7489	T03-2501177

COLRAIN PART NUMBER	PACCAR PART NUMBER
SP7492	T03-2501186
SP7493	T03-2501188
SP7494	T03-2501187
SP7495	F001A437HG75
SP7649	0508212830
SP7622	T03-7352W
SP7676	0508213240
SP7677	0508213190
SP7678	0508213590
SP7679	0508212830
SP8001	KH600014
SP8030K	S-21140
SP8051	T03-8051
SP8052	T03-8052
SP8075	T03-2501211
SP8077	0254012507
SP8078	0252207412
SP8089	T03-8074AU (RFS)
SP8089	21223928 (ROR)
SP8090	T03-8073AU (RFS)
SP8090	21222326 (ROR)
SP8090	T03-8076 (YORK)
SP8098	T03-8070
SP1324	T03-1122
FR23142	T03-1152
SP1482	T03-1271
FR24959	T03-7307
SP8001	T03-8001
SP0032	T03-AS0032

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
FREIGHTER

25.4

FREIGHTER PART NUMBER	PACCAR PART NUMBER
151-16512	T03-1452
161-08014	T03-1115
161-8002	T03-7326
203-02011	T03-UBF-125AU
203-02124	T03-3338
203-02149	T03-UBF-145AU
AXA0495	T03-7338
UXA0004	T03-1101
ULA5183	T03-1201HD
UXA0011	T03-1301-M
ULA7822	T03-1401HD
ULA1493	T03-7401AU

PART NUMBER CROSS REFERENCE
IVECO

25.5

IVECO PART NUMBER	PACCAR PART NUMBER
2001006C91	KN27000
HD50433-001P	60826-000
HD50433-002P	60826-000
HDA-20032	S-21140
HDA-6914	A-6914
HDB-11613	B-11613-2P
HDC20124	T03-C-20124
HDS-2770-2P	B-2770-2P
HDS-3646	S-3646
HDY506242	T03-1097
IT100557	90054630
IT008	T03-7410AU
IT008-1	T03-7412AU
IT008A	T03-7411AU
IT009	T03-7415AU
IT009A	T03-7418AU
IT013	T03-7401AU
IT013-1	T03-7402AU
IT013-3	T03-7403
IT1101	T03-1101
IT1101P	T03-1101-P
IT1102	T03-1102
IT1103	WT1103
IT1104	T03-1104
IT1105	T03-1105
IT1106	T03-1120
IT1112	T03-1134
IT1115	T03-1115
IT1151F	T03-1151
IT1182	KH690007
IT1183	KH690010
IT1190	KH690020
IT1195	0650-00
IT1195C	T03-1195-C
IT1196	T03-1196
IT1201HD	T03-1201HD
IT1202	T03-1204
IT1205S	T03-1225
IT1223	T03-1206
IT1301	T03-1301-M
IT1301P	T03-1301-P
IT1302	SP1302AU
IT1303	T03-1303
IT1306	T03-1313
IT1308	T03-1308-M
IT1308P	T03-1308-P
IT1309	T03-1309
IT1310N	TWT1315
IT1311	T03-1315
IT1401HD	T03-1401HD
IT1414	T03-1329
IT1417	T03-1306
IT4350	90555105
IT2366A	T03-UBA-145AU
IT2368A	E-UB5165-14
IT2369A	T03-8061
IT25038	T03-1140
IT25039	T03-1142
IT25047	T03-1147
IT25050	T03-1144
IT25054	T03-1145
IT25070	T03-1146
IT2545	HW48248AUS
IT2546	T03-8052
IT2842	T03-7481
IT2855	T03-1366
IT2875	T03-8003
IT2909	T03-7322
IT3001	T03-8020
IT3002A	T03-8051
IT3284A	T03-1374
IT3322	0203160600
IT3322A	0203169000
IT3323K	AS-0191
IT3324	0334015270
IT3325	0326015010
IT3325W	0332031270
IT3329	T03-8070
IT335	T03-7474
IT3358	0542942580
IT4352	464.006.100.0
IT453	T03-7438AU
IT453-1	T03-7439AU
IT4804	T03-3312
IT4805	T03-3313
IT4806	T03-3315
IT4814	T03-7319
IT4815	T03-7320
IT4825	T03-1316
IT4828	T03-1472
IT506226	T03-1250
IT506717	T03-4011
IT5259	T03-3308

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
IVECO

IVECO PART NUMBER	PACCAR PART NUMBER
IT610009	T03-1248
IT610012	61SB610366
IT610013	61SB610366
IT610043	T03-AS2501-P
IT610065/01	T03-RSFB01
IT6406	T03-1356
IT6428	1927
IT6529	KH600006/415
IT6801	T03-3330
IT6815	KH600014
IT7448	T03-7432AU
IT7448	T03-7453AU
IT7452	T03-7454
IT7627-470	T03-1360
IT787673	T03-4014
IT787803	T03-4013
IT787805/10	T03-1251
IT787921	T03-4002

IVECO PART NUMBER	PACCAR PART NUMBER
IT7901	T03-7477
IT7902	T03-7473
IT8207	FW68-0502R
IT8208	FW68-0502L
IT8208	KH900001
IT82103	KH900032
IT82129-565	T03-1369
IT8216A	KH690027
IT8216B	KH690025
IT8227	KH600003/495
IT9051	98734-101
IT9055	B-2066
IT9056	T03-AS3180-A
IT9057	T03-AS3233-A
IT9058	T03-AS2501-B
IT9059	T03-AS2502-B
IT9060G	0542942570
IT9061G	0542942580

IVECO PART NUMBER	PACCAR PART NUMBER
IT9062	S-21208
IT9063	T03-AS2235-A
IT9068	1R13-097
IT9070G	0542942560
IT9071	TRP21221307
IT9072	S-21208
ITP227	91-2227
ITP42550	0237021800
ITP53024	0237228302
N2040E	90555105
NE90054007	90054007
NE90054630	90054630
NE90054670	90054670
NE90554241	90555105
NE90554243	90555105
NE90554271	90555106
NE90554273	90554273
ZPDP53024	0237228302

PART NUMBER CROSS REFERENCE
KRUEGER

KRUEGER PART NUMBER	PACCAR PART NUMBER
29-3067-1	293067
29-5029-1	29-5029.1
295099	29-5099.A
991903	T03-0506
29-5038-1.L	T03-1140
29-5053-2	T03-1141
295039	T03-1142
29-5050-3	T03-1144

KRUEGER PART NUMBER	PACCAR PART NUMBER
29-5054-1	T03-1145
29-5070-2	T03-1146
295047	T03-1147
29-5057-5	T03-1280
295327-1	T03-4031
295327-2	T03-4032
29-5032-1.C	T03-7332
29-5032-2.C	T03-7333

KRUEGER PART NUMBER	PACCAR PART NUMBER
29-5027.B	T03-7340
340992	T03-7360
295200	T03-7368
295003	T03-7369
295201	T03-7370
295007	T03-7371
295029	T03-8016

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
REYCO

25.7

REYCO PART NUMBER	PACCAR PART NUMBER
0001-14	T03-1209
0045-00	T03-1472
0075-20	T03-1316
0079-01	T03-7477
0079-02	T03-7473
0084-00	T03-3312
0086-00	T03-3315
0088-00	T03-3313
0178-01-2	T03-7471
0178-03	T03-7462
0178-03-1	T03-7464
0178-03-2	T03-7465
0178-06-1	T03-7466
0178-06-2	T03-7467
0274-01	T03-1210
0330-00	T03-7469
0330-00-2	T03-7472
0335-00	T03-7474
0375-00	T03-7481

REYCO PART NUMBER	PACCAR PART NUMBER
0538-00	T03-7322
0637-00	T03-7323
0678-00	T03-1317
0694-00	T03-7476
0836-01	T03-7319
0836-02	T03-7320
0836-03	T03-7321
0858-00	T03-7324
08757-01	T03-7317
09686-01	T03-1333
09729-01	T03-1308-M
12884-01	T03-AS3061-A
14172-02	T03-1198
15016-01	T03-1337
15017-01	T03-1336
15019-01	T03-1338
15179-01	T03-1331
1600-02	T03-7479
1601-02	T03-7480

REYCO PART NUMBER	PACCAR PART NUMBER
18813-01	T03-AS2235-A
19860-01	T03-1319
19860-02	T03-1320
19982-01	T03-7316
20018-01	T03-AS2235-A
20141-01	T03-1334
20476-01	T03-3309
20478-A	T03-3307
20482-A	T03-7318
21725-01	T03-1196
T1842	TWT1315
T2106	T03-1203
T2224	T03-1329
T2243	T03-1209 or E-9350 (KIT)
T5427	T03-1196
T5564	T03-3308
T7175	T03-8003
T7453	T03-7460

PART NUMBER CROSS REFERENCE
SAF HOLLAND AND YORK

25.8

SAF HOLLAND AND YORK PART NUMBER	PACCAR PART NUMBER
59770705	T03-7415AU
59770706	T03-7410AU
59900001	KH900001
59900002	T03-3330
59900003	KH600014
59900007	KH690007
59900010	KH690010
59900013	T03-1201HD
59900017	T03-1350
59900018	T03-1349
59900020	KH690020
59900024L	FW68-0502L
59900024R	FW68-0502R
59900025	KH690025
59900027	KH690027
59900032	KH900032

SAF HOLLAND AND YORK PART NUMBER	PACCAR PART NUMBER
59900033/01	T03-1356
59900033/02	1927
59900033/03	KH600006/415
59900035	T03-3332DB
59900036	T03-1189
59900037	KH690037
59900049	T03-7308
59901002	T03-5500
59901004	T03-5507
59901007	T03-8051
59901008	T03-8052
59901012	T03-1401HD
59901018	T03-1308-M
59901019	T03-1301-M
59901019-P	T03-1301-P
59901020	T03-1101

SAF HOLLAND AND YORK PART NUMBER	PACCAR PART NUMBER
59901020-P	T03-1101-P
59901100/470	KH600003/470
59901100/495	KH600003/495
59901100/565	T03-1421
59901101/315	T03-UBB-125AU
59901101/370	T03-UBB-145AU
61505859	T03-AS3233-A
61505859/01	T03-AS3233-A
61506226	T03-1250
61506226	T03-1250
61506227	T03-1281
61506242	T03-1097
61506243	T03-AS3180-A
61506243/01	T03-AS3180-A
61506324	T03-AS506324
61506470/30	T03-1247

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
SAF HOLLAND AND YORK

SAF HOLLAND AND YORK PART NUMBER	PACCAR PART NUMBER
61506717/01	T03-4011
61506717/02	T03-4012
61507121	T03-3357
61507570	T03-7351
61507741/03	T03-3359
61507741/04	T03-3360
61610001/01	T03-3365L
61610001/02	T03-3365R
61610008	T03-1249
61610012	61SB610366
61610013	61SB610366
61610014/01	T03-7353
61610014/01	T03-7357L
61610014/02	T03-7354
61610014/02	T03-7357R
61610033/01	T03-7355L
61610033/02	T03-7355R
61610043	T03-AS2501-P
61610049	T03-AS2501-B
61610050	T03-AS2502-B
61610052	T03-610052
61610053	P1075
61610065/01	T03-RSFB01
61610065/01	T03-610065/01
61610065/02	T03-RSFB02
61610065/03	T03-RSFB03
61610065/05	T03-RSFB04
61610071/02	T03-7356R
61610121	T03-AS610121
61610129	T03-4015
61610186/01	T03-7361L
61610186/02	T03-7361R
61610188/01	T03-7359L
61610188/02	T03-7359R
61610181	61610181
61610205	T03-61610205
61610207/01	T03-3366L
61610207/02	T03-3366R
61610208/01	T03-3367L
61610208/02	T03-3367R
61610209/01	T03-3368L
61610209/02	T03-3368R

SAF HOLLAND AND YORK PART NUMBER	PACCAR PART NUMBER
61610234/02	T03-4023
61610411	61610477
61610442	61610442/B0GE
61610442	61610442/K0N1
61754448	T03-1246
61786827	90555105
61786827	KN27000
61786866/1170	T03-RS1170
61786866/1270	T03-RS1270
61786866/1370	T03-RS1370
61786866/970	T03-RS970
61786908	0201150300
61786910	T03-1701
61787669	T03-3361
61787673	T03-4014
61787800	T03-7350
61787803	T03-4013
61787804	T03-7352P1N
61787805	T03-3362
61787805/1	T03-3363
61787805/10	T03-1279
61787805/11	T03-1251
61787805/2	T03-3364
61787808	T03-7352
61787820	T03-AS787820
61787830	T03-7352W
61787921	T03-4002
61787922	T03-4015
61SB506245	T03-8076
61SB506245/270	T03-8075
61SB506247	T03-1245
61SB507570	T03-7351
61SB610009	T03-1248
61SB786152	T03-4005
61SB786153	T03-4010
2501047	T03-2501047
2501177	T03-2501177
2501186	T03-2501186
2501187	T03-2501187
2501188	T03-2501188
2501190	T03-2501190
2501192	T03-2501192

SAF HOLLAND AND YORK PART NUMBER	PACCAR PART NUMBER
2501193	T03-2501193
2501194	T03-2501194
2501195	T03-2501195
2501196	T03-2501196
2501205	T03-2501205
2501211	T03-2501211
2501213	T03-2501213
2501215	T03-2501215
2501216	T03-2501216
2501217	T03-2501217
2501225	T03-2501225
2501226	T03-2501226
2501227	T03-2501227
2501228	T03-2501228
2501231	T03-2501231
2501232	T03-2501232
2501233	T03-2501233
2501234	T03-2501234
2501235	T03-2501235
2501236	T03-2501236
2501238	T03-2501238
2501249	T03-2501249
2501250	T03-2501250
2501316	T03-2501316
2501318	T03-2501318
2501471	T03-2501471
59900049	T03-7338
61506226	T03-1250
61506227	T03-1281
61506242	T03-1097
61610008	T03-1249
61610052	T03-610052
61610121	T03-AS610121
61787803	T03-4013
61787804	T03-7352P1N
61787921	T03-4002
617878056	61787805/6
1101200100	1101200100S
1101200100	T03-1260
1123000101	T03-1261
2376003100	T03-4009
3228104100	3228104100S

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
SAF HOLLAND AND YORK

25.8

SAF HOLLAND AND YORK PART NUMBER	PACCAR PART NUMBER
3341104819	3341104819S
4177301000	4177301000
4177301000	T03-1111
4247402280	4247402280S
4247402280	T03-1264
4331502900	4331502900S
4343104888	T03-1263
4343280210	4343280210S
4343280410	4343280410S
4405207100	4405207100S
6150622502	61506225/02
6150647030	61506470/30
6150671701	T03-4011
6150671702	T03-4012
6161006501	T03-RSFB01
6161006502	T03-RSFB02

SAF HOLLAND AND YORK PART NUMBER	PACCAR PART NUMBER
6161006503	T03-RSFB03
6161006505	T03-RSFB04
6161006506	61610065/06
6161020701	T03-3366L
6161020702	T03-3366R
6161023401	T03-4023
6161023402	T03-4015
6161023402	T03-4023B
6161040001	61610400/01
6161040002	61610400/02
6161040401	61610404/01
6161047801	61610478
6178780510	T03-1279
6178780511	T03-1251
61610414202	61610414/2/02
61610414401	61610414/4/01

SAF HOLLAND AND YORK PART NUMBER	PACCAR PART NUMBER
61786866970	T03-RS970
2501186M	T03-2501186M
61610442BOGE	61610442/B0GE
617868661070	T03-RS1070
617868661170	T03-RS1170
617868661270	T03-RS1270
617868661370	T03-RS1370
617868661570	61786866/1570
61SB506245270	T03-8075
61SB506245290	61SB506245/290
61SB506245320	T03-8076
61SB61036501	61SB610365/01
61SB61036502	61SB610365/02
61SB787800	T03-7350
61SB787808	T03-7352
61SB787830	T03-7352W

PART NUMBER CROSS REFERENCE
SINCLAIR

25.9

SINCLAIR PART NUMBER	PACCAR PART NUMBER
SF0001	KH900001
SF0002	T03-3330
SF0003	KH600014
SF0007	KH690007
SF0010	KH690010
SF0013	T03-1201HD
SF0020	KH690020
SF0024	FW68-0502L
SF0024A	FW68-0502R
SF0025	KH690025

SINCLAIR PART NUMBER	PACCAR PART NUMBER
SF0027	KH690027
SF0028	KH600003/495
SF0030	KH600003/470
SF0032	KH900032
SF0033	1927
SF0034	T03-1356
SF0035	T03-3332DB
SF0036	T03-1189
SF0037	KH690037
SF1007	T03-8051

SINCLAIR PART NUMBER	PACCAR PART NUMBER
SF1008	T03-8052
SF1012	T03-1401HD
SF1014	T03-7410AU
SF1015	T03-7415AU
SF1016	T03-7411AU
SF1017	T03-7418AU
SF1019	T03-1301-M
SF1020	T03-1101

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
SX TRAILERS

SX TRAILERS PART NUMBER	PACCAR PART NUMBER
AIR-B-1R11-039	61610122
AIR-B-1R12-547	T03-AS2501-P
AIR-B-1R14-059	T03-AS3180-A
AIR-B-1R14-061	T03-AS3233-A
FRT-203-00021	T03-1104
FRT-203-01360	T03-1208
FRT-203-01453	T03-7438AU
HDW-B-0500-13	T03-0506
HDW-NYF-0500	K169-143-080CA
HDW-NYF-1000-14T	K169-143-164CA
HDW-WH-0625	49FWH5/8
SXT-09-1704	T03-1315
SXT-09-9156	T03-1301-M
SXT-09-9156	T03-1301-M
SXT-09-9163	T03-1308-M
SXT-09-9166	T03-1329
SXT-09-9167	T03-8052
SXT-09-9205	T03-1101
SXT-09-9240	T03-1401HD
SXT-09-9253	T03-1401HD
SXT-09-9258	K041-701-550
SXT-09-9268	1927
SXT-09-9269	T03-1356
SXT-09-9270	KH600003/470
SXT-09-9272	KH600003/495
SXT-09-9274	FW68-0502R
SXT-09-9275	FW68-0502L
SXT-09-9302	T03-1201HD
SXT-09-9303	T03-1201HD
SXT-09-9304	T03-1223
SXT-09-9365	KH690007
SXT-09-9369	KH690010
SXT-09-9375	T03-3330
SXT-09-9378	KH900001
SXT-09-9381	KH600014
SXT-09-9386	KH690025
SXT-09-9387	KH690027
SXT-09-9405	T03-7401AU
SXT-09-9406	T03-7402AU
SXT-09-9407	T03-7403
SXT-09-9408	T03-7404
SXT-09-9423	T03-7410AU

SX TRAILERS PART NUMBER	PACCAR PART NUMBER
SXT-09-9424	T03-7411AU
SXT-09-9425	T03-7412AU
SXT-09-9429	T03-7415AU
SXT-09-9430	T03-7418AU
SXT-09-9884	KH900032
SXT-10-0001	T03-UBB-155AU
SXT-10-0003	T03-UBA-135
SXT-10-0004	T03-UBA-155AU
SXT-10-0015	T03-8051
SXT-10-0016	T03-8052
SXT-10-0017	T03-8020
SXT-10-0018	HW48248AUS
SXT-19-1002	T03-3308
SXT-19-1003	T03-3309
SXT-19-1004	T03-3309
SXT-19-1303	T03-8003
SXT-19-1702	T03-1366
SXT-19-1706	K041-628-700
SXT-19-3000	T03-3312
SXT-19-3001	T03-3313
SXT-19-3002	T03-3315
SXT-19-3100	T03-7462
SXT-19-3101	T03-7464
SXT-19-3102	T03-7465
SXT-19-3300	T03-7319
SXT-19-3301	T03-7320
SXT-19-3302	T03-7321
SXT-19-3305	T03-7322
SXT-19-3602	T03-1134HD
SXT-19-3604	T03-1209
SXT-19-3605	T03-1210
SXT-19-3701	T03-1316
SXT-19-3705	T03-1337
SXT-19-3706	T03-1319
SXT-19-3707	T03-1320
SYM-LNM12	49LNM12
YRK-12175055	49HBM12175055
YRK-12175065	49HBM12175065
YRK-12175070	49CSM12175070
YRK-12175080	49SHM12175080
YRK-207570	T03-7350
YRK-506196	61790542

SX TRAILERS PART NUMBER	PACCAR PART NUMBER
YRK-506225-01	61506225/01
YRK-506225-02	61506225/02
YRK-506226	T03-1250
YRK-506227	T03-1281
YRK-506234	61506234
YRK-506235	T03-8077
YRK-506242	T03-1097
YRK-506245-270	T03-8075
YRK-506245-290	61SB506245/290
YRK-506245-320	T03-8076
YRK-506248	61506248
YRK-506247	T03-1245
YRK-506284	61506284
YRK-506294	61506234
YRK-506717-01	T03-4011
YRK-506717-02	T03-4012
YRK-5/8UNC300	49HB5/8UNC3.25
YRK-610001-01	T03-3365L
YRK-610001-02	T03-3365R
YRK-610008	T03-1249
YRK-610012	61SB610366
YRK-610013	61SB610366
YRK-610014-01	T03-7357L
YRK-610014-02	T03-7357R
YRK-610033-01	T03-7355L
YRK-610033-02	T03-7355R
YRK-610043	T03-AS2501-P
YRK-610049	T03-AS2501-B
YRK-610050	T03-AS2502-B
YRK-610052	T03-610052
YRK-610053	P1075
YRK-610054	61610054
YRK-610065-01	T03-RSFB01
YRK-610065-02	T03-RSFB02
YRK-610065-03	T03-RSFB03
YRK-610067	61610067
YRK-610071-02	T03-7356R
YRK-610205	T03-61610205
YRK-786152	T03-4005
YRK-786153	T03-4010
YRK-786154	61SB786154
YRK-786155	61SB786155

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
SX TRAILERS

25.10

SX TRAILERS PART NUMBER	PACCAR PART NUMBER
YRK-786157	61SB786157
YRK-787673	T03-4014
YRK-787800	T03-7351
YRK-787801	61787801
YRK-787803	T03-4013
YRK-787804	T03-7352P1N

SX TRAILERS PART NUMBER	PACCAR PART NUMBER
YRK-787805-10	T03-1279
YRK-787805-11	T03-1251
YRK-787807	61787807
YRK-787808	T03-7352
YRK-787830	T03-7352W
YRK-787832	61792342

SX TRAILERS PART NUMBER	PACCAR PART NUMBER
YRK-787837	T03-4014S
YRK-787921	T03-4002
YRK-LNM12	49LNM12
YRK-SB610009	T03-1248
YRK-FWM12	49FWM12
YRK-SWM12	49SWM12

PART NUMBER CROSS REFERENCE
WABCO

25.11

WABCO PART NUMBER	PACCAR PART NUMBER
4334010030	0201150300

Notes

For further information contact your local PACCAR Parts dealership.

PART NUMBER CROSS REFERENCE
WATTS

WATTS PART NUMBER	PACCAR PART NUMBER
0035-11	T03-1319
0035-12	T03-1320
08017P	T03-1210
15173-01	T03-1374
1FW	T03-1452
203-01094	T03-1151
203-02124	T03-3338
3/4UBFW	HW48248AUS
3/4UNF-DEEP	T03-8020
7/8UBFW	T03-8052
CB10-1/2	T03-7455
CB5-1/2	T03-7446
CB6-1/2	T03-7447AU
CB6-3/8	T03-7448
CB7-3/8	T03-7451
CB7-7/16	T03-7450
CB8-1/2	T03-7453AU
CB8-3/8	T03-7534
FI-9	T03-7438AU
FI-9-1	T03-7439AU
GT1101	T03-1101SP
MCG-14	T03-7420
R08	T03-7410AU
R08-1	T03-7412AU
R09	T03-7415AU
SF0007	KH690007
SF0009	KH600014
SF0010	KH690010
SF0020	KH690020
SF0024	FW68-0502L
SF0024A	FW68-0502R
SF0028	KH600003/495
SF0032	KH900032
SF0033	1927
SF0034	T03-1356
SF0073	KH900001
T2293	T03-1331

WATTS PART NUMBER	PACCAR PART NUMBER
T5479	T03-1334
T7635	T03-1366
U135-5-7/8R	T03-UBC-135AU
U14-3-7/8R	T03-UBA-145AU
U145-5-7/8R	T03-UBB-145AU
U155-5-7/8R	T03-UBB-155AU
U165-5-7/8R	T03-UBB-165AU
ULA13696-1	0252207412
WT1002	T03-1196
WT1002	T03-1196
WT1004	0650-00
WT1004C	T03-1195-C
WT1099	T03-1151
WT1101	T03-1101
WT1101U	T03-1101-P
WT1102	T03-1102
WT1103	WT1103
WT1104	T03-1104
WT1105	T03-1105
WT1106	T03-1120
WT1112A	T03-1134HD
WT1112S	T03-1134
WT1113	0203160600
WT1113-S	0203169000
WT1116	61SB610366
WT1117	61SB610366
WT1118	T03-1097
WT1201C	T03-1201HD
WT1202	T03-1204
WT1203	T03-1208
WT1205S	T03-1225
WT1212	T03-1223
WT1219	T03-5505
WT1221	3344/TW
WT1223	T03-1206
WT1225	T03-1209
WT1301	T03-1301-M

WATTS PART NUMBER	PACCAR PART NUMBER
WT1301U	T03-1301-P
WT1302	SP1302AU
WT1303	T03-1303
WT1303	T03-1303
WT1306	T03-1313
WT1308	T03-1308-M
WT1309	T03-1309
WT1310	TWT1315
WT1311	T03-1315
WT1380	T03-1421
WT1381	KH600003/470
WT1401C	T03-1401HD
WT1404	T03-1407
WT1414	T03-1329
WT1415	E-1166
WT1416	T03-1405
WT1417	T03-1306
WT1450	T03-0331
WT1604	T03-UBA-145AU
WT1606	T03-8051
WT1710	KH690027
WT1711	KH690025
WT1800	S-21208
WT1801	T03-C-20124
WT1802	0542942570
WT1802-1	0542942580
WT1806	T03-AS3233-A
WT1807	T03-AS3180-A
WT1808	TRP21221307
WT1809	0542942560
WT1810	0237228302
WT1819	T03-AS2501-B
WTI-13	T03-7401AU
WTI-13-1	T03-7402AU
WTI-13-3	T03-7403
WTI-8	T03-7404

Notes

For further information contact your local PACCAR Parts dealership.



WHEN THE ROAD GETS ROUGH
THE TOUGH GET KONI

PACCAR PARTS

AVAILABLE AT 63 DEALERS AUSTRALIA-WIDE

Visit **paccarparts.com.au** or **Freecall* 1800 PPARTS (772 787)**

* Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.

To find your nearest dealer, **SCAN HERE**

PART NUMBERS INDEX

PART NO.	CH	PAGE
1925	17.2, 17.5, 23.1	33, 37, 69, 349
1927	17.2, 17.5, 23.1	33, 37, 69, 349
48248	17.4, 17.6	51, 73
123840	18.4, 20.2	135, 137, 139, 141, 143, 145, 147, 149, 151, 335
250812	18.11	259, 267
0251907	18.6	165, 169
293067	18.9	201, 205
295001	18.9	209
295049	18.9	209, 213
299380	18.9	201, 205
814955	18.9	213
912400	18.4	135, 137
2501223	18.4	149, 151
2501224	18.4	147
2501237	18.4	147
2501258	18.4	141
21222221	18.6	165, 169, 175, 177
21222231	18.6	165, 167, 169, 173, 180
21222234	18.6	161
21222239	19.2	165, 318
21222243	18.6	165, 169, 173, 177, 183
21222255	18.6	165, 183
21222262	18.6	165, 169, 177, 181
21222287	18.6	165, 169, 175, 177, 181
21222326	18.6	165, 183
21222329	18.6	179, 181
21222330	18.6	171, 173
21222395	18.6	169, 173, 177, 181
21222442	18.6, 19.2	169, 173, 177, 181, 317
21222609	18.6, 19.1	165, 175, 177, 181, 313
21222906	18.6	173, 179
21222923	18.6	173, 177, 183
21223608	18.6	181
21223928	18.6, 20.2	169, 173, 177, 335
21224376	18.6	173
21224386	18.6	175
21224436	18.6	161
21224437	18.6	161
21224461	18.6	179, 183
21224663	18.6	181
21224664	18.6	179
21224745	18.6	161
21225499	18.6	161
21228663	18.6	175
21228664	18.6	175
61506234	18.13	289
61506248	18.13	289
61506250	18.13	309
61506284	18.13	289
61610054	18.13	299, 301
61610067	18.13	299, 305
61610122	18.13	297
61610122	18.13	297
61610128	18.13	301
61610156	18.13	303, 309
61610464	18.13, 20.2	307, 337
61610477	18.13	307, 309
61610478	18.13	307, 309
61787688	18.13	289
61787801	18.13	293, 368
61787805	18.13	295
61787806	18.13	293
61787807	18.13	293, 368
61790542	18.13	289, 293
61792120	18.13	307
61792123	18.13	307, 309
61792342	18.13	294
90001215	18.7	191
90001216	18.7	191
90008147	18.7	185, 187, 189, 191, 193
90008185	18.7	189, 191, 193
90008238	18.7	189, 191, 193
90028047	18.7	185
90028083	18.7	185
90036177	18.7	185, 187, 189, 191, 193
90044089	18.7	187
90044625	18.7	185
90044794	18.7	187
90045040	18.7	187
90045054	18.7	187
90045337	18.7, 20.1, 20.2	185, 187, 193, 330, 335
90045338	18.7, 20.1, 20.2	189, 191, 330, 335
90045534	18.7, 20.1, 20.2	191, 330, 335
90501261	18.7	191
90501262	18.7	191
90501289	18.7	187
90501290	18.7	187
90508004	18.7	185, 187, 189, 191, 193
90508019	18.7	189, 191, 193
90516500	18.7	187
90516501	18.7	187
90516566	18.7	191
90516567	18.7	191
90557009	18.7	185
90557023	18.7, 19.2	185, 314
90557112	18.7	187
90557113	18.7, 19.2	185, 314
90557117	18.7, 19.2	187, 189, 193, 314
90557118	18.7, 19.2	187, 189, 314

PART NUMBERS INDEX CONTINUED

PART NO.	CH	PAGE
90557156	18.7, 19.2	191, 316
90557167	18.7, 19.2	191, 316
90557168	18.7, 19.2	191, 316
93201051	18.7	187, 189, 191, 193
93201055	18.7	185, 187, 189, 191, 193
93400506	18.7	185, 187, 189, 191, 193
99510003	18.6	165, 169, 173, 179, 183
99510004	18.6	169, 173, 179
99513007	18.6	165, 167, 169, 173, 177, 181
99513008	18.6	165, 169, 173, 177, 181
99513009	18.6	167, 183
99526000	18.6	165, 183
99526002	18.6	169, 173, 179
99527002	18.6	167, 181, 183
99527004	18.6	165, 167, 169, 173, 177, 181
99528001	18.6	169, 173, 177
203160600	18.2, 19.1	89, 93, 97, 313
0203169000	18.2, 19.1	85, 89, 93, 97, 313
237021802	18.2, 20.1, 20.2	97, 105, 330, 334
0237021802	18.2, 20.2	97, 105, 334
0237228302	18.2, 20.1, 20.2	85, 89, 93, 105, 330, 334
237228302	18.2, 20.1, 20.2	85, 89, 93, 105, 330, 334
0243120400	18.2	91
243122500	18.2	87, 91, 95, 99
0250234980	18.2	105
0250709500	18.2	101
0250709600	18.2	101
0252207412	18.2	85, 87, 89, 91, 93, 95, 97, 99, 105, 107
0252733380	18.2, 18.6	87, 91, 95, 99, 101, 165, 169
0254012507	18.2, 18.4	85, 89, 93, 97, 107, 135, 137, 139, 141, 143, 145, 147, 149, 151
0254013101	18.2	87, 91, 95, 99
0262016101	18.2	87, 91, 95, 99
0308474430	18.2	107
0311323010	18.2	87, 91, 95, 99
0313841014	18.2	107
0313841174	18.2	85, 89
0313841194	18.2	107
0313844084	18.2	93, 97
0314525380	18.2	107
0316435010	18.2	87, 91, 95, 99
0316435020	18.2	87
0317903080	18.2	101
0326015010	18.2	85, 89, 93, 97
0328095020	18.2	101
0328095030	18.2	101
0328154180	18.2	87, 91, 95, 99
0331031380	18.2	105
0332031270	18.2	85, 89, 93, 97
0332034530	18.2	87, 91, 95, 99
0334012230	18.2	101
0334012240	18.2	101
0334014190	18.2	105
0334015270	18.2	85, 89, 93, 97
0334102180	18.2	85, 91, 93, 97
0334105050	18.2	87
0508212830	18.2	97
0508213180	18.2	93
0508213190	18.2	91, 93
0508213240	18.2	97
0508213590	18.2	85, 91
0511396050	23.2	351
0513939510	18.2	101
0513939520	18.2	93, 97, 101
0513939580	18.2	85, 89, 101
0514525070	18.2	107
0514525460	18.2	107
0532714010	18.2	87, 91, 95, 99
0532714020	18.2	87, 91, 95, 99
0532714030	18.2	87, 91, 95, 99
0532714050	18.2	87, 91, 95, 99
0532714060	18.2	87, 91, 95, 99
0532714070	18.2	87, 91, 95, 99
0532714080	18.2	87, 91, 95, 99
0532714090	18.2	87, 91, 95, 99
0532714100	18.2	87, 91, 95, 99
0532714110	18.2	87, 91, 95, 99
0532714120	18.2	87, 91, 95, 99
0532714140	18.2	87, 91, 95, 99
0532714180	18.2	87, 91, 95, 99
0532714190	18.2	87, 91, 95, 99
0532714200	18.2	87, 91, 95, 99
0532714210	18.2	87, 91, 95, 99
0534830050	18.2, 18.9	87, 91, 95, 213
0537544308	18.2	109
0537544318	18.2	109
0537544328	18.2	109
0537544458	18.2	109
0537544468	18.2	109
0537544478	18.2	109
0539726030	18.2	87, 91, 95, 99
0542942560	18.2, 19.2	85, 101, 316
0542942570	18.2, 19.2	85, 89, 101, 315

PART NUMBERS INDEX CONTINUED

PART NO.	CH	PAGE
0542942580	18.2, 19.2	93, 97, 101, 315
0542943650	18.2	85, 89, 101
0542943660	18.2	85, 89, 101
0542943690	18.2	93, 97, 101
0580109730	18.2	85, 89
0580109740	18.2	85, 89
0580121320	18.2	93, 97
1010036802	18.11	263
1010044500	18.11	261
1043026101	18.11	257, 265, 271
1043032700	18.11	257, 263
1043032800	18.11	257, 263
1097000800	18.11	271
1097001100	18.11	257, 263
1331017700	18.11	255, 263
1331020400	18.11	255
1345000703	18.11	253, 261
1345003000	18.11	253, 261
1345100502	18.11	253
1345100901	18.11	261
1350008610	18.11	259, 267
1350008800	18.11	267
1350008810	18.11	259
1402006401	18.11	255, 263
1402006501	18.11	255, 263
1402007101	18.11	255, 263
1402007201	18.11	255, 263
2010043701	18.11	263
2010043801	18.11	263
2043028900	18.11	257, 265
2043029000	18.11	257, 265
2183075101	18.11	253, 261
2183075201	18.11	253, 261
2183075301	18.11	253, 261
2183075401	18.11	253, 261
2183075500	18.11	253, 261
2183075600	18.11	253, 261
2183082502	18.11	269
2183082602	18.11	269
2183082701	18.11	269
2183082801	18.11	269
2183083000	18.11	269
2183083100	18.11	269
2183083200	18.11	269

PART NO.	CH	PAGE
2237007001	18.11	257, 265
2237007101	18.11	259, 265
2237007201	18.11	259
2237008001	18.11	259
2350009701	18.11	267
2350009801	18.11	267
2350012600	18.11	267
2350020000	18.11	267
2350020100	18.11	265
2376002600	18.11	255
2376002700	18.11	263
2376008400	18.11	269
2376008500	18.11, 20.2	269, 336
2376502600	18.11, 20.1	255, 331
2376507000	18.11, 20.2	269, 336
2376507100	18.11, 20.2	269, 336
2376507200	18.11, 20.2	269, 336
3044105400	18.11	271
3155104800	18.11	261
3155108600	18.11	261
3155108700	18.11	253
3228002700	18.11	257, 265
3228002900	18.11	247, 249, 251, 257, 265
3228103300	18.11	271
3228104200	18.11	271
3341280210	18.11	269
4141000300	18.11	257, 265
4177301000	18.11, 19.1	253, 261, 313
4208200100	18.11	253, 261
4247401280	18.11	257
4247404080	18.11	259, 263, 255
4342000460	18.11	257, 265
4342004710	18.11	255, 263
4343100788	18.11	257, 265
4343105388	18.11	269
4343203488	18.11	255, 263
4343203700	18.11	257, 265
4343280310	18.11	271
4343500888	18.11	257, 265, 271
S-31623	18.3	113, 115, 117, 121, 123, 133

PART NO.	CH	PAGE
T03-1201HD	17.2, 17.3, 17.4, 17.6, 24.2	35, 39, 45, 51, 53, 57, 73, 354
T03-1401AU	17.4, 17.6	47, 55, 71
T03-1401HD	17.2, 17.3, 17.4, 17.6, 24.2	33, 37, 43, 47, 51, 53, 55, 71, 355
″ T03-1120″	17.4, 24.1	51, 353
0203169K1T	18.2	85, 89, 93, 97
0311302060TS	18.2	85, 89, 97
0328136140AL2	18.2	107
0328136140AL2US	18.2	107
'0334102180	18.2	85, 91, 93, 97
0650-00	17.5, 24.3	69, 357
10430261015	18.11	271
11012001005	18.11	253, 261, 269
11230001015	18.11	269
12846052005	18.12	274
14020069015	18.11	255, 263
1R11-866	18.9	227, 231, 235, 239
1R12-352	18.10, 19.2	243, 245, 314
2010042901M	18.11	255
2010043001M	18.11	255
2010045300M	18.11	253, 263
2010045400M	18.11	255, 263
21222230PK10	18.6	167, 173, 177, 179, 181, 183
21222923PK50	18.6	165, 173, 177, 183
21227883L	18.6	169, 173
21227883R	18.6	169, 173
22370080015	18.11	271
22370081015	18.11	271
22370082015	18.11	271
29.5254.1	18.9	213
29-4028.A	18.9	201, 205
29-4029.A	18.9	201, 205
29-5003	18.9	225
29-5007	18.9	233

PART NUMBERS INDEX CONTINUED

PART NO.	CH	PAGE
29-5014	18.9	203, 207, 209, 213, 217, 227, 231, 235, 239
29-5014.A	18.9	203, 207
29-5014-4.B	18.9	227, 231, 235, 239
29-5017	18.9	221
29-5027.G	18.9	233
29-5031	18.9	217, 221
29-5031.C	18.9	201, 203, 205
29-5031-7.A	18.9	227, 231, 235, 239
29-5032-1	18.9	201
29-5032-2	18.9	203
29-5036	18.9	209, 215, 217, 221
29-5036.A	18.9	203, 207
29-5037-1	18.9	209, 217
29-5037-A	18.9	203, 207
29-5040.C	18.9	203, 207
29-5041.C	18.9	203, 207
29-5043.A	18.9	203, 207
29-5044	18.9	211, 215, 219, 223
29-5044.A	18.9	203, 207
29-5045	18.9	211, 215, 219, 223
29-5045.A	18.9	203, 207
29-5046	18.9	211, 215, 219
29-5046.A	18.9	203, 207
29-5050-2	18.9	211, 215, 217, 223
29-5053-4	18.9	211, 215, 217, 221
29-5064	18.9	211, 219
29-5064.B	18.9	207
29-5065	18.9	211, 215, 219, 223
29-5071.A	18.9	207
29-5071.C	18.9	203, 207
29-5071-2.A	18.9	230, 231, 235, 239
29-5086	18.9	221, 229
29-5086-E	18.9	229, 237
29-5094.A	18.9	203
29-5094-4.A	18.9	227, 231, 235, 239
29-5094-A	18.9	207
29-5099.A	18.9	203, 207

PART NO.	CH	PAGE
29-5145-2	18.9	209, 213, 217, 221
29-5147-1	18.9	211, 215, 219, 223
29-5147-1A	18.9	225, 229, 233, 237
29-5167-1.F	18.9	235, 239
29-5169-1.G	18.9	225, 229, 233, 237
29-5169-2.G	18.9	225, 233, 237
29-5171-1.D	18.9	225, 229, 233, 237
29-5171-2.D	18.9	225, 229, 233, 237
29-5172-1.D	18.9	225, 229, 233, 237
29-5172-2.D	18.9	225, 229, 233
29-5210	18.9	203, 215, 221
29-5210.A	18.9	207
29-5211	18.9	215, 223
29-5211.A	18.9	203, 207
29-5327-3.A	18.9	233, 237
29-5327-4.A	18.9	233, 237
29-5329	18.9	211, 215, 219, 223
29-5330	18.9	209, 213, 217, 221, 225, 229, 235, 239
29-5333-3.A	18.9	225, 229
29-5333-3L	18.9	213
29-5333-3R	18.9	209, 213
29-5333-4.A	18.9	225, 229
29-5333-R	18.9	209
29-5339-1	18.9	209, 213, 217, 221
29-5339-1.A	18.9	225, 229, 235, 239
29-5342-1.C	18.9	225, 229, 233, 237
3155102701S	18.11	253
3155103501S	18.11	253
3228104100S	18.11	271
3229003100S	18.11	257, 265
3341104819S	18.11	253, 261, 269

PART NO.	CH	PAGE
4141000600S	18.11	269
4177301000S	18.11	313
4177302800S	18.11	269
4247400780S	18.11	271
4247402280S	18.11	253, 261, 269
4247404410S	18.11	269, 271
4247404710S	18.11	271
4331502900S	18.11	269
4343103688S	18.11	271
4343104888S	18.11	253, 261, 269
4343280210S	18.11	269
4343280410S	18.11	271
4405207100S	18.11	253, 261
49CSM12175070	18.13	289
49FWH5/8	18.13	299, 303
49FWM12	18.13	173, 299, 303
49HB1/2UNC1.50	18.13	303, 309
49HB5/8UNC3.25	18.13	299, 303
49HBM12175030	18.13	299, 289, 293, 299
49HBM12175055	18.13	293
49HBM12175065	18.13	293
49HBM24300100	18.13	307
49LNM12	18.13	173, 289, 293
49LNM24	18.13	309
49LNM30	18.13	307, 309
49LNT1/2UNC	18.13	305, 309
49LNT3/4UNF	18.13	305, 309
49SHM12175080	18.13	289
49SW1/2	18.13	303, 309
49SWM12	18.13	289, 293, 299, 303
57977-103	18.13	121, 125
59-5045.A	18.9	203, 207
60502-000-P	18.13	121, 125
61506225/01	18.13	289, 295
61506225/02	18.13	289, 295
61506470/30	18.13	289, 295
61610065/06	18.13	303
61610067/1	18.13	305
61610196/01	18.13	303, 305

PART NUMBERS INDEX CONTINUED

PART NO.	CH	PAGE
61610196/02	18.13	303
61610197/01	18.13	303
61610197/02	18.13	303
61610197/06	18.13	309
61610197/07	18.13	309
61610400/01	18.13	307
61610400/02	18.13	307
61610404/01	18.13	307
61610414/1/01	18.13	307
61610414/1/02	18.13	307
61610414/2/01	18.13	307
61610414/2/02	18.13	307
61610414/3/01	18.13	307
61610414/3/02	18.13	307
61610414/4/01	18.13	307
61610414/4/02	18.13	307
61610442/B0GE	18.13, 20.1	307, 332
61786866/1570	18.13	289
61787805/3	18.13	295
61787805/5	18.13	295
61787805/6	18.13	295
61SB506245/290	18.13	293
61SB506247	18.13	307, 309
61SB610365/01	18.13	297, 301
61SB610365/02	18.13	297, 301
61SB610366	18.13	297, 301
61SB610477	18.13	307, 309
61SB786154	18.13	291
61SB786155	18.13	291
61SB786157	18.13	297, 303
61SB787801	18.13	293
7052-25-2671	18.4, 18.5, 18.9, 20.2	135, 137, 139, 141, 143, 145, 147, 149, 151, 155, 159, 201, 205, 209, 213, 217, 221, 227, 231, 235, 239, 335, 336
88-1564	18.13, 20.1, 20.2	297, 301, 332, 337
90-2024SP1	18.2, 19.1, 20.2	97, 313, 334
90-2319SP1	18.2, 20.1, 20.2	113, 335
90-2396SP1	18.3, 18.10, 20.1, 20.2	113, 117, 243, 245, 330, 331, 335, 336
90557168	18.7, 19.2	191, 316
91-2207	18.2, 20.1, 20.2	85, 89, 93, 330, 331, 334
91-2227	18.4	135, 137, 139, 141, 143
91-2400	18.4, 18.9, 20.2	141, 205, 209, 213, 221, 335
91-2542	18.13, 20.1, 20.2	287, 332, 337
91-2641SP1	18.3	121
91-2756	18.13, 20.1, 20.2	293, 307, 332, 337
98111-103	18.3, 18.3	121, 127
98690-001	18.3	133
98734-101	18.3	117, 131
98918-001	18.3	113, 117, 121, 125
98918-002	18.3	121, 125
98941-006-8P	18.3, 20.2	113, 115, 117, 121, 125, 127, 129, 335
99-3108	18.9	211, 215, 219, 223, 225, 229, 233, 237
A-13123L-8P	18.3	131
A-20031	18.3	113, 117
A-20033P	18.3	113, 115, 117
A-31624	18.3	113, 115, 117, 121, 125, 133
A-4084	18.3, 20.1, 20.2	129, 330, 335
A-6914	18.3	113, 117, 129, 131
AS0001	18.2	85, 89, 93
AS0002	18.2	85, 89, 93, 105
AS0025/4310	18.2	85, 89, 93
AS0025/4540	18.2	85, 89, 93
AS-0191	18.2	85, 89, 93, 97
AS3046A	18.12	281
B-11613-2P	18.3	113, 115, 117, 121, 125, 127, 129, 131
B-2066	18.3, 18.8, 19.2	129, 197, 316
B-20701	18.3	113, 115, 119
B-20905	18.3	123, 127
B-2770-2P	18.3	113, 117, 129, 131
B-3647-1	18.3	131
B-3647-2	18.3	131
B-3830	18.3, 18.8, 19.2	113, 197, 317
B-4771	19.2	317
C-20069	18.3	119
C-20124	18.3, 19.2	113, 319, 319
C-20127	18.3, 19.2	115, 317
C-20335-1	18.3	113
C-20335-2	18.3	113
C-20901	18.3, 19.2	121, 317
C-20924	18.3	113, 115, 117, 121, 125, 133
C-20925	18.3	113, 115, 117, 121, 125, 133
C-21784	18.3, 19.2	121, 317
C-21824	18.3	113, 115, 117, 121, 125, 129, 131
D-20186-1	18.3	117
D-20186-2	18.3	117
E-1166	17.5, 24.2	59, 63, 355
E-1967	24.2	355
E-1968	24.2	355
E-1969	24.2	355
E-2843	24.3	357
E-3978	24.3	357
FW68-0502L	17.2, 17.6, 23.1	33, 39, 71, 349
FW68-0502R	17.2, 17.6, 23.1	33, 39, 71, 349

PART NUMBERS INDEX CONTINUED

PART NO.	CH	PAGE
HW48248AUS	17.4	53, 57
K041-578-300	17.4, 17.5	57, 59, 63, 67
K041-578-450	17.5	69
K041-578-500	17.5	69
K041-578-550	17.4	47, 57
K041-701-550	17.2, 17.5, 24.2	33, 37, 67, 354
K169-143-080CA	17.2, 17.5 17.6	35, 39, 61, 63, 71, 73
K169-143-108CA	17.4, 17.5	47, 57, 59, 63, 67, 69
K169-143-144CA	17.2, 17.4, 17.5, 24.2	33, 37, 47, 67, 354
K169-143-164CA	17.4, 24.2	51, 354
KH10147	20.1, 20.2	331, 336
KH17300	20.1, 20.2	331, 336
KH337	18.5	155, 159
KH600003/380	17.2, 23.1	37, 349
KH600003/395	17.2, 23.1	33, 349
KH600003/470	17.2, 23.1	33, 37, 39, 349
KH600003/495	17.2, 17.6, 23.1	33, 71, 349
KH600003/565	17.2, 17.6, 23.1	33, 71, 349
KH600006/415	17.2, 17.6, 23.1	35, 71, 349
KH600012	17.2	33
KH600013	17.2	33
KH600014	17.2	33, 41
KH600066	17.2	33
KH690007	17.2, 17.6, 24.3	35, 39, 73, 357
KH690010	17.2, 17.6, 24.3	35, 39, 73, 357
KH690020	17.1	35, 39, 73, 357
KH690025	17.1	35
KH690027	17.2, 17.6	35, 39, 73
KH690036	17.1	37
KH690037	17.2	37
KH690038	17.2	41
KH690089	17.2	37
KH900026	17.2	33
KH900032	17.2	33
KHAS003	18.5	159
KHAS009	18.5	155, 161
KHAS010	18.5	155, 159
KHAS011-W	18.5	155, 161
KHAS012	18.5	159
KHAS015	17.1	155, 159
KHAS018	17.1	157, 161
KHAS020	18.5	155
KHAS024	18.5	159
KHAS025	18.5	157
KHAS028	18.5	157
KHAS029	18.5	159
KHAS033-380F	18.5	159
KHAS033-380FDS	18.5	159
KHAS033405F	18.5	155, 159
KHAS033405FDS	18.5	155, 159
KHAS033-430F	18.5	159
KHAS034	18.5	155, 159
KHAS036-2	18.5	155, 161
KHAS039AL	18.5	157, 161
KHAS039AR	18.5	157, 161
KHAS041	18.5	155, 159
KHAS043	18.5	155
KHAS046	18.5	157, 161
KHAS046-2	18.5	161
KHAS046-5	18.5	161
KHAS046-6	18.5	161
KHAS047-1	18.5	155, 159
KHAS050250F	18.5	155
KHAS054-1	18.5	155, 159
KHAS057	18.5	155, 159
KHAS058BKT	18.5	155, 159
KHAS075	18.5, 18.9	155, 159, 219
KHAS-11-070	18.5	157, 161
KHAS-9-080	18.5	157, 161
M12X110X1.75	18.5	157
M12X4X2.5	18.5	157
P1075	18.13, 20.1, 20.2	297, 299, 332, 337
P185	18.13, 20.1, 20.2	287, 331, 332, 337
P42052	18.13	297
P52449	18.13, 20.1, 20.2	287, 332, 337
PDB390K3	18.13	287
S-20886	18.3, 20.1, 20.2	131, 330, 335
S-20889	18.3, 20.1, 20.2	117, 127, 332, 335
S-21099-4P	18.3	113, 115, 117, 121, 125
S-21140	18.3	113, 115, 119
S-21208	18.3, 18.8, 19.2	117, 199, 314, 318
S-21699	18.3, 20.1, 20.2	113, 212, 127, 331, 335
S-21800	18.3	127
S-22302-6	18.3	123
S-22510-1	18.3	123, 127
S-22510-2	18.3	123
S-22510-3	18.3	123
S-22619	18.3	121, 125
S-22630	18.3	121, 127
S-22631	18.3	121
S-22632	18.3	121
S-23086-10	18.3	115
S-23086-5	18.3	115
S-23294	18.3	125
S-23611	18.3, 19.2	125, 315
S-23612	18.3, 19.2	125, 315
S-23721	18.3, 19.2	125, 127, 315
S-23743	18.3, 20.1, 20.2	115, 330, 335
S-23744	18.3, 20.1, 20.2	115, 330, 335
S-24021	18.3	121
S-24023	18.3, 20.1, 20.2	113, 125, 331, 335
S-24024	18.3	115
S-24186-1	18.3	115
S-24186-2	18.3	115
S-24579	18.3, 20.1, 20.2	125, 330, 335

PART NUMBERS INDEX CONTINUED

PART NO.	CH	PAGE
S-24757	18.3	125
S-26824	18.3	117
S-27614-1	18.3	117
S-27614-2	18.3	117
S-28400-1L	18.3	127
S-28400-1R	18.3	127
S-31622	18.3	127
S-31623	18.3	113, 115, 117, 121, 125, 133
S-31625	18.3	113, 115, 117, 121, 125
S-31628	18.3	127
S-3646	18.3	113, 117, 129, 131
SA005TRP	18.10, 20.1, 20.2	243, 245, 330, 331, 336
SA007TRP	18.13, 20.1, 20.2	301, 331, 332, 337
SA009TRP	18.13, 20.1, 20.2	293, 331, 332, 337
SA013TRP	18.2, 20.1	97, 330
SA014TRP	18.2, 20.1, 20.2	85, 89, 93, 330, 331, 334
SAF2924V	18.11	249, 251
SP1302AU	23.2	350
T03-0331	24.2	354
T03-0505	17.2, 17.5, 17.6	35, 39, 61, 63, 73
T03-0506	17.2, 17.2, 17.6	35, 39, 71
T03-0542943350	19.2	316
T03-0542943360	19.2	315
T03-0542943420	19.2	315
T03-1097	18.13, 19.1	287, 293, 313
T03-1101	17.2, 17.3, 17.4, 17.6, 24.1	35, 39, 45, 57, 73, 352
T03-1101-M	17.2, 17.3, 17.4, 17.6, 24.1	35, 39, 45, 57, 73, 352
T03-1101-P	17.2, 17.3, 17.4, 17.6, 24.1	35, 39, 45, 57, 73, 352
T03-1101SP	17.2, 17.3, 17.4, 17.6, 24.1	35, 39, 45, 57, 73, 352
T03-1102	24.1	352
T03-1104	24.1	352, 357
T03-1105	17.4, 24.1	51, 352
T03-1106	17.4, 24.1	51, 53, 352
T03-1107	17.4, 24.1	51, 53, 352, 353
T03-1111	18.11, 19.1	247, 249, 251, 313
T03-1112	18.2	85, 89, 93, 97
T03-1115	17.7, 24.1	75, 353
T03-1115P	17.7, 24.1	75, 353
T03-1120	17.7, 24.1	51, 352, 353
T03-1122	18.6	169
T03-1123	18.8	197, 199
T03-1124	18.8	197, 199
T03-1127	18.7	185, 187, 189, 193
T03-1128	18.7	187, 189, 191, 193
T03-1134	24.1	67, 353, 357
T03-1134HD	24.1	67, 353, 357
T03-1140	18.9	201, 205, 211, 215, 217, 223, 225, 229, 233, 237
T03-1141	18.9	201, 205
T03-1142	18.9	201, 205, 211, 215, 217, 223, 225, 229, 233, 237
T03-1144	18.9	201, 205
T03-1145	18.9	201, 205, 211, 215, 219, 223
T03-1146	18.9	201, 205, 211, 215, 219, 223, 227, 231, 235, 239
T03-1147	18.9	201, 205, 211, 215, 219, 223
T03-1151	24.3	357
T03-1152	17.4	47
T03-1193	17.5	69
T03-1195-C	17.5, 24.3	69, 357
T03-1196	24.3	61, 63
T03-1198	17.5	61
T03-1201AU	17.2, 17.3, 17.4	35, 45, 53, 57
T03-1201HD	17.2, 17.3, 17.4	35, 45, 53, 57
T03-1203	17.5	61, 63
T03-1204	24.2	354
T03-1205	17.4, 24.2	47, 354
T03-1206	17.4, 24.2	47, 354
T03-1209	17.5, 24.2	69, 354
T03-1210	17.5, 24.2	69, 354
T03-1211	17.5	69
T03-1223	17.2, 17.3, 17.4, 17.6, 24.2	35, 39, 45, 57, 73, 354
T03-1231	24.2	355
T03-1245	18.13	287, 293
T03-1248	18.13	297, 301
T03-1249	18.13	297, 301
T03-1250	18.13	287, 289
T03-1251	18.13	293
T03-1252	18.1	243
T03-1256	18.1	243
T03-1258	18.1	243
T03-1259	18.1	243
T03-1260	18.11	247, 249
T03-1261	18.11	247, 249, 253, 261
T03-1262	18.11	247, 249, 252
T03-1263	18.11	247, 249, 251
T03-1264	18.11	247, 249, 251
T03-1271	18.6	169, 175, 177, 181
T03-1272	18.8	197, 199
T03-1273	18.8	197, 199
T03-1274	18.8	197, 199
T03-1275	18.8	197, 199
T03-1276	18.8	197, 199

PART NUMBERS INDEX CONTINUED

PART NO.	CH	PAGE
T03-1277	18.8	197, 199
T03-1278	18.8	197, 199
T03-1279	18.13	293
T03-1280	18.9	201, 205
T03-1281	18.13	289
T03-1301-M	17.2, 17.3, 17.4, 17.6, 23.1	33, 37, 43, 47, 55, 71, 349
T03-1301-P	17.2, 17.3, 17.4, 17.6, 23.1	33, 37, 43, 47, 55, 71, 349
T03-1301SP	17.2, 17.3, 17.4, 17.6, 23.1	33, 37, 43, 47, 55, 71, 349
T03-1303	23.2	350
T03-1306	17.4, 23.2	51, 351
T03-1308-M	17.2, 17.5, 23.1, 23.2	33, 37, 67, 349, 350
T03-1308-P	17.2, 17.5, 23.1, 23.2	33, 37, 67, 349, 350
T03-1308-PST	17.1, 17.2, 17.3, 17.4, 17.5, 23.1, 23.2	33, 37, 67, 349, 350
T03-1313	17.1, 17.2, 17.3, 17.4, 17.5, 23.1, 23.2	51, 351
T03-1315	17.1, 17.2, 17.3, 17.4, 17.5, 23.1, 23.2	59, 63, 349, 351
T03-1316	17.5	67
T03-1317	17.5, 23.1	67, 349
T03-1319	17.5	67
T03-1320	17.5	67
T03-1329	17.5, 24.2	59, 63, 355
T03-1331	17.5, 23.1	59, 63, 349
T03-1332	17.5, 17.5	59, 63
T03-1333	17.5, 23.1	59, 349
T03-1334	17.5	59, 63
T03-1335	17.5	59, 63
T03-1336	17.5	59, 63
T03-1337	17.5	59, 63
T03-1338	17.5	59, 63
T03-1339	17.5	59, 67
T03-1366	17.5, 23.1	59, 63, 349
T03-1401AU	17.4, 17.6	47, 55, 71
T03-1401HD	17.2, 17.3, 17.4, 17.6, 24.2	33, 37, 43, 47, 51, 53, 55, 71, 355
T03-1405	17.5, 24.2	59, 63, 355
T03-1452	17.2, 17.3, 17.4, 17.6, 24.2	33, 37, 43, 47, 51, 53, 55, 71, 355
T03-2501047	18.4	135, 137, 139, 147, 149, 151
T03-2501107	18.4	147, 149, 151
T03-2501133	17.1, 17.2, 17.3, 17.4, 17.5, 23.1, 23.2	139, 141, 143
T03-2501177	18.4	149
T03-2501186	18.4	141, 143, 145
T03-2501186M	18.4	141, 143, 145
T03-2501186S	18.4	141, 143, 145
T03-2501187	18.4	137
T03-2501188	18.4	135, 139
T03-2501190	18.4	135, 137, 139, 141, 143, 145, 147
T03-2501192	18.4, 20.1, 20.2	135, 137, 139, 141, 143, 145, 147, 149, 151, 330, 335
T03-2501193	18.4, 20.2	135, 137, 139, 141, 143, 145, 147, 149, 151, 335
T03-2501194	18.4	141, 143, 145
T03-2501195	18.4	137, 149
T03-2501196	18.4	135, 139, 147, 151
T03-2501205	18.4	141, 143, 145
T03-2501211	18.4	141, 143, 145
T03-2501213	18.4	141, 143, 145, 147, 149, 151
T03-2501215	18.4	135, 143, 145, 147
T03-2501216	18.4	137, 139, 149, 151
T03-2501217	18.4	137, 139, 149, 151
T03-2501225	18.4	141, 143, 145
T03-2501226	18.4	137, 139, 141, 143, 145, 147, 149, 151
T03-2501227	18.4	135, 137, 139, 141, 143, 145, 147, 149, 151
T03-2501228	18.4	135, 137, 139, 141
T03-2501231	18.4	141, 143
T03-2501232	18.4	145
T03-2501233	18.4	135, 137, 147, 149, 151
T03-2501234	18.4	135, 137, 139, 141, 143, 145, 147, 149, 151
T03-2501235	18.4	135, 137, 139
T03-2501236	18.4	135, 137, 147, 149, 151
T03-2501238	18.4	135, 137, 139, 141, 143, 145, 147, 149, 151
T03-2501249	18.4	135, 137, 139, 141, 143, 145, 147, 149, 151

PART NUMBERS INDEX CONTINUED

PART NO.	CH	PAGE
T03-2501250	18.4	135, 137, 139, 147, 149, 151
T03-2501316	18.4	135, 137, 139, 141, 143, 145, 147, 149, 151
T03-2501318	18.4	135, 135, 137, 139, 141, 143, 145, 147, 149, 151
T03-2501471	18.4	147, 149, 151
T03-3307	17.5	59
T03-3308	17.5	59
T03-3309	17.5	59
T03-3310	17.5	63
T03-3311	17.5	63
T03-3312	17.5	67
T03-3313	17.5	67
T03-3315	17.5	67
T03-3338	17.4	51
T03-3363	18.13	295
T03-3364	18.13	295
T03-3365L	18.13	299
T03-3365R	18.13	299
T03-3366L	18.13	303
T03-3366R	18.13	303
T03-3367L	18.13	303
T03-3367R	18.13	303
T03-3368L	18.13	303
T03-3368R	18.13	303
T03-4001	18.10, 20.1, 20.2	243, 245, 331, 336
T03-4002	18.13, 20.2	287, 293, 295, 337
T03-4004	18.4, 18.9, 20.2	135, 137, 139, 141, 143, 145, 147, 149, 151, 201, 205, 335, 336
T03-4005	18.13	287, 293
T03-4007	18.11, 20.1, 20.2	249, 331, 336
T03-4008	18.11, 20.1, 20.2	247, 331, 336
T03-4009	18.11, 20.1, 20.2	251, 263, 331, 336
T03-4010	18.13	287, 293
T03-4011	18.13, 20.1, 20.2	287, 332, 337
T03-4012	18.13, 20.1, 20.2	287, 332, 337
T03-4013	18.13, 20.1, 20.2	293, 332, 337
T03-4014	18.13, 20.2	287, 337
T03-4014S	18.13	287
T03-4015	18.13, 20.2	297, 337
T03-4023	18.13, 20.2	301, 337
T03-4023B	18.13, 20.2	301, 337
T03-4024	18.8, 18.13, 20.2	197, 199, 301, 335
T03-4025	18.8, 20.1, 20.2	197, 331, 335
T03-4031	18.9	203
T03-4032	18.9	203
T03-5505	17.2, 17.3, 17.4, 17.6, 24.2	33, 35, 37, 39, 43, 45, 47, 51, 53, 55, 57, 71, 73, 354
T03-610052	18.13, 20.1, 20.2	297, 301, 332, 337
T03-61610205	18.13	299, 303
T03-7307	17.4	47, 57
T03-7315	17.5	61, 63
T03-7316	17.5	61
T03-7317	17.5	61
T03-7318	17.5	65
T03-7319	17.5	69
T03-7320	17.5	69
T03-7321	17.5	69
T03-7322	17.5	69
T03-7323	17.5	69
T03-7324	17.5	69
T03-7332	18.9	205
T03-7333	18.9	207
T03-7334	17.5	69
T03-7338	17.2, 17.3, 17.6	35, 45, 73
T03-7340	18.9	201, 205
T03-7350	18.13	287
T03-7351	18.13	287
T03-7352	18.13	293
T03-7352P1N	18.13	293
T03-7352W	18.13	293
T03-7353T	18.13	299
T03-7355L	18.13	297
T03-7355R	18.13	297
T03-7357L	18.13	297
T03-7357R	18.13	297
T03-7359L	18.13	301
T03-7359R	18.13	301
T03-7360	18.9	203, 207
T03-7361L	18.13	303
T03-7361R	18.13	303
T03-7366	18.9	201, 205, 221
T03-7368	18.9	205, 213
T03-7369	18.9	205, 209, 217, 221
T03-7370	18.9	201, 229, 237
T03-7371	18.9	201
T03-7372	18.6	169, 179
T03-7373	18.6	181
T03-7378L	18.1	243
T03-7378R	18.1	243
T03-7401AU	17.3, 21.1	45, 339
T03-7410AU	17.2, 17.6, 21.1	35, 41, 73, 339
T03-7411AU	17.2, 21.1	35, 41, 339
T03-7415AU	17.2, 21.1	35, 41, 339
T03-7418AU	17.2, 21.1	35, 41, 339
T03-7438AU	17.4, 21.1	49, 53, 57, 339
T03-7438HDAU	17.4, 21.1	49, 53, 57, 339
T03-7458	17.5	61, 65
T03-7462	17.5	69
T03-7463	17.5	69
T03-7481	17.5	69
T03-8001	17.6	73
T03-8003	17.5	61
T03-8006	17.5	69
T03-8016	18.9, 18.9, 18.9, 18.9	205, 209, 213, 217

PART NUMBERS INDEX CONTINUED

PART NO.	CH	PAGE
T03-8020	17.4, 17.4, 22.2	53, 57, 345
T03-8051	17.2, 17.3, 17.4, 17.5, 17.6, 22.2	35, 41, 45, 49, 61, 65, 69, 73, 345
T03-8052	17.2, 17.3, 17.4, 17.5, 17.6, 24.2	33, 35, 37, 41, 45, 47, 49, 61, 65, 69, 73, 355
T03-8073	18.9	201, 205, 209, 213, 217, 221, 225, 229
T03-8073AU	18.9	225, 229
T03-8074	18.9	201, 205
T03-8075	18.13	293
T03-8076	18.13	289, 293
T03-8077	18.13	289
T03-AS0006	19.2	317
T03-AS0007	18.8	199
T03-AS0008	18.8	199
T03-AS0009	19.2	317
T03-AS0028	19.2	317
T03-AS0030	19.2	318
T03-AS0032	18.6	169, 177
T03-AS2501-B	18.13, 19.2	297, 301, 315
T03-AS2502-B	18.13, 19.2	297, 315
T03-AS3052-A	18.6, 18.9	169, 201, 205
T03-AS3115-A	18.9	227, 231, 235, 239
T03-AS3125-A	18.6	161
T03-AS3186-A	19.2	318
T03-AS3187-A	18.13	309
T03-AS3233-A	18.6, 18.13	165, 287
T03-AS506324	18.13	289
T03-AS610121	18.13	301
T03-AS787820	18.13	293
T03-C-20010	19.2	318
T03-C-20124	19.2	318
T03-RS1070	18.13	289
T03-RS1170	18.13	289
T03-RS1270	18.13	289
T03-RS1370	18.13	289
T03-RS970	18.13	289
T03-RSFB01	18.13	299, 303
T03-RSFB02	18.13	299, 303
T03-RSFB03	18.13	299, 303
T03-RSFB04	18.13	299, 303
T03-UBA-135	17.5, 22.2	69, 345
T03-UBB-10AU	17.5, 22.2	65, 345
T03-UBB-125AU	17.2, 17.3, 17.5, 17.6, 22.2	35, 41, 45, 61, 73, 345
T03-UBB-135AU	17.5, 22.2	69, 345
T03-UBD-145AU	17.4, 22.2	49, 345
T03-UBF-135AU	17.4, 22.2	57, 345
T03-UBF-145AU	17.4, 22.2	57, 345
TRP21221307	18.4, 18.6, 18.9, 22.2, 19.2	135, 137, 139, 147, 149, 151, 177, 209, 213, 217, 221, 227, 231, 235, 239, 316, 316
TRP8027	18.4	141, 143, 145
TWT1315	23.2	351
WB001M24B064	18.12	275, 277
WB001M24B077	18.12	281, 283
WC17297	20.1, 20.2	331, 336
WC234264	18.4, 18.12, 19.1	135, 137, 139, 141, 143, 145, 147, 149, 151, 275, 277, 281, 283, 313
WC270602	18.12, 18.12	275, 277, 283
WC270614	18.12	281, 283
WC275126	18.12	275, 277, 281, 283
WC275128	18.12	275, 277, 281, 283
WC275603	18.12	281, 283
WC275612	18.12	275, 277
WC281082	18.12	285
WC290140	18.12	275, 277, 281, 283
WC300657	18.12	275, 277, 281, 283
WC300951	18.12	275, 277, 281, 283
WC301348	18.12	275, 277, 281, 283
WC330021	18.12	275, 277, 281, 283
WC330063	18.12	275, 277, 281, 283
WC401227D	18.12	275, 277, 281, 283
WD8A91-2643W	18.12, 20.2	275, 277, 281, 283, 333, 336
WF001A037GE75	18.4	137
WF001A137DE75	18.6	283
WF001A137DG75	18.6, 18.12	175, 281
WF001A437HE75	18.12	277
WF001A437HG75	18.4, 18.12	147, 151, 275
WT1103	17.4, 24.1	47, 353
WUBM27N006ZN	18.12	275, 277, 281, 283
WUS07364F	18.12	275, 277, 281, 283
WUT001A45A285	18.12	279, 285
WUT001A45A310	18.12	275, 279, 281, 285
WUT001A45A335	18.12	279, 285
WUT001C45A285	18.12	275, 277, 283
WUT001C45A310	18.12	277, 281, 283
WUT001C45A335	18.12	277, 283
WUT003A19K	18.12	285
WUT003A24K	18.12	275, 277
WUT005001A73A	18.12	277, 283
WUT005A54A	18.12	275, 281
WUT006001A78A	18.12	275, 281
WUT006001L78A	18.12	277, 283
WUT006001R78A	18.12	277, 283
WUT009A09G	18.12	275, 277, 281, 283
WUT010A04K	18.12	275, 277, 281, 283
WUT010A06K	18.12	275, 277, 281, 283
WUT011A00E022	18.12	277, 285
WUT011A00E042	18.12	279, 285
WUT996A04B	18.12	275, 279, 281, 285
X1-250AXLE.1	18.3	121
XBAS0004	18.11	259, 267

NOTES

NOTES


NOTES

NOTES

NOTES

PACCAR PARTS

63 DEALERS AUSTRALIA WIDE



THE ALL NEW PRIVILEGES PLUS

BECOME A MEMBER & SAVE!
Sign up today at paccarparts.com.au/privileges



For more details, Freecall* 1800 PPARTS (772787)

*Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.

Visit paccarparts.com.au/find-a-dealer or scan the QR code to find the nearest dealer now!

PACCAR PARTS DEALERS

FIND YOUR NEAREST DEALER ON
paccarparts.com.au/find-a-dealer

VICTORIA	
TRP Ballarat	03 5339 5856
TRP Geelong	03 5274 2646
TRP Pakenham	03 8796 9155
TRP Somerton	03 9219 6601
TRP Warrnambool	03 5560 5477
TRP Peninsula	03 591 1 7223
Bayswater Truck Centre	03 8796 9999
GTC Kenworth DAF Bairnsdale	03 5152 1616
GTM Kenworth DAF Shepparton	03 5821 3977
Hallam Truck Centre	03 8796 9100
Kenworth DAF Melbourne	03 9396 9100
MTC Kenworth DAF Mildura	03 5051 2800
TCTC Kenworth DAF Wodonga	02 6049 8888
Kenworth DAF Morwell	03 5134 4383
TTS Kenworth DAF Swan Hill	03 5033 1372
Kenworth DAF Horsham	03 4310 5899

QUEENSLAND	
TRP Bundaberg	07 4153 1 849
TRP Cairns	07 4044 4400
TRP Emerald	07 4897 2000
TRP Roma	07 4578 8000
TRP Tolga	07 4095 4132
TRP Warwick	07 4598 3100
Brown & Hurley Kenworth DAF Caboolture	07 3385 4800
Brown & Hurley Kenworth DAF Darra	07 3363 8000
Brown & Hurley Kenworth DAF Mackay	07 4952 3722
Brown & Hurley Kenworth DAF Rockhampton	07 4923 8000
Brown & Hurley Kenworth DAF Toowoomba	07 4690 7300
Brown & Hurley Kenworth DAF Townsville	07 4758 4000
Brown & Hurley Kenworth DAF Yatala	07 3441 7000

WESTERN AUSTRALIA	
TRP Bibra Lake	08 9359 7480
CJD Kenworth DAF Albany	08 6820 2400
CJD Kenworth DAF Bunbury	08 9722 8100
CJD Kenworth DAF Geraldton	08 9960 8000
CJD Kenworth DAF Kalgoorlie	08 9080 0500
CJD Kenworth DAF Perth	08 9359 7400
CJD Kenworth DAF Port Hedland	08 9140 0200

NORTHERN TERRITORY	
CJD Kenworth DAF Alice Springs	08 8959 0500
CJD Kenworth DAF Darwin	08 8935 9100

NEW SOUTH WALES	
TRP Gosford	02 4964 0697
Kenworth DAF Broken Hill	08 8088 7777
Kenworth DAF Taree	02 6552 6733
Brown & Hurley Kenworth DAF Coffs Harbour	02 6648 2222
Brown & Hurley Kenworth DAF Kyogle	02 6632 0333
Brown & Hurley Kenworth DAF Tamworth	02 5778 2777
CTR Kenworth DAF Canberra	02 6297 3862
Gilbert & Roach Kenworth DAF Huntingwood	02 8825 3000
Gilbert & Roach Kenworth DAF Narellan	02 4647 7377
Gilbert & Roach Kenworth DAF Newcastle	02 4964 8641
Illawarra Truck Repairs & Spares	02 4274 9070
Inland Kenworth DAF Dubbo	02 6881 7900
Inland Kenworth DAF Griffith	02 6963 2900
Inland Kenworth DAF Orange	02 6394 9200
Inland Kenworth DAF Wagga Wagga	02 6932 9900
Suttons Kenworth DAF Arncliffe	02 9335 9080

SOUTH AUSTRALIA	
TRP Adelaide	08 8280 4800
TRP Port Lincoln	08 8682 1000
BMG Kenworth DAF Mt Gambier	08 8721 3400
Kenworth DAF Adelaide	08 8139 4000
Kenworth DAF Riverland – Berri	08 8582 2944
Kenworth DAF Bordertown	08 8752 0077

TASMANIA	
CJD Kenworth DAF Burnie	03 6431 7833
CJD Kenworth DAF Hobart	03 6262 6200
CJD Kenworth DAF Launceston	03 6345 4100

NEW ZEALAND	
TRP New Plymouth	0011 64 (6) 262 0009
TRP Gisborne	0011 64 (6) 261 5660
TRP Palmerston North	0011 64 (6) 222 3400
TRP Timaru	0011 64 (3) 264 6000
Southpac Trucks Kenworth Auckland	0011 64 (9) 262 3181
Southpac Trucks Kenworth Christchurch	0011 64 (3) 344 0252
Southpac Trucks Kenworth Hamilton	0011 64 (7) 222 2041
Southpac Trucks Kenworth Rotorua	0011 64 (7) 345 9761

PACCAR PARTS

VOLUME 3

Suspension

FREECALL* 1800 772 787 NOW
TO SPEAK TO YOUR LOCAL DEALER



TO VIEW THE DIGITAL VERSION OF THE PACCAR PARTS TRAILER CATALOGUE SCAN HERE!

For further information, visit our website:
www.paccarparts.com.au

Copyright ©2024 property of PACCAR Australia. Unauthorised reproduction in whole or part without our express written permission is strictly prohibited. Information and diagrams are provided for guidance only. PACCAR Australia reserves the right to alter product offerings and specifications at any time, without notice. PACCAR Australia makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic or typographic errors. Product designs vary across different vehicle makes and models, and installed components should be identified by part number before attempting repair or replacement. Products should only be replaced by a suitably trained and qualified technician/tradesperson.

* Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.

PACCAR Parts wishes to thank everyone for their tireless support in our joint effort to help our customers with accurate parts & service information!

EDITION 1 MAY 2024