TRP

TRUCK & TRAILER PARTS®

PRODUCT RANGE GUIDE 2023



INTRODUCTION

The ongoing success of the TRP® brand has meant we have been rapidly growing our product range to the point that the very successful TRP® Range Guide that was released in 2019 needed to be updated.

As such, PACCAR Australia is excited to bring you the 2023 TRP® Range Guide!

PACCAR has used this update as an opportunity to realign its focus to what is core to the TRP® Brand – affordable quality parts, backed by PACCAR, for maintaining older model and pre-owned Kenworth and DAF trucks, and trailers.

In doing this we've been able to add 187 new parts to this edition, including a fantastic range of TRP® Anti-Vibration bushes for truck and trailer applications.

PACCAR's focus is on you the customer, and we believe that new changes to the guide will make it even more user friendly, whilst still demonstrating the comprehensive range of parts the TRP® brand has to offer.

PACCAR Parts and TRP® have a comprehensive Dealership network spanning Australia, New Zealand and Papua New Guinea.

Whilst we continue to grow the TRP® brand, we anticipate the number of dedicated TRP® stores will increase as we strive for greater geographical coverage.

On behalf of PACCAR Parts Australia, we trust you find the TRP® Range Guide a valuable and useful tool for your business.



Best regards,

Damian Smethurst
General Manager
PACCAR Parts Australia

WHAT IS TRP?

TRP® is your truck and trailer parts partner who knows parts like you know the road.

A growing customer base worldwide are choosing TRP® Parts for their reliable range of quality, warranty-backed parts for older and pre-owned Kenworth and DAF trucks, and trailers.

To back our commitment to supplying reliable and proven products, we put our parts through rigorous testing to ensure they meet or exceed industry standards. Our growing loyal customer base stands testament to the trust they have in our brand. The dealer network for PACCAR Parts and TRP® spans Australia, New Zealand and Papua New Guinea, meaning parts availability is our strength.

We pride ourselves on both the quality of our parts, and on the quality of our people who bring with them a wealth of knowledge to help you find the part you need when you need it.

TRP®. Trusted. Reliable. Proven.

TRP® MINIMUM 12 MONTH / UNLIMITED KILOMETRE WARRANTY


PACCAR takes pride in offering a range of quality TRP® products to our customers. All products go through a rigorous process before they are released to market, ensuring that they are fit for purpose and made to survive Australia's tough environment.

If you do find fault with any of our TRP® products, then we have you covered with our TRP® Warranty, backed by PACCAR and a national network of parts and service professionals.

*For full terms & conditions, visit: **trpparts.com.au/warranty**



TRP
TRUCK & TRAILER PARTS



TRP
TRUCK & TRAILER PARTS

TABLE OF CONTENTS


ACCESSORIES 10


ANTI–VIBRATION 44


BRAKE SYSTEMS 54


CABIN & FRAME 138


CLEANING 182


DRIVELINE 200


ELECTRICAL 204


ENGINE 212


SUSPENSION & STEERING 230


WHEEL END 266

TRUCK & TRAILER PARTS

INDEX

ACCESSORIES

SEAT COVERS

DAF - CF, XF - PRE 2012	14
DAF - CF, XF - FROM 2012	14
DAF - LF - PRE 2015 SERIES	15
DAF - LF - FROM 2015 SERIES	15
ELDORADO - ROADPRO	16
EXTREME - HD	16
EXTREME - HD - NEXT GENERATION	17
HERITAGE - HD	17
ISRI - 6800/337	18
ISRI - 6860/870	18
ISRI - 6860/875	19
KAB - 554 - NO SEAT BELT	19
KAB - 554B - WITH SEAT BELT	20
KAB - GSX 3000	20

LIGHTING

LED SIDE MARKER LAMPS	23
LED MARKER LAMPS	24
LED ROOF MARKER LAMPS	25
LED INDICATOR LAMP	25
LED LICENCE PLATE LAMPS	26
LED REAR RECTANGULAR LAMPS	26
LED REAR LAMPS	27
LED INTERIOR LAMP	27
RETRO REFLECTORS	28
LED WORK LAMPS	28
BULB & FUSE SET	29
DAYTIME RUNNING LIGHT SET	29
LED DRIVING LIGHTS	30
ACCESSORIES & LIGHT BARS	31

SAFETY EQUIPMENT

RUBBER WHEEL CHOCK	33

CARGO CONTROL

CARGO CONTROL	35
TARP TIE DOWN RUBBER RINGS	36

SUZI COILS

AIR & ELECTRICAL CONNECTIONS	39

WHEEL ACCESSORIES

WHEEL NUT INDICATORS	41
PLASTIC NUT COVERS	41

STEERING WHEELS

STEERING WHEELS	43

ANTI–VIBRATION

TRUCK SUSPENSION, CABIN, HOOD & ENGINE MOUNTS

TRUCK SUSPENSION	47
TRUCK CABIN & HOOD	48
TRUCK ENGINE MOUNTS	49

TRAILER SUSPENSION & FIFTH WHEEL

TRAILER FIFTH WHEEL	51
TRAILER SUSPENSION	52

BRAKE SYSTEMS

AIR SYSTEMS

AIR VALVES	57
CHECK VALVES	58
DASH VALVES	59
DRAIN VALVES	60
FOOT VALVES	60
FRONT AXLE RATIO VALVE	61
GOVERNOR VALVE	61
INVERSION VALVE	61
STOP LIGHT SWITCH	62
SYNCHRO LOCK VALVE	62
TRACTION CONTROL VALVE	62
TREADLE VALVE	63
PRESSURE PROTECTION VALVES	63
QUICK RELEASE & RELAY VALVES	64
RELAY VALVES	65
SPRING BRAKE VALVES	66
SAFETY VALVES	67
SUSPENSION LEVELLING VALVES	67
TRACTOR PROTECTION VALVES	68
TRAILER CONTROL VALVE	68
BRAKE CHAMBERS	69
2424 COMBO WITH CLEVIS	70
2430 COMBO WITH CLEVIS	70
3030 COMBO WITH CLEVIS	71
3636 COMBO WITH CLEVIS	72

SLACK ADJUSTER

AUTO SLACK ADJUSTER	75

BRAKE DRUMS

BRAKE DRUMS	77

BRAKE HARDWARE

BRAKE HARDWARE KITS	81
GENERAL BRAKE HARDWARE	82
ROLLERS	83
S CAM BUSH KITS	84
S CAM WASHER KITS	85

BRAKE SHOES & HARDWARE KITS

21K GAWR	91
23K GAWR	93

DISC BRAKE PADS

DISC BRAKE PADS	101

DISC BRAKE ROTORS

DISC BRAKE ROTORS	131

TRUCK & TRAILER PARTS

INDEX

CABIN & FRAME

GLASS

SLEEPER GLASS & WINDSCREENS	141

INSULATION RANGE

INSULATION RANGE	143

MATTRESS

PREMIUM INNER SPRING MATTRESS	145
MATTRESS PROTECTOR	145

HEATING VENTILATION & AIR CONDITIONING (HVAC)

COMPRESSORS	147
RECEIVER DRYER	147
TX VALVES	148
CAB AIR FILTER	148
COMPACT PARKING AIR CONDITIONER	149
CAB FAN	149
HVAC HARDWARE PARTS	150
EVAPORATOR CORE	151

CABIN & HOOD MOUNTS

ANTI–VIBRATION	153

MIRROR RANGE

BLACK MIRROR HEADS	155
STAINLESS STEEL MIRROR HEADS	156
SPOTTER MIRRORS	157
WIDE ANGLE MIRRORS	158
BRACKETS, CLAMPS & REPLACEMENT GLASS	159

FUEL & OIL TANKS

FUEL TANKS	164
FUEL/OIL TANKS	168
OIL TANKS	169
PARTS & ACCESSORIES	170

WIPER SYSTEMS

TO SUIT KENWORTH	178
TO SUIT DAF	180

CLEANING

EQUIPMENT

WASH POLES	185
BRUSH HEADS	186
MICROFIBRE WASH PAD	186
EXHAUST STACK WASH BRUSH	186
WASH BRUSH	187
MICROFIBRE WASH MITT	187
BUG SPONGE	187
WASH SPONGE	187
SCOURER PAD	188
CHAMOIS	188
MICROFIBRE CLOTH	188
RAGS	189
BUFF BALL	189
FOAM CANNON	190
PRESSURE WASHER ADAPTORS	190

FLUIDS

ALL WASH	193
SUPER WASH	193
PREMIUM WASH	194
MULTI CLEAN	194
MEGA WASH	195
ARMOUR SHEEN	195
CRYSTAL CLEAN	196
WINDSCREEN WASH ADDITIVE	196
ENGINE CLEAN	197
BRAKE CLEAN	197
TYRE SHEEN	198
HANDS CLEAN	198
LIQUI-SHINE METAL POLISH	199
MULTI PURPOSE LUBRICANT SPRAY	199

DRIVELINE

AXLE SEALS

AXLE SEALS	202

ELECTRICAL

ALTERNATORS

ALTERNATORS	207

BATTERIES & ISOLATION SWITCHES

BATTERY MASTER SWITCH	209
MAINTENANCE FREE BATTERY	210

ENGINE

ADBLUE®

CLEANBLUE®	215

COOLANT

ALLCOOL	217

ENGINE MOUNTS

TRUCK ENGINE MOUNTS	219

EXHAUST

EXHAUST CLAMPS	221
FLAT EASY SEAL CLAMP	221
PREFORMED LAP CLAMPS	221
U–CLAMPS	221

FANS & FAN CLUTCHES

FAN CLUTCH REPAIR KIT	223

HOSE, FITTINGS & V–BELTS

POLY RIB BELTS	225
POLY V–BELTS	226

CHARGE AIR COOLERS & HUMP HOSES

CHARGE AIR COOLER	229
HUMP HOSE	229

TRUCK & TRAILER PARTS

INDEX

SUSPENSION & STEERING

AIR SPRINGS

TRUCK AIR SPRINGS	233
TRAILER AIR SPRINGS	235

BUSHINGS

TRUCK SUSPENSION	239
TRAILER SUSPENSION	240

MECHANICAL SPRINGS & HARDWARE

CENTRE BOLT & NUTS	243
LEAF SPRINGS	244
HARDWARE	246
TRAILER U–BOLTS (GRADE 5)	247

SHOCK ABSORBERS

KW FRONT	251
KW AIRGLIDE	252
HENDRICKSON	253
SAF (NEWAY)	255
TMC, YORK	256
SAF (HOLLAND)	257
MERITOR (ROR, FLEXAIR, RFS)	257
BPW	258

STEERING PARTS & HARDWARE

STEERING GEAR SEAL KIT	261
DRAGLINK END – HEAVY DUTY	262
REMAN STEERING COLUMN	263
REMAN STEERING GEARS	264

WHEEL END

ALUMINIUM WHEELS

ALUMINIUM WHEELS	269

WHEEL SPACERS

CORRUGATED SPACERS	271

HUBCAPS & ACCESSORIES

HUBCAPS & ACCESSORIES	273

BEARINGS

BEARING KITS	275
BEARING SETS	276

METRIC CONVERSION

INCH (FRACTION)	INCH (DECIMAL)	MM
1/64	0.0156	0.397
1/32	0.0313	0.794
3/64	0.0469	1.191
1/16	0.0625	1.587
5/64	0.0781	1.984
3/32	0.0938	2.381
7/64	0.1094	2.778
1/8	**0.125**	**3.175**
9/64	0.1406	3.572
5/32	0.1563	3.969
11/64	0.1719	4.366
3/16	0.1875	4.762
13/64	0.2031	5.159
7/32	0.2188	5.556
15/64	0.2344	5.953
1/4	**0.25**	**6.35**
17/64	0.2656	6.747
9/32	0.2813	7.144
19/64	0.2969	7.541
5/16	0.3125	7.937
21/64	0.3281	8.334
11/32	0.3438	8.731
23/64	0.3594	9.128
3/8	**0.375**	**9.525**
25/64	0.3906	9.922
13/32	0.4063	10.319
27/64	0.4219	10.716
7/16	0.4375	11.113
29/64	0.4531	11.509
15/32	0.4688	11.906
31/64	0.4844	12.303
1/2	**0.5**	**12.7**

INCH (FRACTION)	INCH (DECIMAL)	MM
33/64	0.5156	13.097
17/32	0.5313	13.494
35/64	0.5469	13.890
9/16	0.5625	14.287
37/64	0.5781	14.684
19/32	0.5938	15.081
39/64	0.6094	15.478
5/8	**0.625**	**15.875**
41/64	0.6406	16.272
21/32	0.6563	16.669
43/64	0.6719	17.065
11/16	0.6875	17.462
45/64	0.7031	17.859
23/32	0.7188	18.265
47/64	0.7344	18.653
3/4	**0.75**	**19.05**
49/64	0.7656	19.447
25/32	0.7813	19.884
51/64	0.7969	20.240
13/16	0.8125	20.637
53/64	0.8281	21.034
27/32	0.8438	21.431
55/64	0.8594	21.828
7/8	**0.875**	**22.225**
57/64	0.8906	22.622
29/32	0.9063	23.019
59/64	0.9219	23.415
15/16	0.9375	23.812
61/64	0.9531	24.209
31/32	0.9688	24.606
63/64	0.9844	25.003
1	**1**	**25.4**



Looking for something to trick your truck?

With a wide range of quality accessories for trucks and trailers, TRP® accessories let you customise and personalise with great products at affordable prices.

TRUCK & TRAILER PARTS

TRUCK & TRAILER PARTS



ACCESSORIES

SEAT COVERS

LIGHTING

SAFETY EQUIPMENT

CARGO CONTROL

SUZI COILS

WHEEL ACCESSORIES

STEERING WHEELS

www.trpparts.com.au

ACCESSORIES

SEAT COVERS

If you're looking for comfort and practicality, look no further. Our high quality sheepskin seat covers keep you comfortable over the long haul. Whilst our hardworking, durable canvas covers provide maximum seat protection.



QUALITY SHEEPSKIN

25MM PILE SHEEPSKIN ACRYLIC SIDES & BACKING

DURABLE CANVAS

SUPER TOUGH COMMERCIAL GRADE CANVAS

WATERPROOF LINING FOR SUPERIOR PERFORMANCE



TO SUIT DAF
CF, XF – PRE 2012

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS	CF - ARMREST COVER		XF - ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT	LHS OF SEAT	RHS OF SEAT
BURGUNDY	SCDAFBRSU	SCDAFBLSU	SCLFCFARSUL	SCLFCFARSUR	SCXFARSUL	SCXFARSUR
BLACK	SCDAFBRSB	SCDAFBLSB	SCLFCFARSBL	SCLFCFARSBR	SCXFARSBL	SCXFARSBR
CHARCOAL	SCDAFBRSC	SCDAFBLSC	SCLFCFARSCL	SCLFCFARSCR	SCXFARSCL	SCXFARSCR
MOCHA	SCDAFBRSM	SCDAFBLSM	SCLFCFARSML	SCLFCFARSMR	SCXFARSML	SCXFARSMR
GREY	SCDAFBRSG	SCDAFBLSG	SCLFCFARSGL	SCLFCFARSGR	SCXFARSGL	SCXFARSGR

CANVAS	DRIVERS - RHS	PASSENGER - LHS	CF - ARMREST COVER		XF - ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT	LHS OF SEAT	RHS OF SEAT
GREY	SCDAFBRCA	SCDAFBLCA	SCLFCFARCAL	SCLFCFARCAR	SCXFARCAL	SCXFARCAR

TO SUIT DAF
CF, XF – FROM 2012

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS	CF - ARMREST COVER		XF - ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT	LHS OF SEAT	RHS OF SEAT
BURGUNDY	SCXFDAFBRSU	SCXFDAFBLSU	SCLFCFARSUL	SCLFCFARSUR	SCXFARSUL	SCXFARSUR
BLACK	SCXFDAFBRSB	SCXFDAFBLSB	SCLFCFARSBL	SCLFCFARSBR	SCXFARSBL	SCXFARSBR
CHARCOAL	SCXFDAFBRSC	SCXFDAFBLSC	SCLFCFARSCL	SCLFCFARSCR	SCXFARSCL	SCXFARSCR
MOCHA	SCXFDAFBRSM	SCXFDAFBLSM	SCLFCFARSML	SCLFCFARSMR	SCXFARSML	SCXFARSMR
GREY	SCXFDAFBRSG	SCXFDAFBLSG	SCLFCFARSGL	SCLFCFARSGR	SCXFARSGL	SCXFARSGR

CANVAS	DRIVERS - RHS	PASSENGER - LHS	CF - ARMREST COVER		XF - ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT	LHS OF SEAT	RHS OF SEAT
GREY	SCXFDAFBRCA	SCXFDAFBLCA	SCLFCFARCAL	SCLFCFARCAR	SCXFARCAL	SCXFARCAR

TO SUIT DAF
LF – PRE 2015 SERIES

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
BURGUNDY	SCLFDAFBRSU	SCLFDAFBLSU	SCLFCFARSUL	SCLFCFARSUR
BLACK	SCLFDAFBRSB	SCLFDAFBLSB	SCLFCFARSBL	SCLFCFARSBR
CHARCOAL	SCLFDAFBRSC	SCLFDAFBLSC	SCLFCFARSCL	SCLFCFARSCR
MOCHA	SCLFDAFBRSM	SCLFDAFBLSM	SCLFCFARSML	SCLFCFARSMR
GREY	SCLFDAFBRSG	SCLFDAFBLSG	SCLFCFARSGL	SCLFCFARSGR

CANVAS	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
GREY	SCLFDAFBRCA	SCLFDAFBLCA	SCLFCFARCAL	SCLFCFARCAR

TO SUIT DAF
LF – FROM 2015 SERIES

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS
BLACK	SCLF2DAFBRSB	SCLF2DAFBLSB
CHARCOAL	SCLF2DAFBRSC	SCLF2DAFBLSC

CANVAS	DRIVERS - RHS	PASSENGER - LHS
GREY	SCLF2DAFBRCA	SCLF2DAFBLCA

TO SUIT ELDORADO
ROADPRO

VEHICLES FITTED

- KENWORTH (option)

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS
BURGUNDY	SCELDSU	SCELDSU
BLACK	SCELDSB	SCELDSB
CHARCOAL	SCELDSC	SCELDSC
MOCHA	SCELDSM	SCELDSM
GREY	SCELDSG	SCELDSG

CANVAS	DRIVERS - RHS	PASSENGER - LHS
GREY	SCELDCA	SCELDCA

TO SUIT EXTREME
HD

VEHICLES FITTED

- KENWORTH (option)

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS
BURGUNDY	SCXTHDBHRSU	-
BLACK	SCXTHDBHRSB	-
CHARCOAL	SCXTHDBHRSC	-
MOCHA	SCXTHDBHRSM	-
GREY	SCXTHDBHRSG	-

CANVAS	DRIVERS - RHS	PASSENGER - LHS
GREY	SCXTHDBHRCA	-

TO SUIT EXTREME
HD – NEXT GENERATION

VEHICLES FITTED

- **FREIGHTLINER** - Argosy, Columbia, Century
- **KENWORTH** (option)
- **WESTERN STAR** (option)

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS
BURGUNDY	SCXTHD2BHRSU	-
BLACK	SCXTHD2BHRSB	-
CHARCOAL	SCXTHD2BHRSC	-
MOCHA	SCXTHD2BHRSM	-
GREY	SCXTHD2BHRSG	-

CANVAS	DRIVERS - RHS	PASSENGER - LHS
GREY	SCXTHD2BHRCA	-

TO SUIT HERITAGE
HD

VEHICLES FITTED

- **FREIGHTLINER** - Argosy, Columbia, Century
- **KENWORTH** (option)
- **WESTERN STAR** (option)

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS
BURGUNDY	SCHERSU	SCHERSU
BLACK	SCHERSB	SCHERSB
CHARCOAL	SCHERSC	SCHERSC
MOCHA	SCHERSM	SCHERSM
GREY	SCHERSG	SCHERSG

CANVAS	DRIVERS - RHS	PASSENGER - LHS
GREY	SCHERCA	SCHERCA

TO SUIT ISRI
6800/337

VEHICLES FITTED

- KENWORTH (option)
- EuroCargo (early models) - Driver Only
- IVECO Acco - Driver & Passenger
- IVECO Stralis (pre 2008)

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
BURGUNDY	SC1SR1BHRSU	SC1SR1BHLSU	SC1SR1ARSUL	SC1SR1ARSUR
BLACK	SC1SR1BHRSB	SC1SR1BHLSB	SC1SR1ARSBL	SC1SR1ARSBR
CHARCOAL	SC1SR1BHRSC	SC1SR1BHLSC	SC1SR1ARSCL	SC1SR1ARSCR
MOCHA	SC1SR1BHRSM	SC1SR1BHLSM	SC1SR1ARSML	SC1SR1ARSMR
GREY	SC1SR1BHRSG	SC1SR1BHLSG	SC1SR1ARSGL	SC1SR1ARSGR

CANVAS	DRIVERS - RHS	PASSENGER - LHS
GREY	SC1SR1BHRCA	SC1SR1BHLCA

ISRI
6860/870

VEHICLES FITTED

- KENWORTH (option) - Driver Only
- MACK (option) - Driver Only

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
BURGUNDY	SC1SR16860BRSU	SC1SR16860BLSU	SC1SR1ARSUL	SC1SR1ARSUR
BLACK	SC1SR16860BRSB	SC1SR16860BLSB	SC1SR1ARSBL	SC1SR1ARSBR
CHARCOAL	SC1SR16860BRSC	SC1SR16860BLSC	SC1SR1ARSCL	SC1SR1ARSCR
MOCHA	SC1SR16860BRSM	SC1SR16860BLSM	SC1SR1ARSML	SC1SR1ARSMR
GREY	SC1SR16860BRSG	SC1SR16860BLSG	SC1SR1ARSGL	SC1SR1ARSGR

CANVAS	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
GREY	SC1SR16860BRCA	SC1SR16860BLCA	SC1SR1ARCAL	SC1SR1ARCAR

ISRI

6860/875

VEHICLES FITTED

- HINO 500 and 700 Series - Driver only
- ISUZU F Series - Driver only
- KENWORTH (option) - Driver only

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
CHARCOAL	SC1SR1686MBRSC	SC1SR1686MBLSC	SC1SR1ARSCL	SC1SR1ARSCR

CANVAS	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
GREY	SC1SR1686MBRCA	SC1SR1686MBLCA	SC1SR1ARCAL	SC1SR1ARCAR

KAB

554 – NO SEAT BELT

VEHICLES FITTED

- KENWORTH (option)

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
BURGUNDY	SC554HSU	SC554HSU	SC554ARSUL	SC554ARSUR
BLACK	SC554HSB	SC554HSB	SC554ARSBL	SC554ARSBR
CHARCOAL	SC554HSC	SC554HSC	SC554ARSCL	SC554ARSCR
MOCHA	SC554HSM	SC554HSM	SC554ARSML	SC554ARSMR
GREY	SC554HSG	SC554HSG	SC554ARSGL	SC554ARSGR

CANVAS	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
GREY	SC554HCA	SC554HCA	SC554ARCAL	SC554ARCAR

KAB
554B – WITH SEAT BELT

VEHICLES FITTED

- KENWORTH (option)

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
BURGUNDY	SC554BHRSU	SC554BHLSU	SC554ARSUL	SC554ARSUR
BLACK	SC554BHRSB	SC554BHLSB	SC554ARSBL	SC554ARSBR
CHARCOAL	SC554BHRSC	SC554BHLSC	SC554ARSCL	SC554ARSCR
MOCHA	SC554BHRSM	SC554BHLSM	SC554ARSML	SC554ARSMR
GREY	SC554BHRSG	SC554BHLSG	SC554ARSGL	SC554ARSGR

CANVAS	DRIVERS - RHS	PASSENGER - LHS	ARMREST COVER	
			LHS OF SEAT	RHS OF SEAT
GREY	SC554BHRCA	SC554BHLCA	SC554ARCAL	SC554ARCAR

KAB
GSX 3000

VEHICLES FITTED

- KENWORTH (option)

SHEEPSKIN	DRIVERS - RHS	PASSENGER - LHS
BURGUNDY	SCGSXBRSU	SCGSXBLSU
BLACK	SCGSXBRSB	SCGSXBLSB
CHARCOAL	SCGSXBRSC	SCGSXBLSC
MOCHA	SCGSXBRSM	SCGSXBLSM
GREY	SCGSXBRSG	SCGSXBLSG

CANVAS	DRIVERS - RHS	PASSENGER - LHS
GREY	SCGSXBRCA	SCGSXBLCA

TRUCK & TRAILER PARTS

TRUSTED. RELIABLE. PROVEN.

WHAT IS PRIVILEGES PLUS?

IT'S YOUR PRIVILEGE. AND IT'S FREE!



We value your loyalty. And to prove it we've partnered with PACCAR Parts and extended the PRIVILEGES rewards program to TRP®. We're promoting selected TRP® Products at special member prices. To see these special prices, look for the P logo in the catalogue. The benefits begin the moment you join in and each month you'll be updated directly on the latest offers. And here's another big plus - joining is easy.

To join, visit your local TRP® Dealer for a Privileges card or visit our website to register: **www.trpparts.com.au/privileges**



PRIVILEGES CARD IS VALID ACROSS 57 DEALERSHIPS AUSTRALIA-WIDE

To see the latest catalogue with the Privileges offers, visit **trpparts.com.au/catalogues**

PRIVILEGES PLUS

ACCESSORIES

LIGHTING

See and be seen with our range
of essential truck and trailer lights

LED SIDE MARKER LAMPS

12–24V

5 YEAR WARRANTY




LL040103AU-6



LL040710AU



LL040202AU



LL041101AU

PART NUMBER	DESCRIPTION	FINISH
LL040103AU-6	HIGH INTENSITY, AMBER, CLEAR LENS - 6 PACK	
LL040710AU	LOW PROFILE, AMBER / RED, CLEAR LENS	
LL040202AU	AMBER / RED, CLEAR LENS	
LL040202AU-6	AMBER / RED, CLEAR LENS - 6 PACK	
LL041101AU	AMBER LENS WITH BEZEL	CHROME
LL041101AU-6	AMBER LENS WITH BEZEL - 6 PACK	CHROME

LED MARKER LAMPS

5 YEAR WARRANTY



LL040405AU-6



LL041305AU-6



LL041202AU-6



LL041701AU-6



LL041803AU



LL041902AU-6



LL042004AU-6



LL042101AU



LL042203AU



LL042302AU-6



LL042404AU-6

PART NUMBER	DESCRIPTION	FINISH
LL040405AU-6	FRONT POSITION, WHITE, 12 - 24V - 6 PACK	
LL041202AU-6	REAR POSITION, RED LENS, 12 - 24V - 6 PACK	CHROME
LL041305AU-6	FRONT POSITION, WHITE, CLEAR LENS, 12 - 24V - 6 PACK	CHROME
LL041701AU-6	M3, AMBER, 12V - 6 PACK	CHROME
LL041803AU	M3, AMBER, CLEAR LENS, 12V	CHROME
LL041902AU-6	M3, RED, 12V - 6 PACK	CHROME
LL042004AU-6	M3, RED, CLEAR LENS, 12V - 6 PACK	CHROME
LL042101AU	M5, AMBER, 12V	CHROME
LL042101AU-6	M5, AMBER, 12V - 6 PACK	CHROME
LL042203AU	M5, AMBER, CLEAR LENS, 12V	CHROME
LL042203AU-6	M5, AMBER, CLEAR LENS, 12V - 6 PACK	CHROME
LL042302AU-6	M5, RED, 12V - 6 PACK	CHROME
LL042404AU-6	M5, RED, CLEAR LENS, 12V - 6 PACK	CHROME

LED ROOF MARKER LAMPS

CHROME 12V

5 YEAR WARRANTY



LL041501AU



LL041605AU

PART NUMBER	DESCRIPTION
LL041501AU	AMBER
LL041501AU-4	AMBER - 4 PACK
LL041605AU	AMBER, CLEAR LENS

LED INDICATOR LAMP

LL040201AU

FRONT DOUBLE STUD

5 YEAR WARRANTY



LED LICENCE PLATE LAMPS

WHITE, 12-24V

5 YEAR WARRANTY

PART NUMBER	DESCRIPTION
LL041405AU	LICENCE PLATE LAMP
LL041405AU-6	LICENCE PLATE LAMP, PACK OF 6



LED REAR RECTANGULAR LAMPS

MULTI-REFLECTIVE DESIGN

12-24V, 5 YEAR WARRANTY
INCLUDES MOUNT GROMMET + PLUG



LL011210AU



LL011310AU



LL011410AU

PART NUMBER	DESCRIPTION
LL011210AU	INDICATOR, AMBER
LL011310AU	STOP / TAIL, RED
LL011410AU	REVERSING, WHITE

LED REAR LAMPS

12-24V

5 YEAR WARRANTY



LL011010AU



LL011110AU



LL011610AU



LL011810AU



LL100310AU



LL100510AU

PART NUMBER	DESCRIPTION
LL011010AU	REAR INDICATOR, STOP / TAIL & REVERSING TRIPLE LAMP
LL011110AU	REAR INDICATOR, DUAL STOP / TAIL TRIPLE LAMP
LL011610AU	4 IN 1 LED 3 MODULE, CHROME BEZEL
LL011810AU	3 IN 1 LED 3 MODULE, CHROME BEZEL
LL100310AU	INDICATOR, SPARE PART TO FIT TRIPLE LAMP
LL100410AU	STOP / TAIL, SPARE PART TO FIT TRIPLE LAMP
LL100510AU	REVERSE, SPARE PART TO FIT TRIPLE LAMP

LED INTERIOR LAMP

LL070205AU

40CM, 5 YEAR WARRANTY



RETRO REFLECTORS

10 PACK

5 YEAR WARRANTY



LL090101AU-10



LL090202AU-10



LL090310AU-10

PART NUMBER	DESCRIPTION
LL090101AU-10	AMBER
LL090202AU-10	RED
LL090310AU-10	WHITE

LED WORK LAMPS

5 YEAR WARRANTY



LL050613AU



LL050513AU

PART NUMBER	DESCRIPTION
LL050613AU	FLOOD BEAM, 600 LUMENS, 3 X 9W LED, COMPACT DESIGN SUITS VARIOUS APPLICATIONS, INCLUDES STAINLESS STEEL MOUNTING HARDWARE, LOW POWER CONSUMPTION
LL050513AU	HIGH POWERED FLOOD BEAM, ANTI SHOCK DESIGN, 1000 LUMENS, DIE-CAST BLACK POWDER COATED ALUMINIUM HOUSING, FULLY SEALED (IP67), INCLUDES STAINLESS STEEL MOUNTING HARDWARE, 12-36V

BULB & FUSE SET

1527237

SPARE KIT
SUITS DAF XF/CF/LF
H1–H3–H7, 24V



DAYTIME RUNNING LIGHT SET

0908454

SUITABLE FOR ALL DAF EURO 4/5 VEHICLES (LF, CF, XF)

FEATURES & BENEFITS

- Increases your visibility during the day and improves safety on the road
- Clear white light performance
- Easy to install - includes pre-assembled harness and universal bracket, IP67 compliant



LED DRIVING LIGHTS & LIGHT BARS

TRP® LED Driving Lights feature a High Pressure extruded aluminium housing and TRP LED Light Bars feature a High Pressure extruded Aluminium Housing.

The superior optic design gives a combination beam with both good distance and width from one lamp type. All TRP® lamps come complete with an easy-adjust mounting bracket.

3 YEAR WARRANTY

australian made



TRP3DL60

TRP3DL120

LED DRIVING LIGHTS

PART NUMBER	TRP3DL60	TRP3DL120
SPECIFICATIONS	60W	120W
WATTAGE	60 WATT	120 WATT
LIGHT SOURCE	12 X 5W LED	19 X 6W LED
LIGHT OUTPUT - RAW	7600 LUMENS/LAMP	13500 LUMENS/LAMP
LIGHT OUTPUT - EFFECTIVE	6088 LUMENS/LAMP	12180 LUMENS/LAMP
VOLTAGE	9V-32V DC	9V-32V DC
CURRENT DRAW	4.5A @ 13.5V	8.3A @ 13.5V
OPERATING TEMP.	-40°C TO +80°C	-40°C TO +80°C
WATERPROOF RATING	IP68	IP68
CONNECTOR TYPE	2 PIN WATERPROOF STD DEUTSCH	2 PIN WATERPROOF STD DEUTSCH
HOUSING	DIE-CAST ALLOY	DIE-CAST ALLOY
LENS CONSTRUCTION	POLYCARBONATE	POLYCARBONATE
BRACKET	STAINLESS STEEL	STAINLESS STEEL
COLOUR (KELVIN)	5700K	5700K
LIFESPAN	50,000 HOURS	50,000 HOURS
DIAMETER	170MM	220MM
NET WEIGHT	1.3KG	2.7KG
MOUNTING SUITABLE	ALL TYPES	ALL TYPES
BEAM PATTERN	COMBINATION	COMBINATION
WARRANTY	3 YEARS	3 YEARS

ACCESSORIES

PART NUMBER	PRODUCT DESCRIPTION	APPLICATIONS
TRPATN10	ANTI THEFT NUTS, 10MM	SUITS DRIVING LIGHTS, 2 PACK
TRP060LCV3	REPLACEMENT LENS COVER, CLEAR	SUITS TRP3DL60
TRP3DL60BRACKET	REPLACEMENT BRACKET	SUITS TRP3DL60
TRP3DL120LCC	REPLACEMENT LENS COVER, CLEAR	SUITS TRP3DL120
TRP3DL120BRACKET	REPLACEMENT BRACKET	SUITS TRP3DL120



TRPATN10



TRP3DL60BRACKET



TRP3DL120BRACKET



TRP060LCV3



TRP3DL120LCC



TRP3LB120

TRP3LB60

LED LIGHT BARS

PART NUMBER	TRP3LB60	TRP3LB120
SPECIFICATIONS	60W	120W
WATTAGE	60 WATT	120 WATT
LIGHT SOURCE	12 X 5W LED	24 X 5W LED
LIGHT OUTPUT - RAW	7200 LUMENS/LAMP	14400 LUMENS/LAMP
LIGHT OUTPUT - EFFECTIVE	6088 LUMENS/LAMP	11500 LUMENS/LAMP
VOLTAGE	9V-32V DC	9V-32V DC
CURRENT DRAW	4.4A @ 13.5V	8.8A @ 13.5V
OPERATING TEMP.	-40°C TO +80°C	-40°C TO +80°C
WATERPROOF RATING	IP67	IP67
CONNECTOR TYPE	2 PIN WATERPROOF STD DEUTSCH	2 PIN WATERPROOF STD DEUTSCH
HOUSING	ALUMINIUM	ALUMINIUM
LENS CONSTRUCTION	POLYCARBONATE	POLYCARBONATE
BRACKET	STAINLESS STEEL	STAINLESS STEEL
COLOUR (KELVIN)	5700K	5700K
LIFESPAN	50,000 HOURS	50,000 HOURS
DIMENSIONS	370MM X 51MM X 73MM	630MM X 51MM X 73MM
BEAM PATTERN	COMBINATION	COMBINATION
WARRANTY	3 YEARS	3 YEARS

ACCESSORIES

SAFETY EQUIPMENT

RUBBER WHEEL CHOCK
HEAVY DUTY



T13-WC3783



T13-WC2556A



T13-WC1086

PART NUMBER	DESCRIPTION
T13-WC3783	300MM W X 260MM H X 300MM L
T13-WC1086	PYRAMID SHAPE
T13-WC2556A	WEDGE SHAPE

ACCESSORIES

CARGO CONTROL


CARGO CONTROL



TRPRS12M

TRPLC8MM

TRPRS9M




TRP-PA500

TRP-PA1040

TRP-CK001

PART NUMBER	DESCRIPTION
TRPLB8MM	8MM RATCHET LOADBINDER
TRPLC8MM	8MM X 9M CHAIN KITS WITH GRAB
TRPRS12M	TRP RATCHET STRAP, 50MM X 12M
TRPRS9M	TRP RATCHET STRAP, 50MM X 9M
TRPS12M	TRP REPL. STRAP, 50MM X 12M
TRPS9M	TRP REPL. STRAP, 50MM X 9M
TRP-CK001	CHAIN KNUCKLE
TRP-PA1040	TRP PALLET ANGLE 1040MM LONG
TRP-PA500	SHORT PALLET ANGLE-500MM

TARP TIE DOWN RUBBER RINGS



T13-MER0224PAC



T13-MER0225PAC

PART NUMBER	DESCRIPTION
T13-MER0224PAC	32CM, ROUND STYLE
T13-MER0224PAC-10-AU	32CM, ROUND STYLE- 10 PACK
T13-MER0225PAC	42CM, DOG BONE
T13-MER0225PAC-10-AU	42CM, DOG BONE- 10 PACK

TRUCK & TRAILER PARTS

TRP® BALLARAT





FIND US AT

39 Selkirk Drive
Wendouree VIC 3355

Phone: (03) 5339 5856

One-stop retail outlet of quality-assured parts and accessories for all brands of trucks and trailers on Australian roads.

ACCESSORIES

SUZI COILS

AIR & ELECTRICAL CONNECTIONS



MD1185



TRP-A1R-3MST



TRP-A1R-3MLT



TRP-ACH01



TRP-TS-6MC



TRP-TP-7P1N



TRP-EBS-1224MV



TRP-ELC-ADPT



TRP-ELC-1S1L

PART NUMBER	DESCRIPTION
MD1185	HOSETENNA-CHROME
TRP-A1R-3MLT	LONG TAIL COIL 3M
TRP-A1R-3MST	SHORT TAIL COIL 3M
TRP-ACH01	AIR COIL GRIPS PACK OF 2
TRP-EBS-1224MV	EBS SUZI 4.5M 12/24V
TRP-ELC-1S1L	SH LG ELC COIL
TRP-ELC-ADPT	SH LG ELC ADAPTOR
TRP-TP-7P1N	TRAILER PLUG
TRP-TS-6MC	TRAILER SOCKET

WHEEL ACCESSORIES

WHEEL NUT INDICATORS



TRPWN131Y



TRPWN132YC



TRPWN141Y

PART NUMBER	PRODUCT DESCRIPTION	PACK SIZE
TRPWN119Y	19MM, YELLOW	100 PACK
TRPWN131Y	31MM, YELLOW, SUITS SOME EURO SPIDER WHEELS	60 PACK
TRPWN132Y	32MM, RING STYLE, YELLOW, SUITS MOST EURO WHEELS	60 PACK
TRPWN132YC	32MM, WHEEL NUT COVER, YELLOW, SUITS MOST EURO WHEELS	20 PACK
TRPWN132YCL	32MM, LONG WHEEL NUT COVER, YELLOW, SUITS MOST EURO WHEELS	20 PACK
TRPWN132RC	32MM, RED	20 PACK
TRPWN133Y	33MM, RING STYLE, YELLOW, SUITS MOST US, VOLVO AND SCANIA	60 PACK
TRPWN133YC	33MM, WHEEL NUT COVER, YELLOW, SUITS MOST US, VOLVO AND SCANIA	20 PACK
TRPWN133YCL	33MM, LONG WHEEL NUT COVER, YELLOW, SUITS MOST US, VOLVO AND SCANIA	20 PACK
TRPWN133YM	33MM, RING STYLE 285 PCD, YELLOW, SUITS MOST US, VOLVO AND SCANIA	60 PACK
TRPWN141Y	41MM, RING STYLE, YELLOW, SUITS MOST JAPANESE WHEELS	60 PACK

PLASTIC NUT COVERS



MW107RBK



MW1262

PART NUMBER	PRODUCT DESCRIPTION
MW107RBK	33MM TOP HAT STYLE
MW1262	33MM BULLET STYLE, 10 PACK

ACCESSORIES

STEERING WHEELS

STEERING WHEELS

FEATURES & BENEFITS

- Classic Styled Wheels
- Wooden & Polyurethane option available
- Chrome and Black spoke options
- All wheels are 18 inch in diameter
- Suits bonnet & cab over engine style trucks
- Ease of installation
- Tested for flammability resistance
- Interchangeable hub kits

PRODUCT INFORMATION

- All makes compatible
- Quality assured & easy installation
- FMVSS302 tested
- 12 month, unlimited kilometre warranty
- Hub kits sold separately



MW-8THC



MW-1WCD



MW-1WEC



MW-1WAC



MW-5WCC



MW-5WEC



MW-5WAC

PART NUMBER	STYLE	DESCRIPTION	SUITS
MW-1WCD	2 SPOKE, CHROME	WHEEL - 18" WOODGRAIN / LEATHER	KENWORTH
MW-5WCC	4 SPOKE, CHROME		
MW-1WEC	2 SPOKE, CHROME	WHEEL - 18" WOODGRAIN	
MW-5WEC	4 SPOKE, CHROME		
MW-1WAC	2 SPOKE, BLACK	WHEEL - 18" URETHANE	
MW-5WAC	4 SPOKE, BLACK		
MW-8NHC	CHROME HUBS	HUB - CHROME KW COMP 1997-1999	
MW-8THC		HUB - CHROME KW COMP 2001 PLUS	



From trailer suspension to truck hoods, the TRP®
Anti-Vibration bushes cover a wide range of applications.
Manufactured with durable components, the bushes provide
an excellent alternative for the price-conscious owner
still looking for quality, reliability and less downtime.

TRP®
TRUCK & TRAILER PARTS

TRUCK & TRAILER PARTS



ANTI–VIBRATION

TRUCK SUSPENSION, CABIN, HOOD & ENGINE MOUNTS

TRAILER SUSPENSION & FIFTH WHEEL

www.trpparts.com.au

ANTI–VIBRATION

TRUCK SUSPENSION, CABIN, HOOD & ENGINE MOUNTS

TRUCK SUSPENSION

FEATURES & BENEFITS

- Tested to OEM quality standards to achieve maximum safety, reliability and performance
- Manufactured to ISO 9001:2008 and TS 16949-2009 standards
- Independent hardness tests completed on all components to ensure they meet OEM specifications
- Direct replacement for popular manufacturers, representing a value for money alternative
- 12 month, unlimited kilometre warranty



TRP68250

PART NUMBER	DESCRIPTION	APPLICATION		CROSS REFERENCE
TRB68250	TORQUE ROD BUSH	KENWORTH	• KENWORTH AIRGLIDE SUSPENSION 200/230/400/460 • HENDRICKSON HA AIR SUSPENSION • MACK REAR ST34 TAPERED SPRING SUSPENSION • NEWAY SAF HOLLAND ADZ123/126 SUSPENSION	• 839310 • 836940 • GAFF11729 • SP1507 • SP1478 • E10303

TRUCK CABIN & HOOD SUITS KENWORTH

PART NUMBER		DESCRIPTION	CROSS REFERENCE
AV012TRP		• CABIN & HOOD MOUNT BUSH • HOOD MOUNT – VARIOUS T4, T6, T9, C5 MODELS REAR RIGID CAB SUPPORTS	• K066-176 • 540.031 • 514794 • K066176
AV013TRP		• EXHAUST SUPPORT BUSH • VARIOUS MUFFLER/EXHAUST PIPE MOUNTING • IN FRAME BATTERY BOX MOUNTING • COE AIR INTAKE SUPPORT	• K066-218 • 540.037 • M30070NR • K066218
AV014TRP		• RIGHT/LEFT HOOD LATCH KIT • KENWORTH T3 SERIES & T410 HOOD LATCH	• L56-0001 • 540.076 • L560001
AV015TRP		• SHIFTER BOOT • SUITS VARIOUS OLDER KENWORTH MODELS	• K042-45 • 540.011 • K04245
AV016TRP		• SHIFTER BOOT • MOST CONVENTIONAL MODELS – GEAR SHIFT LEVER BOOT	• K042-79 • 540.012 • K04279
AV017TRP		• RIGHT & LEFT HOOD GUIDE • VARIOUS T4, T6, T9, C5 MODELS	• R85-1236 • 540.173 • R851236 • R851236R • R85-1236R

TRUCK ENGINE MOUNTS SUITS KENWORTH

PART NUMBER		DESCRIPTION	CROSS REFERENCE
AV018TRP		• FRONT ENGINE MOUNT • SUITS VARIOUS KENWORTH MODELS WITH BUTTON TYPE FRONT ENGINE MOUNTS	• K066-229 • 540.036 • K066229
AV023TRP		• FRONT ENGINE MOUNT KIT • SUITS KENWORTH T4 SERIES WITH MX-13 ENGINE & MOST MODELS WITH 15L ENGINES	• K066-404 • 540.106 • K066-405 • D13-1012 • K066-406
AV024TRP		• REAR ENGINE MOUNT KIT • HEAVY DUTY - 70 DURO, SUITS MOST KENWORTH MODELS WITH 15L ENGINES & BARRY TYPE REAR ENGINE MOUNTS	• D13-1001-1 • D13-1001-2 • D13-1001-3 • D13-1001-4 • 540.131 • K066-421
AV025TRP		• REAR ENGINE MOUNT • SUITS MOST KENWORTH T9, T6 & T4 SERIES MODELS WITH BUTTON TYPE REAR ENGINE MOUNTS	• K066-282 • 540.053 • K066282
AV026TRP		• REAR ENGINE MOUNT • SUITS MOST KENWORTH C5 & K2 SERIES MODELS WITH BUTTON TYPE REAR ENGINE MOUNTS	• K066-247 • 540.064 • M506-70NR

ANTI–VIBRATION

TRAILER SUSPENSION & FIFTH WHEEL

TRAILER FIFTH WHEEL



AV021TRP



AV022TRP


PART NUMBER	DESCRIPTION	APPLICATION		CROSS REFERENCE
AV021TRP	BUSH REPAIR KIT	JOST	• JSK37C/CZ	• SK2121/69Z • 400.027-PR
AV022TRP	UPPER RUBBER CUSHION	JOST	• JSK37C/CZ	• SK1259 • MGSP6PR

TRAILER SUSPENSION

PART NUMBER		APPLICATION	DESCRIPTION	CROSS REFERENCE
AV001TRP		YORK	• SPRING EYE BUSH • SAF MODUL 112, 311, 314, 316 SERIES SUPENSION • RENAULT MAGNUM, MANAGER SERIES TRUCKS • YORK TECAIR SERIES SUSPENSION • FRUEHAUF	• 4177301000 • ARB001 • 5000815738 • 61506242 • M001502 • T03-1097
AV002TRP		BPW MERITOR WEWELER	• TORQUE ROD BUSH • BPW O, SL, AL SERIES SUSPENSION • MERITOR FL9000, FL9000L, FL9000M, FL11000, FP11000, FL11000L, FL1000/150 FL1000D SERIES • WEWELER ULTRA LITE	• 21222609 • 300.330 • 0203160600 • WC234264
AV003TRP		BPW	• SPRING EYE BUSH • BPW O, SL, AL SERIES AXLE	• 0203142400 • 300.194
AV004TRP		NEWAY	• PIVOT BUSH • SAF SK RLB 9019/9022, INTRADISC/INTRADRUM INTRADISC PLUS MEGA, INTRADISC EVOLUTION VU, VO SERIES SUSPENSION	• 4177303500 • 600.508 • 4177302800
AV005TRP		NEWAY HENDRICKSON	• BEAM END BUSH • NEWAY: ARD 5.250 WIDE HANGER AIR SUSPENSION • HENDRICKSON MT, MTL AIR SUSPENSION	• 90008006 • 620.015 • 90008219 • C21591 • S21591
AV006TRP		NEWAY	• BEAM END BUSH • NEWAY, REAR: AD123-246-369, AD126-252-378, AD130-260-390, DRIVE AIR SINGLE TANDEM - TRIAXLE SUSPENSION	• 90008008 • 620.016

TRAILER SUSPENSION

PART NUMBER		APPLICATION	DESCRIPTION	CROSS REFERENCE
AV007TRP		NEWAY	• BEAM END BUSH • NEWAY/HOLLAND - REAR: ARDST (123, 244, 246,250)-6, ARDSTM/L (123,246)-6 SUSPENSION • NEWAY/HOLLAND - REAR: ARDST (123, 244, 246, 250)-6, ARDSTM/L (123, 246)-6 SUSPENSION	• 90008151 • 620.050 • 90008252
AV008TRP		BPW	• SPRING EYE BUSH • BPW OT, SLM, SLO, SLU TYPE AXLE	• 0203169000 • 300.186
AV009TRP		YORK	• OUTER PIVOT BUSH • YORK FB VRH SERIES AIR SUSPENSION	• 61SB610366 • 901.039 • 61610012
AV010TRP		HENDRICKSON	• TORQUE ROD BUSH • BLUE BIRD BUS REAR: COMFORT AIR SUSPENSION • HINO REAR COMFORT AIR SUSPENSION • HENDRICKSON REAR HAULMAAX, PRIMAAX, FIREMAAX, HFS 360/400/40LH SERIES SUSPENSION • HENDRICKSON HAS 360/400/402, E-4 360 SERIES SUSPENSION • FREIGHTLINER FH34-38 4” SPRING, FH36-40 3” SPRING, FAS AIRLINER II SERIES TRUCKS • PETERBILT REAR FLEX AIR SUSPENSION	• 47691 • 10.055 • 47691-000 • 47691000 • 47691000L • A16119448000 • 47691-000-L
AV020TRP		BPW	• SPRING EYE BUSH KIT • BPW SPRING EYE BOLT ASSEMBLY (TO SUIT M30 SPRING EYE BOLTS, ALIGN ABLE HANGER)	• 0203142K1T-1ALT • 300.676



What's stopping you?

With TRP® you can be confident we've done all the hard work on ensuring our braking products are fit for purpose. Products in the range are independently tested to meet internationally recognised standards and we partner with some of the world's largest and most respected brake manufacturers to deliver a quality and safe product. With TRP® you can stop with confidence.

TRP®
TRUCK & TRAILER PARTS



TRP®
TRUCK & TRAILER PARTS

BRAKE SYSTEMS

- AIR SYSTEMS
- BRAKE DRUMS
- BRAKE HARDWARE
- BRAKE SHOES & HARDWARE KITS
- DISC BRAKE PADS
- DISC BRAKE ROTORS

www.trpparts.com.au

BRAKE SYSTEMS

AIR SYSTEMS

AIR VALVES

FEATURES & BENEFITS

- OE manufacturer
- Tested to meet industry standards
- 12 month warranty



WHEN YOU THINK VALVES, THINK TRP®.

TRP® has you covered with a comprehensive range of valves to suit most makes and models of truck and trailer in the Australian market. Tested in the harsh Australian environment for many years, TRP® air valves are the great value alternative that doesn't compromise on safety or quality.

Air valves play a vital role in controlling and regulating the flow and release of air throughout the air brake system. Whether it's an air valve on your truck or trailer, it's crucial that each valve performs exactly as it's meant, to ensure a working braking system.

CHECK VALVES

APPLICATION

- Truck & Trailer



TRP280809



TRP5003980



TRP5003990



TRP5003987

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP280809	CHECK VALVE - DC4, 3/8" SUPPLY	• ABC280809 • 280809
TRP5003980	CHECK VALVE - SC3, 1/2" M+F	• ABC5003980 • 800372
TRP5003990	CHECK VALVE - SC3, 1/4" M+F	• ABC5003990 • 800375
TRP5003987	CHECK VALVE - SC3, 3/8" M+F	• ABC5003987 • 5003987 • 800373 • 227856 • 227870

DASH VALVES

APPLICATION

- Truck & Trailer



TRP5005646



TRP275176



TRP275796



TRP284726



TRP281946



TRP287280



TRP228729

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP228729	DASH VALVE - TW1, ZINC CHROME LEVER	· ABC228729 · 229635
TRP275176	DASH VALVE - PP1, 40 PSI	· ABC275176 · 275176 · 0R276567
TRP275796	DASH VALVE - PP1, 40 PSI	· ABC275796 · 275796
TRP281946	DASH VALVE - PP5, 40 PSI	· ABC281946 · 281946
TRP284726	DASH VALVE - PP1, 40 PSI	· ABC284726 · 284726
TRP287280	DASH VALVE - PP7	· ABC287280 · 287280 · 0R288721
TRP5005646	DASH VALVE - MV3	· ABC5005646 · 5005646 · 106981

DRAIN VALVE
TRP123

APPLICATION
- Truck & Trailer

CROSS REFERENCE
- ABF123
- 12104



FOOT VALVES

APPLICATION
- Truck



TRP277863



TRP286689



TRP289129

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP277863	FOOT VALVE - E3, BASIC VALVE - NO TREADLE	• ABC277863 • 277863
TRP286689	FOOT VALVE - E6	• ABC286689 • 286171
TRP289129	FOOT VALVE - E6, INCLUDING TREADLE 34° RUBBER COVER	• ABC289129 • 289129

FRONT AXLE RATIO VALVE

TRP289144

3/8" SUPPLY, 3/8" DELIVERY
4 PSI HOLD OFF PRESSURE
60 PSI EQUALISING PRESSURE



APPLICATION

- Truck & Trailer

CROSS REFERENCE

- ABC289144

GOVERNOR VALVE

275491G0V



APPLICATION

- Truck

FEATURES & BENEFITS

- Tested to meet industry standards
- Gaskets & hardware kits included

CROSS REFERENCE

- 275491
- 275707
- 0R275491
- KN18530

INVERSION VALVE

TRP289288

TR3, 42–52 PSI



APPLICATION

- Truck & Trailer

CROSS REFERENCE

- ABC289288
- 289288

STOP LIGHT SWITCH

TRP274746

DUAL TERMINAL 1/4" S14



APPLICATION

- Truck & Trailer

CROSS REFERENCE

- ABC274746
- 274746

SYNCHRO LOCK VALVE

TRP283700

SV1, 62/50 PSI



APPLICATION

- Truck & Trailer

CROSS REFERENCE

- ABC283700
- 283700

TRACTION CONTROL VALVE

TRP472170



APPLICATION

- Truck & Trailer

CROSS REFERENCE

- 472.170.991.0
- 0486206101100

TREADLE VALVE

TRP288570

34° RUBBER COVER

APPLICATION

- Truck

CROSS REFERENCE

- ABC288570
- 288570



PRESSURE PROTECTION VALVES

APPLICATION

- Truck & Trailer



TRP277147



TRP286460



TRPN15759BA

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP277147	PRESSURE PROTECTION VALVE - PR2, 65 PSI	• ABC277147 • 277147
TRP286460	PRESSURE PROTECTION VALVE - PR3, 60 PSI	• ABC286460 • 286460
TRPN15759BA	PRESSURE PROTECTION VALVE - MIDLAND STYLE, 70 PSI OPEN, 60 PSI CLOSED	• ABCN15759BA • 90555396


QUICK RELEASE & RELAY VALVES

APPLICATION


- Truck & Trailer



TRP102277



TRP288251



TRP5003395



TRP5003393

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP102277	RELAY VALVE - R12, 4 PSI CRACK PRESSURE	• ABC102277 • 102626
TRP288251	QUICK RELEASE VALVE - QR1, SUPPLY PORT - 3/8", DELIVERY PORT - 3/8", EXHAUST PORT 3/8"	• ABC288251 • 274997
TRP5003395	QUICK RELEASE VALVE DIRECT MOUNT - QRL, SUPPLY - 1/2", DELIVERY - 1/2"	• ABC5003395 • 800333
TRP5003393	QUICK RELEASE VALVE FRAME MOUNT - QRL, SUPPLY - 1/2", DELIVERY - 3/8"	• ABC5003393 • 800332

RELAY VALVES



TRP103009



TRP109001



TRP106165



TRP103010



TRP279180



TRP101197



CA400TRP



CA700TRP

PART NUMBER	PRODUCT DESCRIPTION	APPLICATION	CROSS REFERENCE
CA400TRP	SPRING BRAKE VALVE. P.A.R.C (PARKING & AIR RESERVOIR CONTROL) - RED	TRAILER	• CA400 • WCA400 • AB8472 • AB8332 • CA48
CA700TRP	SERVICE RELAY VALVE - BLUE	TRAILER	• CA700 • WCA700 • AB8331 • AB8471 • CA47
TRP101197	RELAY VALVE - RE6, 3/8" PORTS	TRAILER	• ABC101197
TRP103009	RELAY VALVE - R12H, INCLUDING BRACKET	TRUCK & TRAILER	• ABC103009 • 103009N
TRP103010	RELAY VALVE - R14H, WITH MOUNTING BRACKET	TRUCK & TRAILER	• ABC103010 • 103010N
TRP106165	RELAY VALVE - R14H, CRACK PRESSURE 5.5 PSI	TRUCK & TRAILER	• ABC106165 • 106165 • 103294
TRP109001	RELAY VALVE - R12P	TRUCK & TRAILER	• ABC109001 • 109001 • 0R109264
TRP279180	RELAY VALVE - R6, CHASSIS MOUNTED, 180° ROTATION	TRUCK & TRAILER	• ABC279180 • 279180

SPRING BRAKE VALVES

APPLICATION

- Truck & Trailer



TRP3802



TRP286364



TRP106835



TRP106834

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP3802	SPRING BRAKE VALVE - ADR38/02	• ABC3802 • 5006256
TRP106834	SPRING BRAKE VALVE - SR3	• ABC106834 • K033128 • 272814
TRP106835	SPRING BRAKE VALVE - SR2	• ABC106835 • 106835
TRP286364	SPRING BRAKE VALVE - SR1, 55 PSI RESERVOIR TRIP PRESSURE	• ABC286364 • 286364

SAFETY VALVES

APPLICATION

- Truck & Trailer

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP109914	SAFETY VALVE - ST4	• ABC109914 • 109914
TRP800350	SAFETY VALVE - ST4, 1/4" 150 PSI	• ABC800350 • 284142 • 205105



TRP109914 **TRP800350**

SUSPENSION LEVELLING VALVES

APPLICATION

- Truck & Trailer



TRP27000



TRP54271



TRP54241



TRP54007

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP27000	SUSPENSION LEVELING VALVE - MIDLAND STYLE	• ABC27000 • KN27000
TRP54241	SUSPENSION LEVELING VALVE - NEWAY STYLE 1/4" NPT	• ABC54241 • 90554241
TRP54271	SUSPENSION LEVELING VALVE - NEWAY STYLE 1/4" NPT WITH DUMP VALVE	• ABC54271 • 90555106
TRP54007	SUSPENSION LEVELING VALVE - NEWAY STYLE 1/8" NPT	• ABC54007 • 90054007

TRACTOR PROTECTION VALVES

APPLICATION

- Truck



TRP279000



TRP288605

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP279000	TRACTOR PROTECTION VALVE - TP3, 1/2" PORTS	• TRP279000 • 279000
TRP288605	TRACTOR PROTECTION VALVE - TP5	• ABC288605 • 288605

TRAILER CONTROL VALVE
TRP275107

PRODUCT DESCRIPTION


- Steering Column Mounted
- Long Mounting Bracket 275509
- 2 x 3/8" - 16
- 1/4" NPT Delivery
- Replaces 275107, 276270



BRAKE CHAMBERS

FEATURES & BENEFITS

- Comprehensive range for popular truck and trailer makes
- Tested to SAE J1469-2009 requirements
- 12 month unlimited kilometre warranty
- Extended push rod available on 24/30 and 30/30 applications
- Heavy duty stamped front housing and mounting hardware – made to handle Australian service conditions




TRP® offers a comprehensive brake chamber range for all popular truck and trailer makes.

Our TRP® brake chambers are designed and tested to meet industry standards for use on truck applications. Additional design features such as the heavy duty mounting hardware, ensure the TRP® brake chamber can handle the high demands of Australian conditions.

2424 COMBO WITH CLEVIS

SB2424CCAUS




CROSS REFERENCE

- 2424TN2*
- 3427050
- GC2424
- KHT2424
- 1392424002
- 24-24GSB
- 5007130

TYPE	THREAD LENGTH	PUSH ROD LENGTH	PARKING STROKE	SERVICE STROKE
24/24	203MM	230MM	57	57

2430 COMBO WITH CLEVIS

SB2430CCAUS



CROSS REFERENCE

- 2430TN2*
- 5007131
- 1392430046
- KHT2430
- 3429050
- 24-30GSB

TYPE	THREAD LENGTH	PUSH ROD LENGTH	PARKING STROKE	SERVICE STROKE
24/30	216MM	276MM	60	60

***MULTIPLE VARIANTS OF PART NUMBERS AVAILABLE.**


2430 COMBO WITH CLEVIS

SB2430CCAUS-320

EXTENDED PUSH ROD (320MM)

CROSS REFERENCE

- 2430TN2*
- 5007131
- 1392430046
- KHT2430
- 3429050
- 24-30GSB




TYPE	THREAD LENGTH	PUSH ROD LENGTH	PARKING STROKE	SERVICE STROKE
24/30	260MM	320MM	60	60

3030 COMBO WITH CLEVIS

SB3030CCAUS

CROSS REFERENCE

- 3030TN2*
- 5007132
- 1393030290
- 3030T-0MN1-466
- 3430050
- 30-30FSB
- KHT3030



TYPE	THREAD LENGTH	PUSH ROD LENGTH	PARKING STROKE	SERVICE STROKE
30/30	206MM	270MM	64	64

***MULTIPLE VARIANTS OF PART NUMBERS AVAILABLE.**


3030 COMBO WITH CLEVIS

SB3030CCAUS-320

EXTENDED PUSH ROD (320MM)

CROSS REFERENCE

- 3030TN2*
- 3030T-0MN1-466
- KHT3030
- 5007132
- 3430050
- 1393030290
- 30-30FSB




TYPE	THREAD LENGTH	PUSH ROD LENGTH	PARKING STROKE	SERVICE STROKE
30/30	255MM	305MM	64	64

3636 COMBO WITH CLEVIS

SB3636CCAUS

CROSS REFERENCE

- 3636TN3*
- 3436051



TYPE	THREAD LENGTH	PUSH ROD LENGTH	PARKING STROKE	SERVICE STROKE
36/36	230MM	305MM	76	76

***MULTIPLE VARIANTS OF PART NUMBERS AVAILABLE.**

TRUCK & TRAILER PARTS

TRP® BIBRA LAKE



TRP® Bibra Lake
Global TRP® Store of The Year
2022

FIND US AT

Unit 1, 1 Discovery Drive
Bibra Lake WA 6163

Phone: (08) 9359 7480



“ We are feeling very humbled that our own TRP® Bibra Lake Store has won the TRP® Global Of The Store Of Year award.
Starting less than two years ago, we now are employing a staff of eight, along with a fleet of TRP® delivery trucks, to provide an even better service to our loyal customers.
Our goal and vision is to provide a welcoming store, great service, parts knowledge and vibe.”

- Vincent Offenbaker, Parts Manager TRP® Bibra Lake.

BRAKE SYSTEMS

SLACK ADJUSTER

TRP® Auto Slack Adjuster is designed and engineered to handle the high demands of Australian road and environmental conditions.

The TRP® Slack Adjuster has also been tested and validated by an independent testing facility and are comparable to OEM equivalents.

AUTO SLACK ADJUSTER

SA1140A

5.5”, 28 SPLINE

FEATURES & BENEFITS

- Exceeds SAE J1462 & J1513 Requirements
- Heavy Duty Steel Alloy Worm Gear
- ISO 9001 & TS 16949 Certified Manufacturer
- Slack adjuster is tested & validated by independent testing facility & are comparable to oem equivalents
- 12 month unlimited kilometre warranty



CROSS REFERENCES

- A24-3275M1079PZ
- R801073
- MK42100S
- AS1140
- FB4997
- FB4998
- RDAS1140
- QABP N42AS 40020231

BRAKE SYSTEMS

BRAKE DRUMS

TRP® takes safety seriously. That's why when we introduce safety critical products such as brake drums, we ensure they are independently tested to meet and exceed industry standards.

BRAKE DRUMS



FEATURES & BENEFITS

- Independently tested to meet FVMSS-121 standards
- 12 month warranty



FMVSS 121 TESTING STANDARD

TESTING PARAMETERS

WHAT IS FMVSS 121 STANDARD?

FMVSS 121 stands for Federal Motor Vehicle Safety Standard 121 and tests whether a given rotor has sufficient heat dissipation characteristics to pass the set test requirements.

WHY TEST TO FMVSS 121 STANDARD?

Testing TRP® rotors to the FMVSS 121 standard ensures that they're put through standardised testing. It verifies that the rotors can dissipate heat efficiently within a set criteria. Australian and New Zealand vehicle standards are for the fully dressed axle, so it is important that we use a recognised standard like FMVSS 121 to test the performance of the rotor.

TEST PARAMETERS

The test was performed by Link Manufacturing, an independent testing facility based in the US.

BRAKE DRUMS



DB014TRP

PART NUMBER	PRODUCT DESCRIPTION	APPLICATION	ADDITIONAL FEATURES	CROSS REFERENCES		GAWR	WEIGHT
DB001TRP	419MM X 180MM	BPW NEW GEN TRAILER	240MM PILOT DIAMETER	• 0310967870 • 04683200A • DR121	• AP0893 • 55.121	23000	50.5KG
DB003TRP	16.5" X 6"	STEER	223MM PILOT DIAMETER	• DF244 • M906371 • 3687X • CM10037991	• CM107193 • BD30055.300 • 123400	23000	48KG
DB005TRP	16.5" X 7"	DRIVE & TRAILER	285MM PILOT DIAMETER	• M906055 • M906343 • AP0856 • 3295A	• 79786898 • DT189 • ITBD20	23000	51KG
DB008TRP	15" X 4"	STEER	290MM PILOT DIAMETER	• M906306 • 3760BX	• DM206 • AP0880	23000	30.6KG
DB011TRP	16.5" X 7"	DRIVE & TRAILER	285MM PILOT DIAMETER	• M906631 • KH3602-0101 • BD15055.192 • DR192 • AP0876	• ITBD350B • 2101896 • WT6621 • BD753 ATAP	23000	52.3KG
DB014TRP	16.5" X 7"	DRIVE & TRAILER	239MM PILOT DIAMETER	• 79786893 • M906033 • AP0855 • 2983C	• KH3602/GF • DM127 • ITBD20	23000	45KG
DB015TRP	16.5" X 7"	DRIVE & TRAILER	223MM PILOT DIAMETER	• M906619 • AP0875C • 3600AX • CM107150 • KH3602-0303 • DR190	• BD751 • AP0875 • CM10009830 • ITBD120 • WT6620	26000	51KG

BRAKE DRUMS



DB190PDC

PART NUMBER	PRODUCT DESCRIPTION	APPLICATION	ADDITIONAL FEATURES	CROSS REFERENCES		GAWR	WEIGHT
DB016TRP	16.5" X 5"	STEER	223MM PILOT DIAMETER	· 10037815 · M906092 · BD0844 · 3573X	· AP0844 · DF136 · TBD310	23000	52.1KG
DB017TRP	16.5" X 7"	DRIVE & TRAILER	LIGHTWEIGHT COMPOSITE STEEL DRUM, ONE PIECE FORMED SHELL, NO WELD-ON BALANCE WEIGHTS OR SEAM, INDEPENDENTLY TESTED TO FMVSS121 STANDARDS		· 53-123537-002 · P53-123537-002 · AM53123537002 · 50123537002 · 89996B	23000	39.9KG
DB018TRP	16.5" X 6"	STEER	285MM PILOT DIAMETER	· BD37055.370 · SDBC.01.054 · 66374B	· DF177 · 11540.108 · BD3113 ATAP	23000	48.25KG
DB020TRP	16.5" X 5"	STEER	LIGHTWEIGHT COMPOSITE STEEL DRUM, ONE PIECE FORMED SHELL, NO WELD-ON BALANCE WEIGHTS OR SEAMS, INDEPENDENTLY TESTED TO FMVSS121 STANDARDS		· MB136L · 10037815 · M906092 · BD0844 · 3573X · AP0844 · DF136 · ITBD310	23000	33.6KG
DB021TRP	16.5" X 7"	DRIVE	DAF, 75CF, CF75, 85CF, CF85, XF95, XF105		· 3219K4951S · 1862027	23000	48KG
DB190PDC	10 X 285 PCD 16.5" X 7"	COMMON DRIVE / TRAILER		· M906619 · AP0875C · 3600AX · CM107150 · KH3602-0303 · DR190	· BD751 · AP0875 · CM10009830 · ITBD120 · WT6620	23000	48KG

BRAKE SYSTEMS

BRAKE HARDWARE

TRP® has a comprehensive range of brake shoe and S Cam hardware parts to suit truck and trailer applications.

BRAKE HARDWARE KITS

APPLICATIONS

- 16.5" x 7" 'P' Brakes
- General Purpose



T02-2412-AU

PART NUMBER	PRODUCT DESCRIPTION
T02-2412-AU	BRAKE HARDWARE KIT WITH SHORT ANCHOR PIN
T02-2412S-AU	BRAKE HARDWARE KIT WITH SHORT ANCHOR PIN, SMOOTH ROLLER
T02-2413-AU	BRAKE HARDWARE KIT WITH LONG ANCHOR PIN
T02-2413S-AU	BRAKE HARDWARE KIT WITH LONG ANCHOR PIN, SMOOTH ROLLER

GENERAL BRAKE HARDWARE



T02-3237AU



T02-3200AU



T02-3304AU



T02-3415AU



T02-3302AU



T02-3304WAU

PART NUMBER	PRODUCT DESCRIPTION	APPLICATION	SHAFT LENGTH	OUTSIDE DIAMETER	THICKNESS	OVERALL LENGTH
T02-3200AU	BOLT ON ANCHOR PIN - SHORT ALL 'P' BRAKE AXLES	ALL 'P' BRAKE AXLES		32MM		56MM
T02-3237AU	ANCHOR PIN ROCKWELL 'Q' BRAKE & DANA FAST CHANGE			32MM		57MM
T02-3304AU	EXTENDED PIN - BOLT ON TYPE - LONGALL 'P' BRAKE AXLES			32MM		71MM
T02-3302AU	SUPPORT WASHER FOR T03-3304AU. ALL "P" BRAKE AXLES		32MM	45MM	8MM	
T02-3304WAU	SUPPORT WASHER FOR T02-3304AU & T02-3200AU. ALL "P" BRAKE ANCHOR PIN WASHERS		10MM	41MM	6MM	
T02-3415AU	BOLT ON RETAINER. SET OF 2	GENERAL PURPOSE				

ROLLERS

APPLICATIONS

- 16.5" x 7" 'P' Brakes
- General Purpose



T02-3403KAU



T02-3404KAU



T02-3405KAU



T02-3403AU



T02-3404AU



T02-3405AU

PART NUMBER	PRODUCT DESCRIPTION	OUTSIDE DIAMETER	THICKNESS	OVERALL LENGTH
T02-3403AU	PLAIN	32MM	19MM	57MM
T02-3403KAU	KNURLED	32MM	19MM	57MM
T02-3404AU	PLAIN - OVERSIZED 1/8"	35MM	19MM	57MM
T02-3404KAU	KNURLED - OVERSIZED 1/8"	35MM	19MM	57MM
T02-3405AU	PLAIN - OVERSIZED 1/4"	38MM	19MM	57MM
T02-3405KAU	KNURLED - OVERSIZED 1/4"	38MM	19MM	57MM


S CAM BUSH KITS

APPLICATION

- 16.5" x 7" 'P' Brakes



T02-2304-AU



T02-2306HD-AU



T02-2300-AU

PART NUMBER	PRODUCT DESCRIPTION
T02-2300-AU	ROCKWELL TN AXLE
T02-2304-AU	ROCKWELL RN AXLE
T02-2306HD-AU	ROCKWELL DRIVE AXLE


S CAM WASHER KITS

APPLICATION


- 16.5” x 7” ‘P’ Brakes



T02-3108-AU



T02-3109-AU



T02-3110-AU

PART NUMBER	PRODUCT DESCRIPTION
T02-3108-AU	DANA/SPICER & GENERAL PURPOSE, FREIGHTER, FRUEHAUF
T02-3109-AU	FRUEHAUF PROPAR AND HOLLAND PROPAR AXLES
T02-3110-AU	ROCKWELL RN AND TN AXLES

BRAKE SYSTEMS

BRAKE SHOES & HARDWARE KITS

TRP®has a comprehensive range of brake shoes available to suit most truck and trailer applications and have been developed and tested to handle the demanding conditions that trucks and trailers face on Australian roads. TRP®brake shoes are available in either standard (21K GAWR) or premium (23K GAWR) and are manufactured using OE specifications.

ONE SHOE DOES NOT FIT ALL

TRP® Brake Shoe linings are available in either 21,000 lb or 23,000 lb Gross Axle Weight Rating (GAWR). So why are there 2 different types of linings available and which one is best suited for your application?

This guide was developed to help you understand why there are different types of lining material and to help you identify which lining is best suited for your application.

There are several different factors that need to be taken into consideration when choosing the right brake lining for your truck or trailer. All brake linings are designed to exceed maximum load limits in Australia so axle ratings, whilst important, don't play a large role in determining the right lining.

Consideration however, must be given to load, road type, braking frequency, maintenance practices, and driver habits when determining the right lining type.

What is right for one application may not be suited to another. Brake linings certified at 23,000 lb. could be much too aggressive for some applications, causing the brake drums to wear prematurely or result in brakes that "grab". Likewise, brakes certified at 21,000 lb. may not provide sufficient braking power to stop some heavy vehicles.

21,000 GAWR FRICTION MATERIAL

The TRP® 21K GAWR grade friction is stable and provides excellent wear and fade characteristics.

It has consistent braking characteristics, low noise and provides great stopping power. It is best suited for on-highway trailer and truck applications.

23,000 GAWR FRICTION MATERIAL

The TRP® 23K GAWR grade friction material performs extremely well in demanding applications.

It is formulated to handle high braking duty cycles encountered in city pick-up and delivery and highway applications where steep grades are negotiated.

It is recommended in refuse, mixer, off-road, bus and tanker applications. It provides excellent lining life, superb stopping power, and superior resistance to fade.

BRAKE LINING SELECTION GUIDE

This table has been developed to help you decide which is the right shoe for you and your application.

It's important to note that linings rated 23K GAWR are not necessarily better. It's all about the application that you are using your vehicle in.

FACTORS	21,000 GAWR LININGS	23,000 GAWR LININGS
ROAD TYPE	ON-HIGHWAY TRUCK AND TRAILER	ON/OFF-HIGHWAY, STEEP GRADES, WORKSITES, CITY ROADS
LOAD TYPES	GENERAL CARGO, PRODUCE	LIQUIDS, GASES, MINING, LOGGING, REFUSE, CONSTRUCTION
BRAKING FREQUENCY	LOW, MOSTLY INTERSTATE, MODERATE, MIX OF INTERSTATE AND URBAN	MODERATE TO HIGH, ANY ENVIRONMENT
MAINTENANCE HABITS	REGULAR MAINTENANCE AND SERVICES, MAINTENANCE AS NEEDED	POOR, INTERMEDIATE SERVICE, BRAKES SERVICED WHEN PROBLEM APPEARS
DRIVER HABITS	GENTLE TO AVERAGE	AVERAGE TO AGGRESSIVE

TRP® BRAKE SHOE IDENTIFICATION

TRP® BRAKE SHOES AND THE FRICTION MATERIAL CAN EASILY BE IDENTIFIED BY THE SIDE MARKINGS AND PART NUMBERS.

- The 21,000 lb linings have a green edge colouring & part numbers all start with TRP21.



- The 23,000 lb linings have a gold edge colouring & part numbers all start with TRP23.



Every brake shoe has an edge marking which can tell you a lot about that particular shoe and friction material. Below is an explanation on what those markings mean.



EDGE MARKINGS EXPLAINED

Material Lining Code
Identifies the linings GAWR & TRP brand

FMSI Lining Type
Standardised part number system used to identify the brake application

Cam or Anchor
Identifies orientation of the shoe

Lining Thickness
Measurement in millimetres

ECE R90 Approval (Where applicable)
Unique number that all ECE R90 certified linings are assigned.

Batch Code
Manufacturing tracking number for friction material

FEATURES & BENEFITS

- Most truck and trailer applications are covered in the TRP® range, offering a wide selection and a one stop shop
- Designed, tested and engineered to meet the demanding conditions on Australian roads, ensuring TRP® brake shoes are reliable and built for purpose
- Automated riveting process eliminates any potential human error
- 300 hours salt spray paint finish ensures a high resistance to corrosion and rust
- Certified to FMVSS-121 and ECE R90 (where applicable) to ensure TRP® Brake Shoes meet recognised, industry wide standards
- 7 long weld points for strength and matched to OE specs increases durability and extends the service life
- OEM Quality hardware kit helps extend the life of the shoe
- 12 month unlimited kilometre warranty for peace of mind

GROSS AXLE WEIGHT RATING

A vehicle's Gross Axle Weight Rating (GAWR) is the specific weight determined to be the maximum allowable weight that can be placed on a vehicle's axle. The GAWR includes the weight of the truck and/or trailer, passengers and cargo.

Drive, Steer and trailer axles all have individual GAWR's. You can think of GAWR as a weight limit for each of the axles for your truck and trailer.

Overloaded or unevenly distributed heavy loads can make it difficult to control the truck and put stress on the brake system, causing the brakes to be less effective.

It's important to note that all TRP® brake linings exceed the maximum GAWR limit in Australia. However, choosing a 23,000 lb rated lining doesn't mean it is right for your application. Nor does it mean that you'll get any service life improvements from the lining. What is important is the application that the lining will be utilized in.

NHVL
NATIONAL HEAVY VEHICLE LAW



Max Mass Limit by Axle Group	6t		17t		22.5t
Max Mass Limit by Axle	6t		8.5t per Axle		7.5t per Axle

BRAKE LININGS RATINGS	GAWR (lbs.)	GAWR (t)
	21,000 lbs.	9.6t
	23,000 lbs.	10.5t

All brake linings exceed maximum load limit in Australia

DID YOU KNOW?

Brake drums also play an important role in dissipating heat that is generated through braking. Overheating of the linings can cause glazing, blisters and discolouration, leading to premature wear and reduced performance. TRP® drums are all tested to FMVSS 121 standard and have excellent heat dissipation properties.

TYPICAL BRAKE SHOE APPLICATIONS

APPLICATION	TRUCK	21K LB GAWR	23K LB GAWR
PRIME MOVER		21K	23K
AGITATOR / TIPPER			23K
REFUSE			23K
TANDEM DUMP			23K
BEVERAGE		21K	
TRI-AXLE TRAILER		21K	
TANKER		21K	23K
B DOULBE TRAILER		21K	
MOVING VAN - LOW PROFILE		21K	
TANDEM AXLE TRAILER		21K	
FLATBED		21K	
SINGLE AXLE TRACTOR TRAILER		21K	
BUS			23K

The above table is a guide only. Best practice when choosing the right lining is to follow the manufacturer's recommendation.

BRAKE SHOES & HARDWARE KITS

21K GAWR



TRP214515Q

PART NUMBER	PRODUCT APPLICATION	FMSI + SHOES TYPE	SIZE	ECE R90 APPROVED	CROSS REFERENCE
TRP19032/21/95	BPW BRAKE 95 BC/36/1	BC/36/1, B95	420MM X 180MM	Y	• MKSMG2ABC36/95 • BBC/36PT95K • 0509146320BH95 • RDSKMG1ABC3695 • TLSKMG1ABC36/95 • 1393030290
TRP19032/21/NG	BPW NEW GEN BC36/1	BC/36/1, NG	420MM X 180MM	Y	• MKSMG2ABC36/NG • RDSKMG1ABC36NG • Q ABP MG1ABC36/NG
TRP19094/21/95	BPW BRAKE 95 BC/37/1	BC/37/1, B95	420MM X 200MM	Y	• MKSMG2ABC37 • 30-30FSB
TRP211308Q	MERITOR STEER ''Q''	1308,Q	15" X 4" Q		• KSMA2121308Q • Q ABP MG1A1308Q
TRP214311E	EATON DRIVE	4311, E	16.5'' X 7''		• KSMA2124311E • RDSKMG1A4725R
TRP214514Q	MERITOR STEER ''Q''	4514, Q	16.5'' X 6" Q		• KSMA2124514Q • RDSKMG1A4514Q • Q ABP MG1A4514Q
TRP214515FQ	FRUEHAUF/ SAF/ TMC	4515, F(Q)	16.5'' X 7'' Q	Y	• KSMA2124515F3 • RDSKMG1A4515F3 • TLSKMG1A4515F3 • Q ABP MG1A4515F3
TRP214515P	MERITOR DRIVE ''P''	4515, P	16.5'' X 7'' P	Y	• PKSMA2124515P • RDSKMG1A4515PHD • Q ABP MG1A4515PHD

BRAKE SHOES & HARDWARE KITS

21K GAWR



TRP214707QP

PART NUMBER	PRODUCT APPLICATION	FMSI + SHOES TYPE	SIZE	ECE R90 APPROVED	CROSS REFERENCE
TRP214515PSS-01	MERITOR DRIVE “P” SEVERE SERVICE	4515, PSS	16.5’’ X 7’’ P	Y	• PKSMA2124515PSS • RDSKMG1A4515PSS • TLSKMG1A4515PSSK • Q ABP MG1A4515PSS
TRP214515Q	MERITOR DRIVE ‘’Q’’	4515, Q	16.5’’ X 7’’ Q	Y	• KSMA2124515Q • RDSKMG1A4515Q • TLSKMG1A4515Q • Q ABP MG1A4515Q
TRP214524Q	MERITOR STEER ‘’Q’’	4524, Q	16.5” X 5” Q		• KSMA2124524Q • RDSKMG1A4524Q • Q ABP MG1A4524Q
TRP214707QP	MERITOR DRIVE “Q PLUS”	4707, QP	16.5’’ X 7’’ Q PLUS	Y	• KSMA2124707QP • RDSKMG1A4707QP • TLSKMG1A4707QP • Q ABP MG1A4707QP
TRP214709E2	EATON ESII DRIVE	4709, ESII	16.5” X 7”		• KSMA2124709E2 • RDSKMG1A4311E • Q ABP MG1A4311E • Q ABP MG1A4709E2
TRP214710QP	MERITOR STEER/TRAILER “Q PLUS”	4710, QP	15” X 8 5/8” Q PLUS		• KSMA2124710QP • RDSKMG1A4711QP • Q ABP MG1A4710QP
TRP214711QP	HENDRICKSON INTRAAX	4711, QP	16.5” X 8-5/8” Q PLUS		• KSMA2124711QP • B4711PTQK • Q ABP MG1A4711QP
TRP214715QP	MERITOR STEER ‘’Q PLUS’’	4715, QP	16.5’’ X 6’’ Q PLUS		• KSMA2124715QP • Q ABP MG1A4715QP
TRP214720QP	MERITOR STEER ‘’Q PLUS’’	4720, QP	16.5” X 5” Q PLUS		• KSMA2124720QP • Q ABP MG1A4720QP

BRAKE SHOES & HARDWARE KITS

23K GAWR



TRP234707QP

PART NUMBER	PRODUCT APPLICATION	FMSI + SHOES TYPE	SIZE	ECE R90 APPROVED	CROSS REFERENCE
TRP231308Q	MERITOR STEER ''Q''	1308,Q	15" X 4" Q		• KSMA3121308Q
TRP234515FQ	FRUEHAUF/ SAF/ TMC	4515, F(Q)	16.5'' X 7'' Q	Y	• KSMA3124515F3 • B4515PTFREUHAUFQCK
TRP234515P	MERITOR DRIVE ''P''	4515, P	16.5'' X 7'' P	Y	• PKSMA3124515P
TRP234515PSS-01	MERITOR DRIVE "P" SEVERE SERVICE	4515, PSS	16.5'' X 7'' P	Y	• PKSMA3124515PSS • B4515PTGPWWK
TRP234515Q	MERITOR DRIVE ''Q''	4515, Q	16.5'' X 7'' Q	Y	• KSMA3124515Q • B4515PTQCK • WKS4515QVHP
TRP234524Q	MERITOR STEER ''Q''	4524, Q	16.5" X 5" Q		• KSMA3124524Q • WK4524QVHP
TRP234707QP	MERITOR DRIVE "Q PLUS"	4707, QP	16.5'' X 7'' Q PLUS	Y	• KSMA3124707QP • B4707PTQPK • WKS4707QVHP
TRP234709E2	EATON ESII DRIVE	4709, ESII	16.5" X 7"		• KSMA3124709E2
TRP234715QP	MERITOR STEER ''Q PLUS"	4715, QP	16.5'' X 6'' Q PLUS		• KSMA3124715QP
TRP234720QP	MERITOR STEER ''Q PLUS''	4720, QP	16.5" X 5" Q PLUS		• KSMA3124720QP • B4720PTQK • WK4720QVHP
TRP234725E	SPICER STEER BRAKE	4725, E	16.5'' X 6''		• KSMA3124725R

BRAKE SHOES & HARDWARE KITS

FEATURES & BENEFITS

- Designed, tested and engineered to meet the demanding conditions on Australian roads
- Automated riveting process
- All linings tested to FMVSS 121 & ECE R90 where applicable
- 7 long weld points for strength & matched to OE specs
- OEM quality hardware kit
- 12 month unlimited kilometre warranty



FMVSS 121 TESTING STANDARD

TESTING PARAMETERS

WHAT IS FMVSS 121 STANDARD?

FMVSS 121 stands for Federal Motor Vehicle Safety Standard 121 and tests whether a given rotor has sufficient heat dissipation characteristics to pass the set test requirements.

WHY TEST TO FMVSS 121 STANDARD?

Testing TRP® shoes to the FMVSS 121 standard ensures that the linings are put through standardised testing. It verifies that the lining passes a set criteria at a given weight load. Australian and New Zealand vehicle standards are for the fully dressed axle, so it is important that we use a recognised standard like FMVSS 121 to test the performance of the friction material.

TEST PARAMETERS

The test was performed by Link Manufacturing, an independent testing facility based in the US. The FMVSS 121 test was performed on the following Linings:

STANDARD LININGS
- 21K GROSS AXLE WEIGHT RATING (GAWR)

TRP21K Lining Material

PREMIUM LININGS
- 23K 21K GROSS AXLE WEIGHT RATING (GAWR)

TRP23K Lining Material


* IT'S IMPORTANT TO NOTE THAT TRP® TESTED TO FACTOR 165 FOR BOTH STANDARD AND PREMIUM LININGS. THE FACTOR IS CALCULATED BY MULTIPLYING THE SLACK ADJUSTER ARM LENGTH BY THE AIR CHAMBER DIAPHRAGM SIZE. (30 X 5.5 = 165). TRP® TEST TO THIS FACTOR AS MOST CLASS 8 TRUCKS USE A 5.5" SLACK ADJUSTER AND A 30/30 AIR CHAMBER.

21K & 23K COMPARISON

The following graphs were created using the FMVSS 121 independent test results. The results show the difference in the stopping abilities of each lining material.

RETARDATION FORCE

MORE FORCE IS BETTER: Retardation ratio represents the force (PSI) applied by the brake divided by the Gross Axle Weight Rating (GAWR). A greater ratio implies a greater brake force.




- **The above retardation force comparison shows that the 23K lining produces more overall friction than the 21K lining.**
- **More friction applied to the drum will generate better deceleration.**

21K & 23K COMPARISON

FADE PERFORMANCE

LESS IS BEST: Simulates 10 continuous, abrupt decelerations.
Lower air pressures indicate less brake force is required to perform the abrupt stop.




- **As linings get hotter, more force (PSI) from the air chamber is needed to create enough friction in order to stop.**
- **The above comparison shows higher PSI is required over the 10 stops on the 21K lining, whilst the 23K remains consistent.**

21K & 23K COMPARISON

RECOVERY PERFORMANCE


LESS IS BEST: Simulates how fast the lining material recovers after the Fade test and measures how well the brake copes with conditions that could result in brake fade.



- **This test shows the ability of the linings to continue to create sufficient friction after it has beenexposed to the high temperatures in the Fade test.**
- **The 21K lining shows a steady decrease in PSI over the 20 stops, whilst the 23K shows a consistent and steady PSI throughout the test.**

21K & 23K COMPARISON

LINING WEIGHT LOSS IN GRAMS*



- The above graph shows total weight loss of the linings and drum after the FMVSS 121 test has been completed. The smaller the bar the better the result. The leading OEM brake shoe manufacturer results have also been included. The comparison shows that TRP® linings outlast the OEM equivalent by up to 30% and deliver a better return on investment.
- *21,000 lb GAWR lining comparison

TRUCK & TRAILER PARTS

TRP® BURTON



FIND US AT

473 Burton Road
Burton SA 5110

Phone: (08) 8280 4800



The first TRP® Store to open in Australia.

BRAKE SYSTEMS

DISC BRAKE PADS

TRP® disc brake pads have been manufactured and engineered to deliver consistent and reliable braking performance day in, day out. The range covers the most popular applications in the truck and trailer market and have been developed by an OE manufacturer.

TRP® disc brake pads are also certified ECE R90, a standard that is recognised by Australian and New Zealand Design Rules.

DISC BRAKE PADS

DESIGNED TO MATCH ORIGINAL EQUIPMENT QUALITY STANDARDS

- Manufactured in state of the art facilities to meet the most stringent automotive quality standards
- Tested and benchmarked against OEM friction materials
- Bedding in performance coating

BEST POSSIBLE BRAKE PERFORMANCE UNDER ALL CONDITIONS

- Patented “Steel Peel” retention system for optimal adhesion of friction material on back plate
- Equal heat distribution for constant performance and even wear pattern
- Braking performance comparable to original equipment brake pads

QUALITY ASSURED

- ECE R90 approved tests conducted by independent test authorities
- ECE R90 is a recognised standard in Australia and NZ and tests the pads performance to ensure it is within 15% of the OEM product
- TRP Brake Pads clearly marked with ECE R90 code number, WVA number and batch code for full traceability

FULL FACE BEDDING-IN COATING
PERFORMANCE FROM FIRST FIT

"STEEL PEEL"
RETENTION SYSTEM



OE THICKNESS BACK PLATES
MAXIMUM RESISTANCE TO BEND & FLEX ENSURES REDUCTION IN HOT SPOTTING & PRESENTS FULL PAD FACE TO THE ROTOR

FEATURES & BENEFITS

- ECE R90 certified, a recognised standard in Australia and NZ
- Heavy duty and super heavy duty friction material options to suit multiple applications
- Matched TRP rotors available on some applications.
- Independently tested against the leading disc pads on the market ensures TRP can compete against the best.
- 12 month unlimited kilometre, hassle-free warranty



DISC BRAKE PADS


NO.	BRAKE PAD DRAWING	PART NUMBER	CALIPER NUMBER	APPLICATION	CROSS REFERENCE	TRADE NUMBER (WVA)	LINING TYPE
1		1962436	BPW TSB4309	· BPW · SAF	· 980107960	29228	HEAVY DUTY
2		AD1527SD	DANA ESD-225	· DANA	· 92008	9143/29143USA	SUPER HEAVY DUTY
3		0908142	KNORR SB6/SN6	· IVECO EUROCARGO TECTOR	· MDP3095K · DCVP036K · WDP036K	29095	HEAVY DUTY
4		1961734	KNORR SB6/SN6	· BPW SB3745, SB3745T	· 980108160 · 980108150 · MDP3171K · WDP092K	29306	HEAVY DUTY
5		0908134	KNORR SB7000	· SAF · SCANIA	· MDP3087K · WDP020K · DCVP020K	29087	HEAVY DUTY
6		1540192	KNORR SB7/SN7 HD	· DAF	· 1982826	29087	SUPER HEAVY DUTY
7		1536934	KNORR SK7	· SAF	· K070796	29158	SUPER HEAVY DUTY
8		1962431	KNORR SK7	· SAF	· 3057008500	29158	HEAVY DUTY

NO.	BRAKE PAD DRAWING	PART NUMBER	CALIPER NUMBER	APPLICATION	CROSS REFERENCE	TRADE NUMBER (WVA)	LINING TYPE
9		1961736	KNORR SK7	• BPW SB4309T	• MDP3173K • DCVP094 • WDP094K	29308	HEAVY DUTY
10		1536932	MERITOR DX 225	• KENWORTH • MACK	• K1T225020 • KIT225020	29150	SUPER HEAVY DUTY
11		0908137	MERITOR DX195	• KENWORTH • MACK	• MDPDX195 • MDP3124K • WDP024K	29124	HEAVY DUTY
12		1962266	MERITOR ELSA225-1	• MACK • VOLVO	• MDP3126K • WDP095	29173	SUPER HEAVY DUTY
13		1962267	MERITOR ELSA225-3	• VOLVO	• MDP3174K • CVP101K	29174	SUPER HEAVY DUTY
14		1536935	MERITOR EX225 H2	• KENWORTH • MACK	• MDPEX225	29187	SUPER HEAVY DUTY
15		0908138	WABCO PAN19-1	• K-HITCH • SAF • YORK	• DCVP090K • CVP090PT • 12999737 • 1436901 • MDP3126K • WDP090K • 3057008000	29159	HEAVY DUTY
16		1962432	WABCO PAN22-1	• SAF • YORK	• MDP3162K • 12999796 • DCVP096K • WDP096K	29162	HEAVY DUTY

BPW
TSB 4309


HEAVY DUTY
TRP PAD NO.
1962436
WVA
29228
MATERIAL
TRP1210HD
CALIPER
BPW TSB 4309
HEIGHT
117.8mm
LENGTH
210.3mm
THICKNESS
29.6mm

PAD SHAPE
*NOT TO SCALE



BPW
TSB 4309

HEAVY DUTY
TRP PAD NO.
1962436
WVA
29228
MATERIAL
TRP1210HD
CALIPER
BPW TSB 4309
HEIGHT
117.8mm
LENGTH
210.3mm
THICKNESS
29.6mm




ACCESSORY KIT
*NOT TO SCALE

HALDEX
DB22


SUPER HEAVY DUTY
TRP PAD NO.
AD1527SD
WVA
29185
MATERIAL
TRP1310SHD
CALIPER
HALDEX DB22
HEIGHT
104.5mm
LENGTH
247.6mm
THICKNESS
30mm

PAD SHAPE
*NOT TO SCALE



HALDEX
DB22

SUPER HEAVY DUTY
TRP PAD NO.
AD1527SD
WVA
29185
MATERIAL
TRP1310SHD
CALIPER
HALDEX DB22
HEIGHT
104.5mm
LENGTH
247.6mm
THICKNESS
30mm




ACCESSORY KIT
*NOT TO SCALE

KNORR
SN6000

HEAVY DUTY
TRP PAD NO.
1961734
WVA
29306
MATERIAL
TRP1210HD
CALIPER
KNORR SN6000
HEIGHT
92.5mm
LENGTH
210.7mm
THICKNESS
30mm


PAD SHAPE
*NOT TO SCALE



KNORR
SN6000

HEAVY DUTY
TRP PAD NO.
1961734
WVA
29306
MATERIAL
TRP1210HD
CALIPER
KNORR SN6000
HEIGHT
92.5mm
LENGTH
210.7mm
THICKNESS
30mm


ACCESSORY KIT
*NOT TO SCALE



KNORR
SB6000

HEAVY DUTY
TRP PAD NO.
0908142
WVA
29095
MATERIAL
TRP1210HD
CALIPER
KNORR SB6000
HEIGHT
92.5mm
LENGTH
210.7mm
THICKNESS
30mm


PAD SHAPE
*NOT TO SCALE



KNORR
SB6000

HEAVY DUTY
TRP PAD NO.
0908142
WVA
29095
MATERIAL
TRP1210HD
CALIPER
KNORR SB6000
HEIGHT
92.5mm
LENGTH
210.7mm
THICKNESS
30mm


ACCESSORY KIT
*NOT TO SCALE



KNORR
PROTEC SB7000

HEAVY DUTY
TRP PAD NO.
0908134
WVA
29253
MATERIAL
TRP1210HD
CALIPER
KNORR PROTEC SB7000
HEIGHT
108mm
LENGTH
247.5mm
THICKNESS
30mm

SUPER HEAVY DUTY
TRP PAD NO.
1540192
WVA
29253
MATERIAL
TRP1310SHD
CALIPER
KNORR PROTEC SB7000
HEIGHT
108mm
LENGTH
247.5mm
THICKNESS
30mm





PAD SHAPE
*NOT TO SCALE

KNORR
PROTEC SB7000

HEAVY DUTY
TRP PAD NO.
0908134
WVA
29253
MATERIAL
TRP1210HD
CALIPER
KNORR PROTEC SB7000
HEIGHT
108mm
LENGTH
247.5mm
THICKNESS
30mm

SUPER HEAVY DUTY
TRP PAD NO.
1540192
WVA
29253
MATERIAL
TRP1310SHD
CALIPER
KNORR PROTEC SB7000
HEIGHT
108mm
LENGTH
247.5mm
THICKNESS
30mm






ACCESSORY KIT

*NOT TO SCALE

KNORR
SK7000

HEAVY DUTY
TRP PAD NO.
1961736
WVA
29308
MATERIAL
TRP1210HD
CALIPER
KNORR SK7000
HEIGHT
108.5mm
LENGTH
210.7mm
THICKNESS
30mm


PAD SHAPE
*NOT TO SCALE



KNORR
SK7000

HEAVY DUTY
TRP PAD NO.
1961736
WVA
29308
MATERIAL
TRP1210HD
CALIPER
KNORR SK7000
HEIGHT
108.5mm
LENGTH
210.7mm
THICKNESS
30mm


ACCESSORY KIT
*NOT TO SCALE



KNORR
SK7000

HEAVY DUTY
TRP PAD NO.
1962431
WVA
29158
MATERIAL
TRP1210HD
CALIPER
KNORR SK7000
HEIGHT
108.5mm
LENGTH
210.7mm
THICKNESS
30mm

SUPER HEAVY DUTY
TRP PAD NO.
1536934
WVA
29158
MATERIAL
TRP1310SHD
CALIPER
KNORR SK7000
HEIGHT
108.5mm
LENGTH
210.7mm
THICKNESS
30mm




PAD SHAPE
*NOT TO SCALE

KNORR
SK7000

HEAVY DUTY
TRP PAD NO.
1962431
WVA
29158
MATERIAL
TRP1210HD
CALIPER
KNORR SK7000
HEIGHT
108.5mm
LENGTH
210.7mm
THICKNESS
30mm

SUPER HEAVY DUTY
TRP PAD NO.
1536934
WVA
29158
MATERIAL
TRP1310SHD
CALIPER
KNORR SK7000
HEIGHT
108.5mm
LENGTH
210.7mm
THICKNESS
30mm




ACCESSORY KIT

*NOT TO SCALE

MERITOR
DX195


HEAVY DUTY
TRP PAD NO.
0908137
WVA
29124
MATERIAL
TRP1210HD
CALIPER
MERITOR DX195
HEIGHT
101.41mm
LENGTH
205.4mm
THICKNESS
27mm



PAD SHAPE
*NOT TO SCALE

MERITOR
DX195

HEAVY DUTY
TRP PAD NO.
0908137
WVA
29124
MATERIAL
TRP1210HD
CALIPER
MERITOR DX195
HEIGHT
101.41mm
LENGTH
205.4mm
THICKNESS
27mm




ACCESSORY KIT

*NOT TO SCALE

MERITOR
DX225


SUPER HEAVY DUTY
TRP PAD NO.
1536932
WVA
29180
MATERIAL
TRP1310SHD
CALIPER
MERITOR DX225
HEIGHT
109.5mm
LENGTH
235.6mm
THICKNESS
29mm

PAD SHAPE
*NOT TO SCALE



MERITOR
DX225

SUPER HEAVY DUTY
TRP PAD NO.
1536932
WVA
29180
MATERIAL
TRP1310SHD
CALIPER
MERITOR DX225
HEIGHT
109.5mm
LENGTH
235.6mm
THICKNESS
29mm



ACCESSORY KIT


*NOT TO SCALE

MERITOR
ELSA 225–3

SUPER HEAVY DUTY


TRP PAD NO.
1962267
WVA
29174
MATERIAL
TRP1310SHD
CALIPER
MERITOR ELSA 225-3
HEIGHT
107.2mm
LENGTH
249.5mm
THICKNESS
29.2mm

PAD SHAPE
*NOT TO SCALE



MERITOR
ELSA 225–3

SUPER HEAVY DUTY
TRP PAD NO.
1962267
WVA
29174
MATERIAL
TRP1310SHD
CALIPER
MERITOR ELSA 225-3
HEIGHT
107.2mm
LENGTH
249.5mm
THICKNESS
29.2mm




ACCESSORY KIT
*NOT TO SCALE

MERITOR
EX225 H2


SUPER HEAVY DUTY
TRP PAD NO.
1536935
WVA
29187
MATERIAL
TRP1310SHD
CALIPER
MERITOR EX225 H2
HEIGHT
116.2mm
LENGTH
249.4mm
THICKNESS
28.8mm

PAD SHAPE
*NOT TO SCALE



MERITOR
EX225 H2

SUPER HEAVY DUTY
TRP PAD NO.
1536935
WVA
29187
MATERIAL
TRP1310SHD
CALIPER
MERITOR EX225 H2
HEIGHT
116.2mm
LENGTH
249.4mm
THICKNESS
28.8mm




ACCESSORY KIT
*NOT TO SCALE

WABCO
PAN 19


HEAVY DUTY
TRP PAD NO.
0908138
WVA
29159
MATERIAL
TRP1210HD
CALIPER
WABCO PAN 19
HEIGHT
92.4mm
LENGTH
210.4mm
THICKNESS
29.7mm

PAD SHAPE
*NOT TO SCALE



WABCO
PAN 19

HEAVY DUTY
TRP PAD NO.
0908138
WVA
29159
MATERIAL
TRP1210HD
CALIPER
WABCO PAN 19
HEIGHT
92.4mm
LENGTH
210.4mm
THICKNESS
29.7mm




ACCESSORY KIT
*NOT TO SCALE

WABCO
PAN 22


HEAVY DUTY
TRP PAD NO.
1962432
WVA
29162
MATERIAL
TRP1210HD
CALIPER
WABCO PAN 22
HEIGHT
109.3mm
LENGTH
210.2mm
THICKNESS
31mm

PAD SHAPE
*NOT TO SCALE



WABCO
PAN 22

HEAVY DUTY
TRP PAD NO.
1962432
WVA
29162
MATERIAL
TRP1210HD
CALIPER
WABCO PAN 22
HEIGHT
109.3mm
LENGTH
210.2mm
THICKNESS
31mm



ACCESSORY KIT

*NOT TO SCALE

BRAKE SYSTEMS

DISC BRAKE ROTORS

The TRP® range of rotors have been matched to TRP® brake pads, offering you a one stop shop for your disc brakes.

The rotors have been independently tested to FMVSS 121, an industry recognised standard that allows us to benchmark the performance and heat dissipation of our rotors against standardised testing.

DISC BRAKE ROTORS

FEATURES & BENEFITS

- Tested to FMVSS 121 standards
- High temperature resistant
- 100% product traceability
- Designed and tested according to OE specifications to deliver the highest possible safety at every brake application



FMVSS 121 TESTING STANDARD

TESTING PARAMETERS

WHAT IS FMVSS 121 STANDARD?

FMVSS 121 stands for Federal Motor Vehicle Safety Standard 121 and tests whether a given rotor has sufficient heat dissipation characteristics to pass the set test requirements.

WHY TEST TO FMVSS 121 STANDARD?

Testing TRP® rotors to the FMVSS 121 standard ensures that they're put through standardised testing. It verifies that the rotors can dissipate heat efficiently within a set criteria. Australian and New Zealand vehicle standards are for the fully dressed axle, so it is important that we use a recognised standard like FMVSS 121 to test the performance of the rotor.

TEST PARAMETERS


The test was performed by Link Manufacturing, an independent testing facility based in the US. The FMVSS 121 test was performed to Gross Axle Weight Rating (GAWR) 26,000 lb ensuring that the rotor was tested to the most extreme application possible.

- TRP Rotor tested TRPDR006
  - Suits SAF Intradisc 377mm 10 Stud, 285 PCD
- Tested to 26,000 lb Gross Axle Weight (Heavy duty application)
- Disc Pad used was TRP Disc Pad 1536935 (HD Pad)
- Air Chamber – Type 24"

TRP DISC BRAKE ROTORS FMVSS 121 TEST

RETARDATION FORCE

More force is better: A greater force applies more friction in order to decelerate



TESTING PROCEDURE

- 7 stops made at 20, 30, 40, 50, 60, 70 and 80 PSI.
- Stops are made from 80 kph to 0 kph.
- Average torque is measured during each stop to calculate a retardation ratio which has to be above the legal limit at each pressure.


WHAT WE LEARN FROM THE TEST?

- The test confirms that TRP® Rotors are able to perform with the pads to create sufficient friction through all of the air chamber pressure ranges in the test parameters.

TRP DISC BRAKE ROTORS FMVSS 121 TEST

FADE PERFORMANCE

Less is best: Simulates 10 continuous, abrupt decelerations



TESTING PROCEDURE

- A series of 10 snubs are made from 80 kph to 25 kph.
- Air pressure and temperature are recorded during these stops.
- Air pressure may not exceed 100 PSI during fade.


WHAT WE LEARN FROM THE TEST?

- As the disc pads gets hotter, more force (PSI) is needed to create enough friction in order to stop. This causes the rotors to be exposed to high temperatures and heat up under the force.
- The test results show TRP® rotors can sufficiently dissipate heat as the temperature of the lining increases whist also maintaining a steady PSI.

TRP DISC BRAKE ROTORS FMVSS 121 TEST

RECOVERY PERFORMANCE

Less is best: Simulates how fast the lining material recovers and improves braking power in less severe conditions



TESTING PROCEDURE

- Test starts 2 minutes after fade testing. 20 braking stops are made 60 seconds apart, at an average deceleration rate of 3.6m/sec^2
- Each of the stops are made from 48 kph to 0 kph
- Air pressure is recorded during these stops. Air pressure may not exceed 86 PSI or go lower then 20 PSI during recovery

WHAT WE LEARN FROM THE TEST?

- The ability of the rotor to steadily dissipate heat after they have been exposed to high temperatures in the Fade test.

TRUCK & TRAILER PARTS

TRP® GEELONG





FIND US AT

Factory 2, 27 Success Way
Corio VIC 3214

Phone: (03) 5274 2646







“ I have been purchasing my truck parts from TRP in Geelong since it opened in 2017.

I think they are great quality at the right price.”

- Tom Allen, Owner Driver, TGR.

TRP DISC BRAKE ROTORS APPLICATIONS


PART NUMBER		CALIPER TYPE	APPLICATION
TRPDR001		SB4309T KNORR CALIPER & BPW TSB4309	• BPW TRAILER AXLE • BPW SB4309T • FREIGHTLINER – ARGOSY / COLUMBIA / CORONADO • WESTERN STAR - CONSTELLATION & HERI- TAGE SERIES • MERITOR TRAILER AXLE"
TRPDR003		WABCO PAN 19-1 CALIPER	• K-HITCH • SAF • YORK
TRPDR005-1		WABCO PAN 19-1 CALIPER	• K-HITCH • SAF • YORK
TRPDR007		WABCO PAN 19-1 CALIPER	• K-HITCH • SAF • YORK
TRPDR006		MERITOR EX225 H2	• KENWORTH- K & T SERIES • MACK/RENAULT - CH/CHR SERIES & TITAN/ TRIDENT/QUANTUM/SUPERLINER/ VISION/ GRANITE SERIES
TRPDR002		MERITOR DX-195 CALIPER STEER AXLE	• KENWORTH- K & T SERIES • MACK/RENAULT - CH/CHR SERIES & TITAN/ TRIDENT/QUANTUM/SUPERLINER/ VISION/ GRANITE SERIES"
TRPDR008		MERITOR DX 225	• KENWORTH- K & T SERIES • MACK/RENAULT - CH/CHR SERIES & TITAN/ TRIDENT/QUANTUM/SUPERLINER/ VISION/ GRANITE SERIES"

FEATURES & BENEFITS

- **Tested to FMVSS 121 standards to 26,000 lb gross axle weight rating (GAWR) - Excellent brake performance for Australian conditions.**
- **Range to suit popular makes of trucks and trailers.**
- **High temperature resistant and equal heat dissipation - Ensures a long service life.**
- **Combine your TRP® Brake Discs with TRP® Brake Pads for a hassle free operation - One stop shop for your convenience.**
- **2 year, unlimited kilometre warranty.**

TRP DISC BRAKE ROTORS DIMENSIONS & CROSS REFERENCES

DIA (MM)	PCD (MM)	HEIGHT (MM)	THICKNESS (MM)	STUD HOLES	CROSS REFERENCE	DISC PAD PART NUMBER
430	285.0	159.5	45.0	10	· 0308835060 · WDR703 · MBR5803 · CDR1046 · 802082 · 802081 · AP3204G	· 1962436 · 1961736
377	196.0	138.5	45.0	8	· 79787412 · WDR705 · MBR5805 · CDR1048 · AP3206	· 0908138
377	285.0	145.0	45.0	10	· 4079001201S · 4079001201 · MBR5804 · WDR704 · 4079001204 · AP3235	· 0908138
377	285.7	157.5	45.0	10	· 4079001600 · WDR735 · MBR5072	· 0908138
434	266.7	143.0	45.0	10	· 23123642002 · WDR704	· 1536935
378	285.0	156.0	45.0	10	· 3218N1366 · WDR566 · CDR1061 · AP3221 · R6182	· 0908137
420	266.7	159.6	44.9	10	· 23123615002 · WDR729 · CDR1045 · AP3232	· 1536932





The cab is a truck driver's office.
A place that needs to be comfortable and functional.

TRP® recognise this, and work hard to deliver quality products that suit your truck cab. From cabin filtration through to wipers, TRP® delivers solutions to help keep your place of work working for you.

TRP®
TRUCK & TRAILER PARTS

TRP®
TRUCK & TRAILER PARTS



CABIN & FRAME

GLASS

INSULATION RANGE

MATTRESS

HEATING VENTILATION & AIR CONDITIONING (HVAC)

CABIN & HOOD MOUNTS

MIRROR RANGE

FUEL & OIL TANKS

WIPER SYSTEMS

www.trpparts.com.au

CABIN & FRAME


GLASS

With the distances you drive, quality glass is crucial to safety. The TRP® range of glass is OE quality and is backed by a 12 month warranty to give you peace of mind on the road.

SLEEPER GLASS & WINDSCREENS

FEATURES & BENEFITS

- Manufactured by an OE manufacturer



TRP255

TRP244





TRP182-2R

TRP182-2



TRP213

PART NUMBER	CATEGORY	PRODUCT TITLE	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP182-2	SLEEPER GLASS	GLASS SLEEPER VISTA WINDOW LEFT HAND	ALL KW MODELS 2012 TO CURRENT* WITH AERO II SLEEPER (EXCLUDING 2.1M MODELS)	R44-1065
TRP182-2R	SLEEPER GLASS	GLASS SLEEPER VISTA WINDOW RIGHT HAND	ALL KW MODELS 2012 TO CURRENT* WITH AERO II SLEEPER (EXCLUDING 2.1M MODELS)	R44-1065R
TRP241	SLEEPER GLASS	GLASS SLEEPER WINDOW	CONVENTIONAL CAB WITH 915 MM AND 1270 MM AERO I SLEEPER	K136-241
TRP1098	WINDSCREEN	2 PC CURVED WINDSCREEN LEFT	SUITS CAB OVERS HIGH ROOF 2 PC 2009 TO CURRENT*	R44-1098
TRP257-2	WINDSCREEN	2 PC CURVED WINDSCREEN RIGHT	SUITS 1999 TO CURRENT* CAB OVERS	K136-257-2
TRP213	WINDSCREEN	2 PC FLAT WINDSCREEN	SUITS T4/T6/T9T/CST LOW ROOF 1987-2001	K136-213
TRP232	WINDSCREEN	2 PC FLAT WINDSCREEN	W9/C500R 1971-1988 LOW ROOF	K136-232
TRP244	WINDSCREEN	1 PC CURVED GLASS	SUITS T3/T4 HIGH ROOF 1997 TO CURRENT*	K136-244
TRP255	WINDSCREEN	1 PC CURVED GLASS	SUITS 1999 TO CURRENT* CAB OVERS	K136-255

* AT TIME OF PRINTING

CABIN & FRAME

INSULATION RANGE

The TRP® Range of Premium Insulation is specially designed for heavy duty applications operating in our country's harsh environment.

Apply the TRP® Range of Premium insulation products to your floor, door, roof, sleeper, manifolds and wire looms/hard lines and experience the difference.

Trust TRP® for your ultimate driving comfort.

INSULATION RANGE

FEATURES & BENEFITS

- Exceptional strength and rigidity in high temperature applications
- Pre cut to length for easy installation
- Unlimited kilometre warranty
- Made in Australia by OEM Manufacturer



TRP-QSSL1M

TRP-HFN3NT50

TRP-TFTAPE33

TRP-UDN088BK

TRP-T6F075SV

PART NUMBER	PRODUCT DESCRIPTION	APPLICATION
TRP-TF600LGE	MULTILAYER ALUMINIUM HEAT SHIELD- 6 LAYER	COLD MOUNT HEAT SHIELD- FLOOR OR COMPONENTS RIGID SELF SUPPORTING SHIELD - 680 X 430MM
TRP-HD5000LGE	MULTILAYER STEEL COMPOSITE HEAT SHIELD	HOT MOUNT HEAT SHIELD-MANIFOLD/ TURBO/ DPF CLOSE PROXIMITY - 700 X 560MM
TRP-QSDLGE	ALUMINIUM/BUTYL SELF ADHESIVE SOUND DEADENER	INTERIOR SOUND DEADENER- CAB FLOOR, FIREWALL, DOORS, ROOF, SLEEPER. ANY LARGE PANELS THAT RATTLE/VIBRATE - 750X700MM
TRP-QSSLIM	ALUMINIUM/POLYESTER SELF ADHESIVE SOUND/HEAT SHIELD	COLD MOUNT HEAT/SOUND SHIELD- FIREWALL (ENGINE BAY) INNER ROOF SKIN - 550 X 550MM
TRP-T6F150SV	ALUMINIUM COATED FIBREGLASS SPLIT SLEEVE	RADIANT HEAT PROTECTION- WIRE LOOMS, AIR, FUEL, HYDRAULIC LINES. SPLIT FOR EASY INSTALLATION - 1.5"DIA X 4FT
TRP-T6F075SV	ALUMINIUM COATED FIBREGLASS SPLIT SLEEVE	RADIANT HEAT PROTECTION- WIRE LOOMS, AIR, FUEL, HYDRAULIC LINES. SPLIT FOR EASY INSTALLATION - 3/4"DIA X 4FT
TRP-UDN088BK	SILICONE COATED FIBREGLASS SLEEVE	AMBIENT TEMP PROTECTION- HARD LINES(STEEL, ALUMINIUM, COPPER), ITEMS NEEDING STABLE TEMPERATURE - 7/8" DIA X 4FT
TRP-UEN100BK	RESIN COATED FIBREGLASS SLEEVE	CONTACT TEMP PROTECTION. WIRE LOOMS, AIR, FUEL, HYDRAULIC LINES, ITEMS THAT MAY CONTACT HOT REGIONS - 1"DIA X 6FT
TRP-HFN3NT50	VERMICULITE COATED FIBREGLASS HEAT WRAP	HOT MOUNT. EXHAUST PIPE, MANIFOLDS. REDUCES RADIANT HEAT, HOLDS HEAT IN PIPE - 3" X 50FT
TRP-HFN3NT100	VERMICULITE COATED FIBREGLASS HEAT WRAP	HOT MOUNT. EXHAUST PIPE, MANIFOLDS. REDUCES RADIANT HEAT, HOLDS HEAT IN PIPE - 3" X 100FT
TRP-TFTAPE33	REINFORCED ALUMINIUM TAPE	SEAL EDGES OF HEAT SHIELDS, WRAP CABLES/WIRING - 48MM X 33M

CABIN & FRAME

MATTRESS

Rest easy with TRP®

With demanding driving schedules and stringent timelines, sleep is a valuable commodity. We understand the importance of good rest and are proud to present the TRP Premium Inner Spring mattress for your ultimate sleeping comfort.

PREMIUM INNER SPRING MATTRESS

TRPSM1818

PRODUCT INFORMATION

- 80 (W) x 190 (L) x 21 (H) cm
- Fits most 860mm/910mm/1270mm sleeper cabs

FEATURES & BENEFITS

- Premium High carbon spring mattress with Cooling Gel
- Foam encased on all sides which provides a firm seating edge
- Trimmed with anti-bacterial fabric
- Tested for Flammability resistance(FMVSS302) and Cornell standards(spring durability)
- 12 Month warranty with 10 year Limited Manufacturer's warranty for spring compression



MATTRESS PROTECTOR

SCMP8010B

FEATURES & BENEFITS

- Commercial quality 100% cotton fabric
- Black
- Machine washable



CABIN & FRAME

HEATING VENTILATION & AIR CONDITIONING (HVAC)

Comfort is King and cab temperature is pivotal to driver comfort. TRP® has a range of products for your heating, ventilation and air conditioning requirements, from maintenance items to full auxiliary systems.

COMPRESSORS



TRPAC4069AUS

FEATURES & BENEFITS

- Forged and Anodised planetary for longer life
- Larger main bearing coupled with extra lube holes for optimum reliability
- Pre-charged with unique End-Capped Polyalkylene Glycol (PAG) oil for greater tolerance of moisture and superior wear protection

PRODUCT INFORMATION

Built for reliability, the TRP Air Conditioning Compressor range is a hassle-free option. TRP compressors are 100% tested to help deliver performance in the field. Manufactured with durable components, the compressors provide an alternative for the price-conscious owner still looking for quality, reliability and less downtime.

TRP compressors are backed with a 12-month, unlimited-kilometre warranty, provided they are installed by an approved A/C repairer, and fitted with a new receiver dryer

PART NUMBER	PRODUCT DESCRIPTION	APPLICATION	CROSS REFERENCE
TRPAC4069AUS	COMPRESSOR-A/C PV8 130MM	SUITS KENWORTH MODELS: K200, T909, T659, T408/SAR, T609, T403, T359, T608, C509, T402, T900, T408/EX, T388P, C508	· F69-1006-211
TRPAC4260AUS	COMPRESSOR-A/C P2A 125MM	SUITS KENWORTH MODELS: K104, T404/S, T404/SAR, K104B, T350, T650, T350A, T950, T358A, T300, C500	· K318-116
TRPAC8083AUS	COMPRESSOR-A/C PV8 119MM	SUITS KENWORTH MODELS: K104, T604, T904/II, T350, T950, T408/SAR, T404, T401, T608, T650/II	· K318-133
TRPAC4398AUS	COMPRESSOR- A/C PV8 119MM	SUITS KENWORTH MODELS: K200, T909, T659, C509, W900SAR, T409/SAR, T359, T609, K220	· F69-1019

RECEIVER DRYER

GD11350

SUITS MOST KENWORTH TRUCK MODELS



PRODUCT INFORMATION

The receiver dryer plays a critical role in your A/C system. Located between the condenser and TX valve, the receiver dryer's primary function is to remove any moisture and contaminants in the refrigerant. The receiver dryer also ensures proper lubrication of the A/C system, and stores overflow refrigerant during times of low demand. Regular replacing of the filter prevents serious failures and the costly replacement of other components in the air conditioning system. Receiver dryers should always be replaced when the A/C system has been open for a substantial time period and also when compressor, condenser or TX valve are replaced.

FEATURES & BENEFITS

- Tested to OEM quality standards to achieve maximum safety and reliability
- TRP Receiver Driers are manufactured using OE materials and exact dimensions
- Weight and dimensions remains the same as OE adding no additional strain or modification to bracketry
- No installation modifications are necessary, service ports are the same
- Corrosion resistant bead plate components for longer service life

CROSS REFERENCE

- K251-571
- RD8324
- A05-0383

TX VALVES

FEATURES & BENEFITS

- Manufactured to OE specifications to operate in harmony with your Air Conditioning system
- Great value alternative to OE product saving money each time a repair is required on your AC System
- Complements existing TRP AC products including air conditioning compressors and receiver dryers making repairs more affordable

PRODUCT INFORMATION

RP TX Valves are responsible for regulating air conditioning refrigerant into your trucks evaporator core to keep cabin temperatures cool. Given the fine tolerances for effective function of the TX Valve, it is always advised that when repair of your air conditioning system is required that both the receiver dryer (that removes moisture from the system) AND TX valve are changed.



TRP440TX



TRP997TX

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE
TRP440TX	KENWORTH PRE 2010	• 329-440
TRP997TX	KENWORTH POST 2010	• 25188997

CAB AIR FILTER

TRPCAF0001

SUITS KENWORTH

FEATURES & BENEFITS

- Large surface area through pleated filtration media
- Made to exacting standards for ease of fitment
- Long life and pollutant containment
- Protect drivers and cabs from pollen, dust and pollutant

CROSS REFERENCE

- 25189011



COMPACT PARKING COOLER
SUITS DAF



PRODUCT INFORMATION


A good night sleep for a driver is essential to be refreshed and focused. The TRP Compact Parking Cooler provides an ideal cabin environment, it creates an optimal temperature and dehumidifies the cab.

Operating as a stand-alone air conditioning unit powered on the vehicle battery prevents excessive engine idling while stationary. This will decrease fuel costs significantly and will also reduce vehicle emissions.

Suited to DAF XF, CF and LF models, installation is quick and easy as the unit is pre-assembled and fits in place of the existing roof hatch.

FEATURES & BENEFITS

- 1,400W twin compressors on two circuits
- Airflow 840m³/hr
- Double battery protection system
- Serviceable unit with replacement parts



TALK TO YOUR TRP STOCKIST ABOUT POWER REQUIREMENTS TO GET THE MOST FROM YOUR TRP COMPACT PARKING COOLER

PART NUMBER	PRODUCT DESCRIPTION	APPLICATION
1541252	TRP COMPACT PARKING COOLER	DAF XF / CF / LF
1532471	WIRING SET	DAF XF / CF
1963747	POWER CABLE	DAF XF / CF
1536482	MOUNTING KIT	DAF CF / LF

CAB FAN

FEATURES & BENEFITS

- Great Value Alternative to OEM Part
- Keeps Air Moving
- Improves Defrosting
- Increases Driver Comfort




PRODUCT INFORMATION

Cabin fans have multiple uses, from keeping you cool in summer and the air moving within the cabin to defrosting windscreens in cold weather.

The TRP cabin fan is a heavy duty, 2 speed fan on a swivel base that runs off a 12V power supply. Perfect for truck cabins that need a robust and reliant fan.

PART NUMBER	PRODUCT DESCRIPTION	DIMENSION	CROSS REFERENCE	
HD10150	12 VOLT CAB	12"	• HD1015 • 2899-006-056 • K338-40	• 207P-24 • 207SV-24

HVAC HARDWARE PARTS

PART NUMBER		PRODUCT DESCRIPTION	APPLICATION	CROSS REFERENCE	PRODUCT INFORMATION
BA12450		SOLENOID VALVE - 12 VOLT	USED ON KW & FREIGHTLINER APPLICATIONS	• RD-5-0060-0P • RD5-0060-0 • 051-2 • BA1245	FAN CLUTCH AIR CONTROL, SOLENOID CAN BE NORMALLY OPEN OR NORMALLY CLOSED DEPENDING ON CONTROL PORT USED
CA10000		FAN SPEED RESISTOR	USED ON MULTIPLE TRUCK MODEL APPLICATIONS	• CA1005 • CA1000 • CA10040 • 650790 • RD5-3647-0 • 3949314 • WST220990	3 SPEED, 3 TERMINAL 12/24V
CD10000		SOLENOID VALVE - 12 VOLT	USED ON KW APPLICATIONS	• 650890 • 650891 • CD1000	HEATER CONTROL SOLENOID VALVE - 12V
FD10200		HEATER CONTROL KNOB	USED ON MULTIPLE TRUCK MODEL APPLICATIONS	• 55711P • 557110 • FD1020	CONTROL KNOB PRESS FIT - PLASTIC
GB10050		FRONT LOUVRE - BLACK	USED ON MULTIPLE TRUCK MODEL APPLICATIONS	• GB1005 • RD5-3597-0 • RD-5-3597-0P • 4379-RD535970	FITS 1-11/16 X 5-11/16 OPENING, CLIP MOUNT, 100 PERCENT SHUTOFF
HA16450		HEATER BLOWER MOTOR - 12V	USED ON MULTIPLE TRUCK MODEL APPLICATIONS	• PM351 • 4999707 • RD3106-18 • RD-3106-18P • 203320 • 20332P • HA1645 • 4379-RD310618	12V SINGLE SHAFT, PERFORMANCE TESTED, TRP BLOWER MOTORS ENSURE YOUR WINDSHIELD DEFROSTS QUICKLY & COMPLETELY

EVAPORATOR CORE

S31-TP-1000

SUITS MOST KENWORTH MODELS



PRODUCT INFORMATION

TRP Evaporator cores are built to the same exacting standards to the genuine equivalent, meaning fit, finish and performance are all maintained. The evaporator core is a vital link in the A/C system, allowing refrigerant to pass through to cool your cab down so consistent performance is vital.

Installation is easy, thanks to included o'rings, whilst the ability to use existing pipes and with the option to purchase a TRP TX valve part TRP997TX to compliment the installation, costs are kept down saving you money.

CROSS REFERENCE

- 25188998

CABIN & FRAME

CABIN & HOOD MOUNTS

Worn isolators such as cab mounts and hood mounts are common causes for increased levels of noise and vibration inside the cab. Properly maintaining mounts and isolators ensures optimum driver comfort and component durability.

TRP® cab and hood mounts are manufactured to OEM specifications and independently tested to provide maximum safety, reliability and performance.

ANTI-VIBRATION
TRUCK CABIN & HOOD

PART NUMBER		DESCRIPTION	CROSS REFERENCE
AV012TRP		• CABIN & HOOD MOUNT BUSH • HOOD MOUNT – VARIOUS T4, T6, T9, C5 MODELS REAR RIGID CAB SUPPORTS	• K066-176 • 540.031 • 514794 • K066176
AV013TRP		• EXHAUST SUPPORT BUSH • VARIOUS MUFFLER/EXHAUST PIPE MOUNTING • IN FRAME BATTERY BOX MOUNTING • COE AIR INTAKE SUPPORT	• K066-218 • 540.037 • M30070NR • K066218
AV014TRP		• RIGHT/LEFT HOOD LATCH KIT • KENWORTH T3 SERIES & T410 HOOD LATCH	• L56-0001 • 540.076 • L560001
AV015TRP		• SHIFTER BOOT • SUITS VARIOUS OLDER KENWORTH MODELS	• K042-45 • 540.011 • K04245
AV016TRP		• SHIFTER BOOT • MOST CONVENTIONAL MODELS – GEAR SHIFT LEVER BOOT	• K042-79 • 540.012 • K04279
AV017TRP		• RIGHT & LEFT HOOD GUIDE • VARIOUS T4, T6, T9, C5 MODELS	• R85-1236 • 540.173 • R851236 • R851236R • R85-1236R

* See page 44 for full anti-vibration range

CABIN & FRAME

MIRROR RANGE

TRP® pride themselves on delivering quality products at competitive pricing and the TRP® Mirror range is no exception. TRP® Mirrors offer an alternative to the genuine mirror range at a great price, without compromising on quality

You can depend on TRP® Mirrors to be reliable in any conditions and able to withstand the harsh demands of any job both on and off the highway.

BLACK MIRROR HEADS
FLAT GLASS

PRODUCT INFORMATION

TRP Mirrors are tested, reliable and industry proven. Each mirror is of high quality and manufactured using only the best materials. TRP Mirrors can withstand the harsh demands of any job, both on and off the highway.

TRP Mirrors offer an extensive selection of heavy duty construction mirrors that are available in stainless steel or black and can be used in a wide range of applications.

FEATURES & BENEFITS

- Gasket sealed housing firmly retains mirror glass
- Corrosion resistant black housing
- Optional clearance lamps for safety



SMB-M00-0611 SMB-M00-6515 SMB-M00-6516 SMB-M10-6518

PART NUMBER	SIZE	MARKER LIGHT	CROSS REFERENCE
SMB-M00-0611	6.5 X 11"		· 1421101
SMB-M00-6515	6.5 X 15"		· 1421131 · VM1565B
SMB-M00-6516	6.5 X 16"		· 1421106 · VM1665B
SMB-M00-6518	6.5 X 18"		· 1421100 · VM1865B
SMB-M10-6518	6.5 X 18"	X	· 1421158 · VML1865B
SMB-01R-0000		REPLACEMENT MARKER LIGHT	· 881-00-12V

STAINLESS STEEL MIRROR HEADS

FEATURES & BENEFITS

- Stainless steel body and fittings
- Gasket sealed housing designed to firmly retain mirror glass
- Optional clearance lamps for safety and heater for fast deicing



SMS-MH1-7516 | SMS-MC1-7516 | SMS-M00-7516 | SMS-M00-6518 | SMS-0HR-0000

PART NUMBER	SIZE	GLASS TYPE	LIGHT	HEATER ELEMENT	CROSS REFERENCE
SMS-M00-6518	6.5 X 18"	FLAT			• 1422655
SMS-M00-7516	7.5 X 16"	FLAT			• 1421758 • VM1607SS
SMS-MC1-7516	7.5 X 16"	SPLIT			• 1421759
SMS-MH1-7516	7.5 X 16"	FLAT	X	X	• 1421756C • VMLH1607SS12V
SMS-0HR-0000				REPLACEMENT HEATER ELEMENT	


SPOTTER MIRRORS

FEATURES & BENEFITS

- Corrosion resistant black or stainless steel housing
- Universal design fits most trucks
- Spotters below supplied with bracket (L) and clamp arm (not pictured)



SNS-00S-0005




SNS-00S-0007



SNS-00S-0604



SNS-00S-0006



SNS-00S-0085



SNB-00S-0604

PART NUMBER	SIZE	SHAPE	FINISH	CROSS REFERENCE
SNB-00S-0604	6 X 4"	RECTANGLE	BLACK STEEL	• 1421014 • VM5545B
SNS-00S-0604	6 X 4"	RECTANGLE	STAINLESS STEEL	• 1421015 • VM5545S
SNS-00S-0005	5"	ROUND	STAINLESS STEEL	• 1441031 • VM0505S • MX1-5S
SNS-00S-0006	6"	ROUND	STAINLESS STEEL	• 1441024 • VM0606S • MX1-6S
SNS-00S-0007	7"	ROUND	STAINLESS STEEL	• VM0707S • MX1-7S
SNS-00S-0085	8.5"	ROUND	STAINLESS STEEL	• 1441028 • VM8050S

WIDE ANGLE MIRRORS

FEATURES & BENEFITS

- Stainless steel body and fittings
- Universal design fits most trucks



PART NUMBER	PRODUCT DESCRIPTION
SA52	8-½" FISH-EYE UNIPOD BLIND SPOT MIRROR KIT, HOOD MOUNT, STAINLESS STEEL
SA8.5S-FE	8-½" CONVEX MIRROR, FISH EYE, STAINLESS STEEL

BRACKETS, CLAMPS & REPLACEMENT GLASS

FEATURES & BENEFITS

- Galvanised powder coated black steel frame and mounting brackets
- Suits West Coast Mirror heads and other universal applications
- Adjustable height for 11" to 18" mirror heads
- Universal mounting brackets, position locking



SKB-WCB-000B



SKB-S16-0000



SKB-T16-0000

PART NUMBER	DESCRIPTION	CROSS REFERENCE
SKB-WCB-000B	ADJUSTABLE MIRROR BRACKET	· 1422026
SKB-S16-0000	SIDE CLAMP TO SUIT BRACKET	· 1441185
SKB-S19-0000	SIDE CLAMP TO SUIT BRACKET	· 1441187
SKB-T16-0000	TOP CLAMP TO SUIT BRACKET	· 1441189
SKB-T19-0000	TOP CLAMP TO SUIT BRACKET	· 1441190
SMS-0HR-0000	REPLACEMENT HEATER ELEMENT	· 1423631
SMS-G00-6518	REPLACEMENT GLASS TO FIT 6.5 X 18" MIRRORS	· 1423301
SMS-G00-7516	REPLACEMENT GLASS TO FIT 7.5 X 16" MIRRORS	· 1423331

CABIN & FRAME

FUEL & OIL TANKS

The TRP® fuel and oil tank range is comprehensive and provides for most trucks operating in the Australian market.

The Range also includes standard tank accessories such as mounting brackets, straps, rubber, caps, necks and alloy steps.

Made in Australia by an OE manufacturer, the product is built to last and comes with a 12 month warranty.

TANK CODE OUTLINE

TRP	(A)	(B)	(C)	(D)	(E)
	FUEL (F) OIL (0) FUEL/OIL (F0)	TANK SIZE (MM)	LEFT HAND (L) RIGHT HAND (R) CENTRE (C) UNDERBELLY (UB)	TANK CAPACITY (LITRES)	ALLOY (A) POLISHED ALLOY (AP) STEEL (S)

PART NUMBER EXAMPLES

FUEL	
TRPF457L220A	FUEL TANK, 457MM ROUND, LEFT HAND, 220LT, ALLOY
TRPF622R200S	FUEL TANK, 622MM ROUND, RIGHT HAND, 200LT, STEEL
TRPF650L670AP	FUEL TANK, 650X480MM RECTANGLE, LEFT HAND, 670LT, POLISHED ALLOY

OIL	
TRP0457C150A	OIL TANK, 457MM ROUND, CENTRALLY LOCATED FILLER, 150LT, ALLOY
TRP0559C117S	OIL TANK, 559MM ROUND, CENTRALLY LOCATED FILLER, 117LT, STEEL
TRPF700C260AP	OIL TANK, 700MM SQUARE, CENTRALLY LOCATED FILLER, 260LT, POLISHED ALLOY

FUEL / OIL	
TRPF0622L150A	FUEL/OIL TANK, 622MM ROUND, LEFT HAND, 210 FUEL/150 OIL, ALLOY
TRPF0660R200AP	FUEL/OIL TANK, 660MM ROUND, RIGHT HAND, 270 FUEL/200 OIL, POLISHED ALLOY
TRPF0550L120A	FUEL/OIL TANK, 550MM SQUARE, 300/120LT, LEFT HAND, ALLOY

THE FUEL/OIL TANK'S OIL CAPACITY IS REFLECTED IN THE PART NUMBER
REFER TO THE SECTION ON FUEL/OIL TANKS FOR THE RESPECTIVE FUEL CAPACITY

Fuel Tanks are ONLY supplied with a Filler Cap, with blanked Sender, and plugged Pick-up and Return Pipe fittings.

If Pick-Up and Return pipes are required
- Refer to individual Fuel Tank Table Header for Pick-Up Kit Part Number.

If Pick-Up and Return Pipes not required
- Order TRP9TP2 in order to Plug the outlets.

Aluminium tanks are non-corrosive and lightweight. The standard finish is Linish and comes with PVC protective film.

Steel tanks are supplied Black Gloss powder coated.

TRPF622R270AP




STANDARD TANK SPECIFICATION

ROUND

1. J Mounting Bracket
2. J Mount Rubber
3. Tank Strap
4. Tank Strap Rubber
5 & 6. Pin Kit






ROUND TANK DIMENSIONS

- 457mm (18") Diameter
- 559mm (22") Diameter
- 622mm (24.5") Diameter
- 660mm (26") Diameter
- 724mm (28.5") Diameter

SQUARE/RECTANGLE



1. L Mounting Bracket
2. L Mount Rubber
3. Tank Strap
4. Tank Strap Rubber
5 & 6. Pin Kit



SQUARE/RECTANGLE TANK DIMENSIONS

- 550(W) x 550(H) mm
- 615(W) x 360(H) mm
- 650(W) x 480(H) mm
- 625(W) x 700(H) mm
- 700(W) x 625(H) mm
- 700(W) x 700(H) mm
- 730(W) x 730(H) mm

FUEL TANKS ONLY SUPPLIED WITH A FILLER CAP, BLANKED SENDER, PLUGGED PICK-UP & RETURN PIPE FITTINGS.

If Pick-Up and Return pipes required
- Refer to individual Fuel Tank Table Header for Pick-Up Kit Part Number.

If Pick-Up and Return Pipes not required - Order TRPTP2 in order to Plug the outlets.

STANDARD FUEL TANK SPECIFICATIONS

- Filler Neck 'FUEL' (76mm OD)
- Pick-Up Pipe Socket (1/2" NPTF)
- Return Pipe Socket (1/2" NPTF)
- Drain Socket & Plug (1/2" NPTF)
- Breather (1/4" NPTF)

TRUCK & TRAILER PARTS

TRP® GOSFORD



FIND US AT


2 Yandina Road
West Gosford NSW 2250

Phone: (02) 4964 0697

“ The TRP range of affordable, quality truck and trailer parts enables us to supply a wide range of spare parts at competitive prices for our customers.”

- Scott Medhurst, Dealer Principal.

FUEL TANKS
ROUND





1. J Mounting Bracket
2. J Mount Rubber
3. Tank Strap
4. Tank Strap Rubber

5 & 6. Pin Kit

STANDARD FUEL TANK SPECIFICATIONS

- Filler Neck 'FUEL' (76mm OD)
- Pick-Up Pipe Socket (1/2" NPTF)
- Return Pipe Socket (1/2" NPTF)
- Drain Socket & Plug (1/2" NPTF)
- Breather (1/4" NPTF)

ROUND – 457MM (18")			PICK-UP KIT - TRP457PUK ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
130	850	TRPF457L130A	LEFT	●	-
		TRPF457R130A	RIGHT	●	-
165	1100	TRPF457L165S	LEFT	-	●
		TRPF457R165S	RIGHT	-	●
200	1325	TRPF457L200S	LEFT	-	●
		TRPF457R200S	RIGHT	-	●
220	1450	TRPF457L220A	LEFT	●	-
		TRPF457R220A	RIGHT	●	-
		TRPF457L220S	LEFT	-	●
		TRPF457R220S	RIGHT	-	●

ROUND – 559MM (22")			PICK-UP KIT – TRP559PUK ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
200	911	TRPF559L200S	LEFT	-	●
		TRPF559R200S	RIGHT	-	●
225	966	TRPF559L225A	LEFT	●	-
		TRPF559R225A	RIGHT	●	-
250	1121	TRPF559L250S	LEFT	-	●
		TRPF559R250S	RIGHT	-	●
300	1266	TRPF559L300A	LEFT	●	-
		TRPF559R300A	RIGHT	●	-
		TRPF559L300S	LEFT	-	●
		TRPF559R300S	RIGHT	-	●
370	1566	TRPF559L370A	LEFT	●	-
		TRPF559R370A	RIGHT	●	-


FUEL TANKS
ROUND

ROUND – 622MM (24.5”)			PICK-UP KIT – TRP622PUK ADD SUFFIX “P” TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
270	950	TRPF622L270A	LEFT	●	-
		TRPF622R270A	RIGHT	●	-
		TRPF622L270S	LEFT	-	●
		TRPF622R270S	RIGHT	-	●
360	1250	TRPF622L360A	LEFT	●	-
		TRPF622R360A	RIGHT	●	-
		TRPF622L360S	LEFT	-	●
		TRPF622R360S	RIGHT	-	●
450	1526	TRPF622L450A	LEFT	●	-
		TRPF622R450A	RIGHT	●	-

ROUND – 660MM (26”)			PICK-UP KIT – TRP660PUK ADD SUFFIX “P” TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
270	853	TRPF660L270A	LEFT	●	-
		TRPF660R270A	RIGHT	●	-
360	1117	TRPF660L360A	LEFT	●	-
		TRPF660R360A	RIGHT	●	-
400	1250	TRPF660L400A	LEFT	●	-
		TRPF660R400A	RIGHT	●	-
440	1387	TRPF660L440A	LEFT	●	-
		TRPF660R440A	RIGHT	●	-
		TRPF660L440S	LEFT	-	●
		TRPF660R440S	RIGHT	-	●
494	1550	TRPF660L494A	LEFT	●	-
		TRPF660R494A	RIGHT	●	-

ROUND – 724MM (28.5”)			PICK-UP KIT – TRP724PUK ADD SUFFIX “P” TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
360	966	TRPF724L360A	LEFT	●	-
		TRPF724R360A	RIGHT	●	-
400	1076	TRPF724L400A	LEFT	●	-
		TRPF724R400A	RIGHT	●	-
450	1266	TRPF724L450A	LEFT	●	-
		TRPF724R450A	RIGHT	●	-
550	1466	TRPF724L550A	LEFT	●	-
		TRPF724R550A	RIGHT	●	-

FUEL TANKS
SQUARE & RECTANGLE



STANDARD FUEL TANK SPECIFICATIONS
- Filler Neck 'FUEL' (76mm OD)
- Pick-Up Pipe Socket (1/2" NPTF)
- Return Pipe Socket (1/2" NPTF)
- Drain Socket & Plug (1/2" NPTF)
- Breather (1/4" NPTF)

RECTANGLE – 615 X 360MM			PICK-UP KIT – TRP615PUK ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
160	900	TRPF615L160A	LEFT	●	-
		TRPF615R160A	RIGHT	●	-
190	1100	TRPF615L190A	LEFT	●	-
		TRPF615R190A	RIGHT	●	-
245	1300	TRPF615L285A	LEFT	●	-
		TRPF615R285A	RIGHT	●	-

RECTANGLE – 650 X 480MM			PICK-UP KIT – TRP650PUK ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
177	680	TRPF650L177A	LEFT	●	-
		TRPF650R177A	RIGHT	●	-
255	980	TRPF650L255A	LEFT	●	-
		TRPF650R255A	RIGHT	●	-
325	1250	TRPF650L325A	LEFT	●	-
		TRPF650R325A	RIGHT	●	-

RECTANGLE – 625 X 700MM – 700 X 625MM			PICK-UP KIT - TRP625PUK / TRP7006PUK ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
385	1010	TRPF625L385A	LEFT	●	-
		TRPF7006L385A	LEFT	●	-
		TRPF625R385A	RIGHT	●	-
		TRPF7006R385A	RIGHT	●	-
490	1280	TRPF625L490A	LEFT	●	-
		TRPF7006L490A	LEFT	●	-
		TRPF625R490A	RIGHT	●	-
		TRPF7006R490A	RIGHT	●	-
600	1580	TRPF625L600A	LEFT	●	-
		TRPF7006L600A	LEFT	●	-
		TRPF625R600A	RIGHT	●	-
		TRPF7006R600A	RIGHT	●	-

FUEL TANKS
SQUARE & RECTANGLE

STANDARD SQUARE & RECTANGLE FUEL TANK STEP CONFIGURATIONS

- 550mm x 550mm – One Port Hole Tank Step
- 615mm x 360mm – No Tank Step
- 650mm x 480mm – No Tank Step
- 625mm x 700mm – Two Port Hole Tank Steps
- 700mm x 625mm – One Port Hole Tank Step
- 700mm x 700mm – Two Port Hole Tank Steps
- 730mm x 730mm – Two Port Hole Tank Steps

1. L Mounting Bracket
2. L Mount Rubber
3. Tank Strap
4. Tank Strap Rubber

5 & 6. Pin Kit





SQUARE – 550 X 500MM			PICK-UP KIT – TRP550PUK ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
156	680	TRPF550L156A	LEFT	●	-
		TRPF550R156A	RIGHT	●	-
240	980	TRPF550L240A	LEFT	●	-
		TRPF550R240A	RIGHT	●	-
310	1250	TRPF550L310A	LEFT	●	-
		TRPF550R310A	RIGHT	●	-

SQUARE – 700 X 700MM			PICK-UP KIT – TRP700PUK ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
500	1200	TRPF700L500A	LEFT	●	-
		TRPF700R500A	RIGHT	●	-
550	1370	TRPF700L550A	LEFT	●	-
		TRPF700R550A	RIGHT	●	-
610	1475	TRPF700L610A	LEFT	●	-
		TRPF700R610A	RIGHT	●	-
650	1580	TRPF700L650A	LEFT	●	-
		TRPF700R650A	RIGHT	●	-

SQUARE – 730 X 730MM			PICK-UP KIT – TRP730PUK ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	CONFIGURATION	METAL TYPE	
				ALLOY	STEEL
625	1375	TRPF730L625A	LEFT	●	-
		TRPF730R625A	RIGHT	●	-
670	1470	TRPF730L670A	LEFT	●	-
		TRPF730R670A	RIGHT	●	-
720	1580	TRPF730L720A	LEFT	●	-
		TRPF730R720A	RIGHT	●	-
770	1680	TRPF730L770A	LEFT	●	-
		TRPF730R770A	RIGHT	●	-

FUEL TANKS
UNDERBELLY






STANDARD FUEL TANK SPECIFICATIONS
- Filler Neck 'FUEL' (76mm OD)
- Pick-Up Pipe Socket (1/2" NPTF)
- Return Pipe Socket (1/2" NPTF)
- Drain Socket & Plug (1/2" NPTF)
- Breather (1/4" NPTF)

1. Pick-Up Pipe
2. Return Pipe
3. Plug
4. Breather
5. Filler Neck 76mm OD
6. Fuel Gauge (Included)

CAPACITY (L)	PART NUMBERS	D (MM)	L (MM)	L1 (MM)	L2 (MM)	L3 (MM)	L4 (MM)	METAL TYPE	
								ALLOY	STEEL
190	TRPF559UB190A	558	860	325	405	245	485	●	-
220	TRPF457UB220A	457	1450	620	700	540	780	●	-
450	TRPF622UB450A	622	1530	565	645	485	720	●	-

FUEL/OIL TANKS
ROUND






STANDARD FUEL TANK SPECIFICATIONS
- Cross-Over (12.7mm)
- Drain Socket & Plug (1/2" NPTF)
- Filler Neck 'FUEL' (76mm OD)
- Pick-Up 'FUEL' Pipe Socket (1/2" NPTF)
- Return 'FUEL' Pipe Socket (1/2" NPTF)
- Breather 'FUEL' (1/4" NPTF)
- 'OIL' Return/Pick-Up Pipe Sockets (1¼" BSPF)
- Filler Neck 'OIL' with push on breathable cap (38mm OD)

1. J Mounting Bracket
2. J Mount Rubber
3. Tank Strap
4. Tank Strap Rubber
5 & 6. Pin Kit

ROUND – 622MM (24.5")					ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
CAPACITY (L)	PART NUMBERS	L1 (MM)	L2 DRAIN SOCKET (MM)	L3 OIL FILLER (MM)	CONFIGURATION	METAL TYPE	
						ALLOY	STEEL
210/150	TRPF0622L150A	1250	700	70	LEFT	●	-
	TRPF0622R150A	1250	700	70	RIGHT	●	-

ROUND – 660MM (26")					ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
CAPACITY (L)	PART NUMBERS	L1 (MM)	L2 DRAIN SOCKET (MM)	L3 OIL FILLER (MM)	CONFIGURATION	METAL TYPE	
						ALLOY	STEEL
250/110	TRPF0660L110A	1133	747	86	LEFT	●	-
	TRPF0660R110A	1133	747	86	RIGHT	●	-
270/180	TRPF0660L180A	1350	793	239	LEFT	●	-
	TRPF0660R180A	1350	793	239	RIGHT	●	-


OIL TANKS
MINI UNIVERSAL
ROUND
SQUARE/RECTANGLE




STANDARD OIL TANK SPECIFICATIONS

- Filler Tube (38mm) supplied with Push-on Breather Cap
- Pick-Up and Return Pipe Socket 1¼" BSPF
- No Port Hole Tank Steps included with Oil Tanks

ROUND & SQUARE / RECTANGULAR





MINI UNIVERSAL

MINI UNIVERSAL			ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK	
CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	METAL TYPE	
			ALLOY	STEEL
26	394	TRP0M1N126	-	●

ROUND				ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK	
TANK SIZE	CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	METAL TYPE	
				ALLOY	STEEL
457MM (18")	70	456	TRP0457C70S	-	●
457MM (18")	125	800	TRP0457C125S	-	●
559MM (22")	81	364	TRP0559C81S	-	●
559MM (22")	117	514	TRP0559C117S	-	●
559MM (22")	150	666	TRP0559C150A	●	-
622MM (24.5")	185	650	TRP0622C185A	●	-
622MM (24.5")	220	800	TRP0622C220A	●	-
660MM (26")	130	400	TRP0660C130A	●	-
660MM (26")	208	666	TRP0660C208A	●	-

SQUARE / RECTANGLE				ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK	
TANK SIZE	CAPACITY (LITRE)	OVERALL LENGTH (MM)	PART NUMBERS	METAL TYPE	
				ALLOY	STEEL
550MM X 550MM	125	900	TRP0550C125A	●	-
625MM X 700MM	220	580	TRP0625C220A	●	-
700MM X 625MM	220	580	TRP07006C220A	●	-
700MM X 700MM	260	900	TRP0700C260A	●	-
730MM X 730MM	200	465	TRP0730C200A	●	-
730MM X 730MM	400	900	TRP0730C400A	●	-


PARTS & ACCESSORIES

MOUNTING KITS

ALL KITS INCLUDE L/J BRACKETS, STAINLESS STEEL STRAPS, RUBBERS, AND CLEVIS PIN KITS

TANK SIZE (MM)	TANK CAPACITY	2 BRACKET KITS	3 BRACKET KITS	2 BRACKET STEP MOUNT KITS	3 BRACKET STEP MOUNT KITS
457 (18”)	< 200L	TRP457K1T2	-	-	-
	=> 200L	-	TRP457K1T3	-	-
559 (22”)	< 250L	TRP559K1T2	-	-	-
	=> 250L	-	TRP559K1T3	-	-
622 (24.5”)	< 360L	TRP622K1T2	-	TRP622K1T2SM	
	=> 360L	-	TRP622K1T3		TRP622K1T3SM
660 (26”)	< 360L	TRP660K1T2	-	TRP660K1T2SM	
	=> 360L	-	TRP660K1T3		TRP660K1T3SM
724 (28.5”)	< 360L	TRP724K1T2	-	TRP724K1T2SM	
	=> 360L	-	TRP724K1T3		TRP724K1T3SM
550 X 550	< 328L	TRP550K1T2	-	-	-
	=> 328L	-	TRP550K1T3	-	-
615 X 360	< 230L	TRP615K1T2	-	-	-
	=> 230L	-	TRP615K1T3	-	-
650 X 480	< 325L	TRP650K1T2	-	-	-
	=> 325L	-	TRP650K1T3	-	-
625 X 700 700 X 625	< 490L	TRP625K1T2	TRP625K1T3	-	-
	=> 490L	TRP7006K1T2	TRP7006K1T3	-	-
700 X 700	< 600L	TRP700K1T2	-	-	-
	=> 600L	-	TRP700K1T3	-	-
730 X 730	< 625L	TRP730K1T2	-	-	-
	=> 625L	-	TRP730K1T3	-	-

PARTS & ACCESSORIES
MOUNTING BRACKETS




ROUND (J-BRACKET)

TANK SIZE (MM)	MILD STEEL BRACKET	MILD STEEL STEP MOUNT	R (MM)	L (MM)	L1 (MM)	L2 (MM)	L3 (MM)	L4 (MM)	L5 (MM)
457 (18”)	TRP457JBKT		232	110	85	110			
559 (22”)	TRP559JBKT		284.5	115	90	129			
622 (24.5”)	TRP622JBKT	TRP622JSM	317.5	170	12	70	70		
660 (26”)	TRP660JBKT	TRP660JSM	334.5	179	140	65	65	80	345
		TRP660JSMH (HEAVY DUTY)							
724 (28.5”)	TRP724JBKT	TRP724JSM	366.5	184	140	65	65	80	345
		TRP724JSMH (HEAVY DUTY)							

SQUARE / RECTANGLE (L–BRACKET)

TANK SIZE (MM)	MILD STEEL BRACKET	L1 (MM)	L2 (MM)	L3 (MM)	L4 (MM)	L5 (MM)
550 X 500	TRP550LBKT	628	614	150	40	180
615 X 360	TRP615LBKT	693	420	130	40	177
650 X 480	TRP650LBKT	725	540	130	55	177
625 X 700	TRP625LBKT	778	675	124	54	78
700 X 625	TRP7006LBKT	778	675	124	54	78
700 X 700	TRP700LBKT	778	750	130	45	126
730 X 730	TRP730LBKT	805	780	130	45	126




MINI OIL TANK BRACKETS


TANK SIZE (MM)	MILD STEEL BRACKET	A (MM)	B (MM)	C (MM)
457	TRP457UBKT	350	140	355
559	TRP559UBKT	400	172	405
622	TRP622UBKT	400	172	436

NOTES

- More than 1 bracket required for mounting kit
- Rubber included




PARTS & ACCESSORIES
TANK STRAPS



ROUND TANKS							
TANK SIZE (MM)	MILD STEEL STRAP	STAINLESS STEEL STRAP	STAINLESS STEEL STEP MOUNT	R (MM)	W (MM)	L (MM)	T (MM)
457 (18”)	TRP457SMS	TRP457SSS		232	43	720	M10
559 (22”)	TRP559SMS	TRP559SSS		284.5	43	845	M10
622 (24.5”)		TRP622SSS	TRP622SSM	317.5	49	930	M16
660 (26”)		TRP660SSS	TRP660SSM	344.5	62	1065	M16
724 (28.5”)		TRP724SSS	TRP724SSM	366.5	62	1210	M16


SQUARE TANKS				
TANK SIZE (MM)	STAINLESS STEEL STRAP	L (MM)	W (MM)	T (MM)
550 X 550	TRP550SSS	1045	62	M16
615 X 360	TRP615SSS	1065	62	M16
650 X 480	TRP650SSS	1065	62	M16
700 X 625	TRP7006SSS	1300	62	M16
700 X 700	TRP700SSS	1329	62	M16
730 X 730	TRP730SSS	1396	62	M16



PARTS & ACCESSORIES
STRAP & BRACKET RUBBERS

ROUND TANKS			
TANK SIZE (MM)	TANK STRAP RUBBER	BRACKET RUBBER	W (MM)
457 (18”)	TRP457RUS		45
		TRP457RUB	52
559 (22”)	TRP559RUS		45
		TRP559RUB	52
622 (24.5”)	TRP622RUS		51
		TRP622RUB	76
660 (26”)	TRP660RUS		64
		TRP660RUB	76
724 (28.5”)	TRP724RUS		64
		TRP724RUB	76

SQUARE / RECTANGLE TANKS			
TANK SIZE (MM)	TANK STRAP RUBBER	BRACKET RUBBER	L (MM)
550 X 500	TRP550RUS	TRPSQRUB2 (2PK)	895
615 X 360	TRP615RUS	TRPSQRUB2 (2PK)	785
650 X 480	TRP650RUS	TRPSQRUB2 (2PK)	915
700 X 625	TRP7006RUS	TRPSQRUB2 (2PK)	1145
700 X 700	TRP700RUS	TRPSQRUB2 (2PK)	1175
730 X 730	TRP730RUS	TRPSQRUB2 (2PK)	1245







ANTI-SYPHON TANK INSERT

Simply push insert into the body of the tank neck. Insert will 'click' into position once barb enters the open tank space.

Barb ensures retraction of the insert is not possible, and therefore a hose or other syphon device can't be placed into the tank for subsequent fuel removal.



TANK NECK THREAD RESTORER



- Remove existing cap from existing Neck, including chain.
- Clean existing neck thread thoroughly with lint free cloth to remove any diesel residue.
- Test Restorer onto neck thread to ensure ease of fitment.
- Clean Neck thread if necessary.
- Clean Neck Thread again with Acetone based cleaner and Lint free cloth.
- Bead Loctite 480 or equivalent around Restorer's Female thread.
- Within 30 Seconds of Loctite 480 application, screw Restorer onto Tank Neck until tight.
- Remove any excess Loctite 480 off with a clean rag.
- Feed chain back through neck and tighten Cap back onto Male thread of Restorer.

PARTS & ACCESSORIES

TANK CAPS & NECKS

PART NUMBERS	COMPONENT	METAL TYPE
TRP38TC	CAP TANK 38MM	ALLOY (AS)
TRP50TCL	CAP TANK 50MM LOCKABLE	ALLOY (AS)
TRP54TC	CAP TANK 54MM	ALLOY (AS)
TRP54TCV	CAP TANK 54MM VENTED	ALLOY (AS)
TRP76TC	CAP TANK 76MM	ALLOY (AS)
TRP76TCV	CAP TANK 76MM VENTED	ALLOY (AS)
TRP76TCL	CAP TANK 76MM LOCKABLE	ALLOY (AS)
TRP76TCL-P	CAP TANK 76MM LOCKABLE – PAIR KEYED ALIKE	ALLOY (AS)
TRP76TCVL	CAP TANK 76MM VENTED LOCKABLE	ALLOY (AS)
TRP76TCVL-P	CAP TANK 76MM VENTED LOCKABLE – PAIR KEYED ALIKE	ALLOY (AS)
TRP80TCL	CAP TANK 80MM LOCKABLE	ALLOY (AS)
TRP89TC	CAP TANK 89MM	ALLOY (AS)
TRP100TCL	CAP TANK 100MM LOCKABLE	ALLOY (AS)
TRP54TNS	NECK TANK 54MMID STEEL	STAINLESS STEEL (SS)
TRP76TN	NECK TANK 76MMOD	ALLOY (AS)
TRP76TNS	NECK TANK 76MMOD STEEL	STAINLESS STEEL (SS)
TRP80TNB	NECK TANK 80MM BAYONET STYLE	ALLOY (AS)

ANTI-SYPHON & THREAD RESTORER

PART NUMBERS	COMPONENT	METAL TYPE
TRP76TN1	NECK INSERT ANTI-SYPHON 76MM	ALLOY (AS)
TRP89TN1	NECK INSERT ANTI-SYPHON 89MM	ALLOY (AS)
TRP76TR	NECK THREAD RESTORER 76MM	ALLOY (AS)

PARTS & ACCESSORIES
TANK INNERS, ENDS & BAFFLES


ROUND TANKS			ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
TANK SIZE (MM)	TANK INNER	TANK END	TANK BAFFLE	METAL TYPE	
				ALLOY	STEEL
457 (18")		TRP457TEA	TRP457TBA	●	-
		TRP457TES	TRP457TBS	-	●
559 (22")		TRP559TEA	TRP559TBA	●	-
		TRP559TES	TRP559TBS	-	●
622 (24.5")	TRP622T1A	TRP622TEA	TRP622TBA	●	-
		TRP622TES	TRP622TBS	-	●
660 (26")	TRP660T1A	TRP660TEA	TRP660TBA	●	-
		TRP660TES	TRP660TBS	-	●
724 (28.5")	TRP724T1A	TRP724TEA	TRP724TBA	●	-

SQUARE / RECTANGLE TANKS			ADD SUFFIX "P" TO PART NO. FOR POLISHED TANK		
TANK SIZE (MM)	TANK INNER	TANK END	TANK BAFFLE	METAL TYPE	
				ALLOY	STEEL
550X550		TRP550TEA	TRP550TBA	●	-
615X360		TRP615TEA	TRP615TBA	●	-
650X480		TRP650TEA	TRP650TBA	●	-
700X625	TRP7006T1A	TRP7006TEA	TRP7006TBA	●	-
700 X 700	TRP700T1A	TRP700TEA	TRP700TBA	●	-
730 X 730	TRP730T1A	TRP730TEA	TRP730TBA	●	-

PARTS & ACCESSORIES
ALLOY TANK STEPS

STRAP STYLE	
PART NUMBERS	**L (MM)**
TRP600TS	600
TRP760TS	760
TRP1000TS	1000
TRP1124TS	1124
TRP1155TS	1155
TRP1200TS	1200
TRP1350TS	1350
TRP1400TS	1400
TRP1447TS	1447
TRP1500TS	1500
TRP1535TS	1535

TOP STEPS		
PART NUMBERS	**DESCRIPTION**	**DIMENSIONS**
TRP574TS	TOP STEP NO HOLE	574 X 680MM
TRP574TSH	TOP STEP WITH HOLE	574 X 680MM




NOTES

- **New installations usually require 2 step bars per support (Part No. TRPTSSB)**
- **Top Steps supplied with fixing hardware**

PARTS & ACCESSORIES
MISCELLANEOUS COMPONENTS

STRAP STYLE		
IMAGE	**PART NUMBERS**	**DESCRIPTION**
1	TRPTSF	FLANGE SENDER ALUMINIUM
2	TRPTSFS	FLANGE SENDER STEEL
	TRPTSFG	GASKET SENDER FLANGE
3	TRPTCC	CAP CHAIN RETAINER
3A	TRP3TCG	O RING FUEL CAP 64MM ID X 4.9MM
4	TRP892	BREATHER TANK ¼" NPT (4)
5	TRP622TPP	PIPE PICK-UP 622MM TANK
	TRP660TPP	PIPE PICK-UP 660MM TANK
	TRP724TPP	PIPE PICK-UP 724MM TANK
	TRPTRP	PIPE TANK RETURN
	TRPTP2	PLUG PICK-UP & RETURN 12.7MM (2PK)
	TRPTBP	PLATE BLANKING ALUMINIUM
	TRPTSSB	STRAP STEP BAR
	TRPP1N-K1TS	STRAP PIN KIT SMALL (10MM)
	TRPP1N-K1TL	STRAP PIN KIT LARGE (16MM)
	TRP16TBP	STRAP M16 PLATED 'T' BOLT



CABIN & FRAME

WIPER SYSTEMS

The TRP® windscreen wiper range has been designed and developed in Australia for the aftermarket. TRP® wiper blades and refills are easy to install and are a cost effective, OE quality, aftermarket wiper solution.

FEATURES & BENEFITS

- Premium quality rubber and metalware used
- Powder coated finish
- Features include 'EZ-Lock' multiple connector system
- OE quality, premium wiper solution
- Available in blister and bulk packs
- 12 month warranty

The TRP® Wiper Range extends from 330mm–710mm long with track widths of 6mm–15mm, are manufactured with 100% Natural Rubber and chemically hardened to provide increased service life.

The TRP® Wiper range also features the 'EZ-Lock' Multiple Connector System. These universal adaptors allow for blades to be fitted to most arm applications. Installation is easy, irrespective of bayonet, hook, or side mount blade fixation. Fitting instructions are conveniently located inside blister packs.



BLADES are aerodynamically designed for quieter operation, but also to minimise wind lift at higher speeds and, achieve constant pressure along the blade throughout its sweep. Blades are supplied individually, including metalware and rubber.



REFILLS are supplied as a Blister pack or a Bulk Pack. The Blister pack has ONE pair of refills (for Driver and Passenger side) The Bulk comes in a pack of 10 or 20 refills. Both Twin rail and Poly backed Refills are available.

EASY PRODUCT SELECTION

To identify your required TRP® replacement Wiper Blade or Refill, simply refer to the following pages. Alternatively, measure your existing wiper blade/refill length, and the refill width.

From there, determine your required product by building up the part number using the following TRP® Wiper range part number breakdown.

WW	610	R	P	6	H	-20
TRP® WIPER DESIGNATION	BLADE/REFILL LENGTH (MM)	R - WIPER REFILL B - WIPER BLADE	POLY BACKED REFILL (OPTIONAL WITH 610MM & 710MM BULK REFILLS)	RUBBER WIDTH 6 = 6MM 75 = 7.5MM 8 = 8MM 125 = 12.5MM 15 = 15MM	BAYONET OR HOOK MOUNT (WHERE APPLICABLE)	BULK PACK SIZE (WHERE APPLICABLE)

SOME EXAMPLES ARE:

- **WW380B6** is a 380mm Wiper Blade with a 6mm Twin Metal Rail Rubber
- **WW460R15** is a 460mm x 15mm Twin Metal Rail Refill (Twin Pack)
- **WW710RP8-10** is a bulk pack of 10, 710mm x 8mm Poly-backed Refills

FOR ADDITIONAL REFERENCE, REFILL PROFILES ARE SHOWN BELOW (NOT TO SCALE)

6 & 8mm Wide Poly-backed Refill Profile	6 & 8mm Wide Twin Rail Refill Profile	7.5mm Wide Refill Profile	12.5mm Wide Refill Profile	15mm Wide Refill Profile
				

OTHER NOTES

- Abbreviations D/C/P/R in the application guide, refers to wiper blade location
- D = Driver, C = Centre, P = Passenger, R = Rear
- On many occassions 1 model truck can be manufactured in different countries, therefore the wiper refills and/or wiper blades may be different than listed.
- Care has been taken to ensure information with this Application Guide is as accurate as possible in terms of replacement of OE Blades. These OE Blades may have already been replaced and therefore required refills may differ from that listed in this guide.

TO SUIT KENWORTH

APPLICATIONS					PART NUMBERS	
MODEL	YEAR	D	C	P	BLADE	REFILL OPTION
C500 BONNET	2000 ONWARDS	●	-	●	WW380B15	WW380R15
C501 BONNET	2000 ONWARDS	●	-	●	WW380B15	WW380R15
C508	UP TO 2010	●	-	●	WW380B15	WW380R15
C509	2011 ONWARDS	●	-	●	WW380B15	WW380R15
C510 BONNET	2000 ONWARDS	●	-	●	WW380B15	WW380R15
C510/C540	UP TO 2010	●	-	●	WW380B15	WW380R15
K100	1977 ONWARDS	●	-	●	WW510B125	WW510R125
K100 CR	ALL	●	-	●	WW510B125	WW510R125
K100 E	ALL	●	-	●	WW510B125	WW510R125
K100G	ALL	●	-	●	WW600B8B	WW610RP6 OR WW610R6 *
K104	ALL	●	-	●	WW600B8B	WW610RP6 OR WW610R6 *
K104 - INCLUDES 6 X 4 - 2 OR 3 BLADE SYSTEM	ALL TO 1999	●	-	●	WW600B8B	WW610RP6 OR WW610R6 *
K104B	2000 ONWARDS	●	-	●	WW600B8B	WW610RP6 OR WW610R6 *
K108 (2 & 3 BLADE SYSTEMS)	UP TO 2010	●	-	●	WW600B8B	WW610RP6 OR WW610R6 *
K125	1984 ONWARDS	●	-	●	WW510B125	WW510R125
K200	2011 ONWARDS	●	-	●	WW600B8B	WW610RP6 OR WW610R6 *
K300	ALL	●	-	●	WW650B8B	WW710RP8 OR WW710R8 *
K300	ALL	-	-	-	WW600B8B	WW610RP6 OR WW610R6 *
T 6 SERIES HIGH ROOF POST SEPTEMBER 1996	1996 ONWARDS	●	-	●	WW380B15	WW380R15
T 6 SERIES HIGH ROOF PRE SEPTEMBER 1996	TO 1996	●	-	●	WW380B15	WW380R15
T 6 SERIES LOW ROOF BOSCH	ALL	●	-	●	WW330B6	N/A
T 6 SERIES LOW ROOF SPRAGUE - FLAT SCREEN BLADE	ALL	●	-	●	WW330B6	N/A
T300 - T401 POST MID MARCH 1997	POST MARCH 97	●	-	●	WW460B15	WW460R125
T300 - T401 PRE MID MARCH 1997	PRE MARCH 97	●	-	●	WW380B15	WW380R15
T350 BONNET (TIPPER)	2000 ONWARDS	●	-	●	WW460B15	WW460R15
T350A BONNET (AGITATOR)	2000 ONWARDS	●	-	●	WW460B15	WW460R15
T358A	UP TO 2010	●	-	●	WW460B15	WW460R15
T358P	UP TO 2010	●	-	●	WW460B15	WW460R15
T358R	UP TO 2010	●	-	●	WW460B15	WW460R15
T359	2011 ONWARDS	●	-	●	WW460B15	WW460R15
T359A DAY CAB	2011 ONWARDS	●	-	●	WW460B15	WW460R15
T360	2016 ONWARDS	●	-	●	WW460B15	WW460R15
T388CC	UP TO 2010	●	-	●	WW460B15	WW460R15

* REFILLS SUPPLIED FROM RESPECTIVE BULK PACKS
IT'S RECOMMENDED TO REPLACE WIPER BLADES
EVERY 24 MONTHS, AND REFILLS EVERY 12 MONTHS

D: DRIVER | C: CENTRE | P: PASSENGER | R: REAR

TO SUIT KENWORTH

APPLICATIONS					PART NUMBERS	
MODEL	YEAR	D	C	P	BLADE	REFILL OPTION
T388P	UP TO 2010	●	-	●	WW460B15	WW460R15
T388R	UP TO 2010	●	-	●	WW460B15	WW460R15
T401 BONNET - 1 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW460B15	WW460R15
T401 BONNET - 2 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW380B15	WW380R15
T401 T BONNET - 1 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW460B15	WW460R15
T401 T BONNET - 2 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW380B15	WW380R15
T402	UP TO 2010	●	-	●	WW460B15	WW460R15
T403	2011 ONWARDS	●	-	●	WW460B15	WW460R15
T404	ALL	●	-	●	WW460B15	WW460R15
T404 BONNET - 1 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW380B15	WW380R15
T404 BONNET - 2 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW380B15	WW380R15
T404 SAR BONNET - 1 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW460B15	WW460R15
T404 SAR BONNET - 2 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW380B15	WW380R15
T404S BONNET - 1 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW460B15	WW460R15
T404S BONNET - 1 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW460B15	WW460R15
T404SAR	UP TO 2010	●	-	●	WW460B15	WW460R15
T404ST BONNET - 1 PIECE CURVED SCREEN	2000 ONWARDS	●	-	●	WW460B15	WW460R15
T408	UP TO 2010	●	-	●	WW460B15	WW460R15
T408SAR	UP TO 2010	●	-	●	WW460B15	WW460R15
T409	2011 ONWARDS	●	-	●	WW460B15	WW460R15
T409 SAR	2011 ONWARDS	●	-	●	WW460B15	WW460R15
T410	2016 ONWARDS	●	-	●	WW460B15	WW460R15
T410 SAR	2016 ONWARDS	●	-	●	WW460B15	WW460R15
T604 BONNET	2000 ONWARDS	●	-	●	WW460B15	WW460R15
T604/T904 SPLIT OR SINGLE CURVED SCREEN	1998 ONWARDS	●	-	●	WW460B15	WW460R15
T608	UP TO 2010	●	-	●	WW460B15	WW460R15
T609	2011 ONWARDS	●	-	●	WW460B15	WW460R15
T610	2016 ONWARDS	●	-	●	WW460B15	WW460R15
T610 SAR	2016 ONWARDS	●	-	●	WW460B15	WW460R15
T650 BONNET - 1 & 2 PIECE FLAT SCREENS	2000 ONWARDS	●	-	●	WW380B15	WW380R15
T658	UP TO 2010	-	-	-	WW460B15	WW460R15
T659	2011 ONWARDS	●	-	●	WW380B15	WW380R15
T904	UP TO 2010	●	-	●	WW460B15	WW460R15
T904 BONNET	2000 ONWARDS	●*	-	●*	WW460B15	WW460R15
T908	UP TO 2010	●*	-	●*	WW460B15	WW460R15
T909	2011 ONWARDS	●*	-	●*	WW460B15	WW460R15
T950 BONNET - 1 & 2 PIECE SCREENS	2000 ONWARDS	●*	-	●*	WW380B15	WW380R15
W900 SERIES	ALL	●*	-	●*	WW380B15	WW380R15

* REFILLS SUPPLIED FROM RESPECTIVE BULK PACKS
IT'S RECOMMENDED TO REPLACE WIPER BLADES
EVERY 24 MONTHS, AND REFILLS EVERY 12 MONTHS

D: DRIVER | C: CENTRE | P: PASSENGER | R: REAR

TO SUIT DAF

APPLICATIONS					PART NUMBERS	
MODEL	**YEAR**	**D**	**C**	**P**	**BLADE**	**REFILL OPTION**
45 VAN	2000 ONWARDS	●*	-	●*	WW550B8B	WW610RP6 OR WW610R6 *
CF65- ALL CABS	1999 ONWARDS	●*	-	●*	WW600B8H	WW610RP6 OR WW610R6 *
CF75 - ALL CABS	2000 ONWARDS	●*	-	●*	WW600B8H	WW610RP6 OR WW610R6 *
CF75/FA FAS FAP FAT FAD ALL CABS	2000 ONWARDS	●*	-	●*	WW600B8H	WW610RP6 OR WW610R6 *
CF85 - ALL CABS	2000 ONWARDS	●*	-	●*	WW600B8H	WW610RP6 OR WW610R6 *
CF85/FA FAT FAD ALL CABS	2000 ONWARDS	●*	-	●*	WW600B8H	WW610RP6 OR WW610R6 *
FA LF 250 12T RIGID SLEEPER	2006 ONWARDS	●*	-	●*	WW600B8H	WW610RP6 OR WW610R6 *
FA LF 250 16T RIGID SLEEPER	2006 ONWARDS	●*	-	●*	WW600B8H	WW610RP6 OR WW610R6 *
FA LF 280 18T RIGID SLEEPER	2006 ONWARDS	●*	-	●*	WW600B8H	WW610RP6 OR WW610R6 *
LF45 - ALL CABS	2000 ONWARDS	●*	-	●*	N/A	WW610RP6 OR WW610R6 *
LF55 - ALL CABS	2000 ONWARDS	●*	-	●*	N/A	WW610RP6 OR WW610R6 *
XF 105 PRIME MOVER FTT	2005 ONWARDS	●*	●	●*	WW560B6	WW610RP6 OR WW610R6 *
XF 105 RIGID FAD	2005 ONWARDS	●*	●*	●*	WW560B6	WW610RP6 OR WW610R6 *
XF95 - ALL CABS	2000 ONWARDS	●*	●*	●*	N/A	WW610RP6 OR WW610R6 *

* REFILLS SUPPLIED FROM RESPECTIVE BULK PACKS
IT'S RECOMMENDED TO REPLACE WIPER BLADES
EVERY 24 MONTHS, AND REFILLS EVERY 12 MONTHS

D: DRIVER | C: CENTRE | P: PASSENGER | R: REAR

TRUCK & TRAILER PARTS

TRP® PAKENHAM





FIND US AT

3 Tango Circuit, Commercial Park
Pakenham VIC 3810

Phone: (03) 8796 9155

"TRP branded parts have always punched above their price".

- Ben Richards, Parts Manager.



**Whether you love cleaning or not,
the end result is always satisfying.**

A clean truck brings a sense of pride to the driver, with TRP® Cleaning products there's a great range of products for both the interior and exterior of your pride and joy.

Many of our products are proudly manufactured in Australia and available in a range of sizes to represent great value.

TRUCK & TRAILER PARTS

TRUCK & TRAILER PARTS



CLEANING

CLEANING EQUIPMENT

CLEANING FLUIDS

www.trpparts.com.au

CLEANING

EQUIPMENT

TRP® has all your cleaning hardware needs covered with an extensive range of equipment to make your truck shine.

WASH POLES

FEATURES & BENEFITS

- Heavy duty, polished aluminium telescopic poles with soft spongy handles
- Comfortable to use
- Available with or without Flow Through



TRP18WPFT



TRP25WPFT



TRP32WPFT



TRP25WP
(BRUSH HEAD NOT INCLUDED)

PART NUMBER	PRODUCT	DESCRIPTION
TRP25WP	WASH POLE	2.5M
TRP3WP	WASH POLE	3M
TRP18WPFT	WASH POLE	1.8M FLOW THROUGH
TRP25WPFT	WASH POLE	2.5M FLOW THROUGH
TRP32WPFT	WASH POLE	3.2M FLOW THROUGH
TRPWPT1P	WASH POLE TIP	REPLACEMENT, ALLOY

BRUSH HEADS

SOFT BRISTLE

ATTACHES TO TRP® WASH POLES

FEATURES & BENEFITS

- Acid-dipped synthetic bristles provide soft non-scratch cleaning

PART NUMBER	PRODUCT DESCRIPTION
TRP10BBH	10" BI-LEVEL
TRP10QBH	10" QUAD DESIGN
TRP12QBH	12" QUAD DESIGN
TRP13BBH	13" BI-LEVEL
TRP15BBH	15" BI-LEVEL




TRP10BBH

MICROFIBRE WASH PAD

CHENILLE MICROFIBRE

ATTACHES TO TRP® WASH POLES
CAN ALSO BE USED BY HAND

PART NUMBER	PRODUCT DESCRIPTION
TRPMFWP	MICROFIBRE WASH PAD WITH HOLDER
TRPMFWPR	MICROFIBRE WASH PAD REFILL



EXHAUST STACK WASH BRUSH

TRP10WBEFT

TWO ANGLE HEAD

FEATURES & BENEFITS

- Flow through
- Treated nylon bristles



WASH BRUSH

TRP25WB

30CM LONG HANDLE
12CM X 12CM HEAD

FEATURES & BENEFITS

- Acid-dipped synthetic bristles provide soft non-scratch cleaning



MICROFIBRE WASH MITT

TRPMFWM

CHENILLE MICROFIBRE



BUG SPONGE

TRP38WS

DUAL SURFACE



WASH SPONGE

TRP2JWS

SOFT, HIGH DENSITY FOAM

FEATURES & BENEFITS

- Covers a big area fast
- Jumbo 2 pack



SCOURER PAD

TRP10SSP

PERFECT FOR INSECT
& ROAD GRIME REMOVAL



CHAMOIS

TRP6758CH

PERFORATED 67 X 58 CM



MICROFIBRE CLOTH

TRP5050WCM

50 X 50 CM, PACK OF 5



RAGS



TRPFLANAUS-10



TRPTSH1RTAUS-10

PART NUMBER	DESCRIPTION
TRPTSH1RTAUS-1.5	TRUCKIE'S PACK, T-SHIRT, 1.5KG
TRPFLANAUS-10	FLANNEL, 10KG
TRPTSH1RTAUS-10	T-SHIRT, 10KG

BUFF BALL

TRPBUFFBALL

POLISHING BALL

FEATURES & BENEFITS

- 7" viscose fibre polishing ball
- Fits any 10mm drill
- Washable & reusable
- Helps buff out scuff marks, light scratches, oxidation & tarnish
- Ideal for use with TRP® Liqui-Shine metal polish



FOAM CANNON
TRPCANNON



FEATURES & BENEFITS

- For use with high pressure washers
- 1 litre capacity
- Adjustable dilution ratio and fan nozzle
- Pressure washer adaptors sold separately

PRESSURE WASHER ADAPTORS
FOR TRP FOAM CANNON

PART NUMBER	DESCRIPTION
TRPF1TT1NGA	KARCHER K ADAPTOR
	
TRPF1TT1NGB	LAVOR ADAPTOR
	
TRPF1TT1NGC	KARCHER HDS PRO ADAPTOR
	
TRPF1TT1NGD	BOSCH ADAPTOR
	

PART NUMBER	DESCRIPTION
TRPF1TT1NGE	GERNI/STIHL/ NILFISK ADAPTOR
	
TRPF1TT1NGG	M22 ADAPTOR
	
TRPF1TT1NGH	KARCHER HD ADAPTOR
	
TRPF1TT1NG1	¼" QUICK COUPLER ADAPTOR
	

TRUCK & TRAILER PARTS

TRP® NEW ZEALAND STORES



TRP® NEW PLYMOUTH

FIND US AT
15 Mustang Drive
New Plymouth 4312 New Zealand

Phone: 0011 64 (6) 262 0009

TRP® PALMERSTON NORTH

FIND US AT
22 Malden St
Palmerston North,
4414 New Zealand

Phone: 0011 64 (6) 222 3400





TRP® TIMARU

FIND US AT
207 Hilton Highway
Timaru 7910 New Zealand

Phone: 0011 64 (3) 264 6000

CLEANING

FLUIDS

Make your truck sparkle and polish it to perfection with our TRP® range of cleaning fluids. For all jobs, large or small.

ALL WASH

FEATURES & BENEFITS

- Heavy-duty green concentrated truck wash gel
- Higher level of active contents than traditional truck wash
- Highly effective on insect spatter, heavy road film & exhaust soot
- Biodegradable and triple interceptor safe
- Safe on polished alloy

PART NUMBER	PRODUCT SIZE
TRPAW20	20L
TRPAW200	200L



TRPAW20

SUPER WASH

FEATURES & BENEFITS

- Traditional blue concentrated truck wash gel
- Coconut oil leaves a deeper shine
- pH neutral and non-caustic
- Biodegradable and triple interceptor safe
- Safe on polished alloy

PART NUMBER	PRODUCT SIZE
TRPSW5	5L
TRPSW20	20L
TRPSW200	200L
TRPSW1000	1000L



TRPSW200

TRPSW5

TRPSW20

PREMIUM WASH
GOLD WASH & WAX

FEATURES & BENEFITS

- Concentrated Gold Wash & Wax
- High level of premium Brazilian Carnauba Wax
- pH neutral and non-caustic
- Biodegradable and triple interceptor safe
- Safe on polished alloy

PART NUMBER	PRODUCT SIZE
TRPPW5	5L
TRPPW20	20L
TRPPW200	200L
TRPPW1000	1000L



TRPPW20

TRPPW5

TRPPW200

MULTI CLEAN
ALL PURPOSE CLEANER

FEATURES & BENEFITS

- Versatile cleaner ideal for windows, mirrors, stainless steel, interior trims and upholstery
- Water-based, caustic free and non hazardous
- As a medium duty degreaser, Multi Clean can even clear carbon build-up on exhaust stacks and be sprayed onto greasy clothes prior to washing

PART NUMBER	PRODUCT SIZE
TRPMC750	750ML
TRPMC5	5L
TRPMC20	20L
TRPMC200	200L



TRPMC750

TRPMC5

TRPMC20

MEGA WASH

FEATURES & BENEFITS

- TRP® Mega Wash is a 'touch free', high foaming vehicle wash which includes a waxing agent that leaves a brilliant shine in one easy application

WARNING

- For professional use only
- Dilution ratios and instructions must be followed

PART NUMBER	PRODUCT SIZE
TRPMW5	5L
TRPMW20	20L
TRPMW200	200L
TRPMW1000	1000L



TRPMW20

TRPMW5

TRPMW200

ARMOUR SHEEN

FEATURES & BENEFITS

- Cleans and rejuvenates vinyl, plastics, rubber, wood and metallic surfaces
- Restores natural sheen and colour
- Non-greasy water-based formulation
- Coco Vanilla fragrance

PART NUMBER	PRODUCT SIZE
TRPAS750	750ML
TRPAS5	5L
TRPAS20	20L



TRPAS750

TRPAS5

TRPAS20

CRYSTAL CLEAN
GLASS CLEANER

FEATURES & BENEFITS

- Non-streaking glass & chrome cleaner
- Contains anti-fogging agents
- Safe to use on all glazed surfaces, including tinted windows

PART NUMBER	PRODUCT SIZE
TRPCC750	750ML
TRPCC5	5L
TRPCC20	20L



TRPCC750 TRPCC5 TRPCC20

WINDSCREEN WASH ADDITIVE

FEATURES & BENEFITS

- Highly concentrated
- Safe on rubber and paintwork
- Removes residue and grime

PART NUMBER	PRODUCT SIZE
TRPWA500	500ML
TRPWA1	1L
TRPWA5	5L
TRPWA20	20L



TRPWA500 TRPWA1 TRPWA5

ENGINE CLEAN DEGREASER

FEATURES & BENEFITS

- Fast-acting, heavy-duty water-based degreaser for removing oil and grease
- Eucalyptus oil enhances cleaning performance and masks unpleasant odours
- Biodegradable, non-flammable and is a 'Quick Break' product that is triple interceptor safe

PART NUMBER	PRODUCT SIZE
TRPEC5	5L
TRPEC20	20L
TRPEC200	200L
TRPEC1000	1000L



TRPEC20

TRPEC5

TRPEC200

BRAKE CLEAN

FEATURES & BENEFITS

- Quick drying solvent-based degreaser for brake part cleaning and general degreasing of workshop parts
- Contains a dewatering additive to expel moisture while cleaning
- Leaves no residues and is non-corrosive

PART NUMBER	PRODUCT SIZE
TRPBC5	5L
TRPBC20	20L
TRPBC200	200L



TRPBC20

TYRE SHEEN

FEATURES & BENEFITS

- Blend of premium silicone oils imparts a long lasting shine
- Enhances and provides waterproofing to exterior plastics and vinyl trim
- Can be used as a track lubricant for tautliners
- Solvent based

PART NUMBER	PRODUCT SIZE
TRPTS5	5L
TRPTS20	20L



TRPTS5 **TRPTS20**

HANDS CLEAN

FEATURES & BENEFITS

- Heavy-duty hand cleaner with natural scrubbing beads and skin conditioners
- Contains natural citrus oils which deliver a pleasant lemon fragrance

PART NUMBER	PRODUCT SIZE
TRPHC5	5L
TRPHC20	20L



TRPHC5 **TRPHC20**

LIQUI-SHINE METAL POLISH

TRPLS500

500ML



FEATURES & BENEFITS

- Liquid polish removes heavy oxidisation and exhaust 'blueing' without the use of harsh chemicals and ammonia
- A protective sealer guards against future oxidisation
- A brilliant shine can be achieved with minimal effort
- Liqui-shine is ideal for use on aluminium, brass, copper, stainless steel and chromed surfaces
- Ideal for use with TRP® Buff Ball polishing ball

MULTI PURPOSE LUBRICANT SPRAY


TRPLUBE

400G



FEATURES & BENEFITS

- Premium quality aerosol lubricant displaces water and moisture from equipment
- Penetrates rust to loosen parts
- Protects metal surfaces against rust and corrosion



The axle seals main function is to contain oil whilst preventing contaminants from entering the housing. TRP® Axle Seals have been manufactured to SAE standards and only use premium materials, ensuring excellent seal effectiveness. TRP® Axle Seals suit most popular drive axle seal applications and are backed by PACCAR and a national network of parts and service professionals.

TRP®
TRUCK & TRAILER PARTS

TRUCK & TRAILER PARTS



DRIVELINE

AXLE SEALS

www.trpparts.com.au

AXLE SEALS

FEATURES & BENEFITS

- Passes SAE J110 Hot, Cold & Slurry tests for extended seal life
- TS-16949/ISO9001 certified manufacturer – proven quality and process controls
- Tested to OEM Specifications to ensure quality and reliability
- Competitively priced to assist in reducing overall maintenance costs

TRP PART NO.		AXLE MODEL & POSITION	AXLE TYPE	OEM CROSS REFERENCE	OEM SEAL DRIVER TOOL
	AS2728	INPUT FWD REAR 14X, 16X, 18X	SUITS MERITOR	• A1-1205X2728 • A11205X2728 • A1205R2592 • A1205P1368 • R945001 • R945007 • 2728T1 • 30007 • 32410 • 32385 • 32397 • 429-0007	2728T1
	AS2729	OUTPUT FWD REAR 14X, 16X	SUITS MERITOR	• A1-1205Y2729 • A11205Y2729 • 429-0005 • 29867	2729T1
	AS2730	INPUT REAR REAR 14K	SUITS MERITOR	• A1-1205Z2730 • A11205Z2730 • 2730T1 • 20820813 • R945003 • A1205N2588 • R945009 • A11205Z2730APTP • 429-0010	2730T1
	AS2731	INPUT REAR REAR 16X, 18X	SUITS MERITOR	• A1-1205A2731 • A11205A2731 • 85108793 • 1205A2731APTP • 429-0011	2731T1
	AS7001	OUTPUT FWD 404, 40	SUITS EATON/SPICER	• 127591 • 429-0012 • 3917024 • 217414 • M12-127591	217414

SEAL DRIVER TOOL INFORMATION

- When installing an axle seal, it is highly recommended to use the proper seal driver tool for each axle seal
- The seal driver part numbers for each axle seal have been included in the table below

TRP PART NO.		AXLE MODEL & POSITION	AXLE TYPE	OEM CROSS REFERENCE	OEM SEAL DRIVER TOOL
	AS7002	INPUT FWD 402	SUITS EATON/SPICER	• 127719 • 212139 • 29322 • A1205U1529	212139
	AS7003	OUTPUT FWD 402	SUITS EATON/SPICER	• 127720 • M12-127720 • 429-0004	212139
	AS7004	INPUT FWD 461	SUITS EATON/SPICER	• 210736 • 119430	131471
	AS7005	OUTPUT FWD 461	SUITS EATON/SPICER	• 210737 • M11-210737 • 119429	131471
	AS7006	OUTPUT 461	SUITS EATON/SPICER	• 210724 • 29471	210749




The electrical system is the life blood of any vehicle.

Carrying a 12 month warranty, TRP® electrical components are manufactured to work in harmony with your existing system. TRP® electrical system parts are great value for money alternatives when you need a quality part at a good price.

TRUCK & TRAILER PARTS®

TRP®
TRUCK & TRAILER PARTS



ELECTRICAL

ALTERNATORS

BATTERIES & ISOLATION SWITCHES

www.trpparts.com.au

ELECTRICAL

ALTERNATORS

Produced by an OE manufacturer, TRP® alternators are extensively tested in Australian conditions. Using a dual internal fan design TRP® alternators maintain optimum bearing temperatures during operation while minimising heat damage for longer service life.

The TRP® alternators are rated to perform in temperatures of up to 105°C and are covered by a 12 month warranty.

ALTERNATORS

FEATURES & BENEFITS

- Dual internal fan design
- Integrated remote sense
- Rated for temperatures up to 105°c



PART NUMBER	VOLTAGE	OUTPUT	MOUNTING
TRP555P	12V	170A	PAD
TRP555J	12V	170A	J180

ELECTRICAL

BATTERIES & ISOLATION SWITCHES

TRP® batteries are designed and built tough to ensure dependable performance and reliability. Using modern battery technology they provide a reliable power solution for your charging system.

BATTERY MASTER SWITCH



TRP-BMS-12L

PART NUMBER	DESCRIPTION	SYSTEM VOLTAGE	WORKING CURRENT	MAX CURRENT	PROTECTION CLASS
TRP-BMS-12L	BATTERY MASTER SWITCH	12V	200AMP @ 5 MINUTES	500 AMP	IP66 AS PER AS60529:2004
TRP-BMS-KW-12L	BATTERY MASTER SWITCH DUAL POSITIVE FOR KENWORTH	12V	200AMP @ 5 MINUTES	500 AMP	IP66 AS PER AS60529:2004
TRP-BMS-24L	BATTERY MASTER SWITCH	24V	200AMP @ 5 MINUTES	500 AMP	IP66 AS PER AS60529:2004

MAINTENANCE FREE BATTERY



TRP-24HD

PART NUMBER	CCA -18°C	RC @ 25°C	AH @ 20HR	L	W	H	TH	POLARITY	WEIGHT	TERM. TYPE	HOLD TYPE
TRPN70ZZH	780	160	90	305	171	202	225	D	23.9	STD	SIDE
TRP-24HD	600	140	75	260	173	225	200	R	18	STD	SIDE
TRP-24LHD	600	140	75	260	173	225	200	L	18	STD	SIDE
TRP-31HD	900	160	100	330	173	240	215	R	25.5	STD	SIDE
TRP-700HD	700	160	82	303	172	200	222	R	21.5	STD	SIDE

FEATURES & BENEFITS

FEATURES	BENEFITS
SEALED MAINTENANCE FREE CALCIUM TECHNOLOGY	No maintenance & improved safety, no topping up required
	Low self discharge providinglonger shelf life and improved performance
	Longer life product providing an overall lower total cost of ownership & reliability to operators
INTEGRATED HANDLE	Integrated handle design making the product easyand safe to handle and install
HEAVY DUTY CONSTRUCTION	High cranking performance and stronger resistance against corrosion & vibration
	Improved cycling capabilities even in a low state of charge
	Charges faster
	Higher performance in harsh condition, stronger resistance to vibration
	Improved electrical flow

BATTERY MAINTENANCE

- **Regular testing and inspection will help to maximise battery life. A routine inspection at least once a month is recommended to maintain optimum performance.**
- **Check the battery's state of charge indicator on top of the battery and use a voltmeter to check the battery has a stabilised voltage above 12.5 volts.**
- **Ensure the battery top is clean, dry, free of dirt and grime.**
- **Inspect the terminals, screws, clamps and cables for breakage, damage or loose connections. These should be clean, tight and free of corrosion.**
- **Apply a thin coating of high temperature grease to posts and cable connections for added protection.**
- **Inspect the battery case for obvious signs of physical damage or warpage. This usually indicates the battery has been overheated or has been overcharged.**

When servicing the TRP Heavy Duty Battery, check the State of Charge(S.O.C) Indicator. This gives you a snap shot of the battery's condition and whether the battery needs to be charged or replaced. If the S.O.C. indicator suggests replacement is required, the battery should be replaced. Even if the vehicle starts, failure of the battery is likely to be imminent.




Australia delivers some of the harshest environments in the world.

Dust, heat and distance all take their toll on engine components. TRP® test products in Australia ensuring they go the distance. Critical components will only carry the TRP® name once we are satisfied that you will be satisfied.

TRP®
TRUCK & TRAILER PARTS

TRP®
TRUCK & TRAILER PARTS



ENGINE

ADBLUE®
COOLANT
ENGINE MOUNTS
EXHAUST
FANS & FAN CLUTCHES
HOSE, FITTINGS & V-BELTS
RADIATORS & CHARGE AIR COOLERS

www.trpparts.com.au

ENGINE

ADBLUE®

AdBlue® is a 32.5% solution of urea in deionised water.

It is used as a consumable in Selective Catalytic Reduction (SCR) systems in order to lower NOx concentration in the exhaust emissions from diesel engines.

The quality of AdBlue® is extremely important to ensure the correct operation of the SCR system and compliance with emissions regulations. Which is why TRP CleanBlue is a VDA (Verband der Automobilindustrie e.V.) approved AdBlue® product.

CLEANBLUE®

PRODUCT INFORMATION

TRP CleanBlue® is a highly purified Diesel Exhaust Fluid manufactured to ISO 22241 specifications and is a VDA (Verband der Automobilindustrie e.V.) approved AdBlue® product. It is produced using high quality urea and is designed specifically for use in all selective catalytic reduction after treatment systems to reduce NOx emissions from diesel exhaust systems.

FEATURES & BENEFITS

- Manufactured to ISO Standard 22241
- VDA (Verband der Automobilindustrie e.V.) approved AdBlue® product
- End-to-end Batch Testing
- Non-Hazardous & Non-Toxic
- Australian Made



CB0205

CB0010

CB1000

PART NUMBER	SIZE
CB0010	10 LITRE BOTTLE
CB0205	205 LITRE DRUM
CB1000	1000 LITRE IBC

ENGINE

COOLANT

TRP® Coolants are fully formulated coolants, manufactured to the highest standards to meet the performance specifications of most major OEMs.

Designed to provide trouble-free service in trucks, buses and many other heavy-duty diesel engine applications, TRP® Coolants will protect against corrosion, liner pitting cavitation and cooling system degradation.

ALLCool

PRODUCT INFORMATION

TRP® ALLCool is a traditional Ethylene Glycol based "fully-formulated" coolant including an advanced inhibitor package that features a low silicate, phosphate-free formula, meeting specifications; CAT EC-1, ASTM D-6210, ASTM D-3306 and TMC RP-323.

Cooling system maintenance is essential to ensure components are free from cavitation and corrosion, as well as performing at an optimal level. The TRP Coolant Filter protects the cooling system by filtering out abrasive particulate and delivers supplemental additives to replenish chemicals known to deplete over the service life of the coolant.
The TRP Coolant Filter provides service intervals of 40,000Km, 500 hours or with each oil change interval (whichever comes first).

TRP® ALLCool meets the following performance specifications:

APPROVALS

- Caterpillar HD coolant
- Peterbilt, Kenworth
- Ford ESE-M97B44-A
- Mack
- Volvo
- Cummins CES14603/90T8-4
- GM 1825M
- MTU5048
- Detroit Diesel 93K217
- Freightliner 48-22880
- John Deere H24A1/H24C1



ALLC00L-5M ALLC00L-20M ALLC00L-205M ALLC00L-WF

ALLCOOL PREMIX

ALLCool Premix is a ready to use product, a 50-50 mixture of ALLCool Concentrate with deionised water and should not be diluted further with water.

PART NUMBER	SIZE
ALLC00L-5M	5 LITRE BOTTLE - PREMIX
ALLC00L-20M	20 LITRE BOTTLE - PREMIX
ALLC00L-205M	205 LITRE DRUM - PREMIX

ALLCOOL CONCENTRATE

ALLCool Concentrate should be used to adjust coolant concentrations, if it is used to maintain coolant levels it should be mixed 50-50 with good quality water.

PART NUMBER	SIZE
ALLC00L-5U	5 LITRE BOTTLE - CONCENTRATE
ALLC00L-20U	20 LITRE BOTTLE - CONCENTRATE
ALLC00L-205U	205 LITRE DRUM - CONCENTRATE

TRP® COOLANT FILTER

PART NUMBER	MICRON RATING	CHEMICAL ADDITIVE	HEIGHT (MM)	OUTER DIAMETER (MM)	THREAD SIZE	APPLICATION	SERVICE INTERVAL
ALLC00L-WF	60	YES (DCA4+)	105.66	93.73	11/16-16 UN-2B	PRE-2016 KENWORTH MODELS	500 HOURS, 40,000KM, OR EACH OIL CHANGE INTERVAL (WHICHEVER COMES FIRST)

ENGINE MOUNTS

Increased driveline vibration commonly stems from worn engine mount bushings. This can cause damage to the engine and driveline, as well as impact on driver comfort.

TRP Engine Mounts are manufactured to OEM specifications and independently tested to provide maximum safety, reliability and performance.

TRUCK ENGINE MOUNTS
SUITS KENWORTH

PART NUMBER		DESCRIPTION	CROSS REFERENCE
AV018TRP		• FRONT ENGINE MOUNT • SUITS VARIOUS KENWORTH MODELS WITH BUTTON TYPE FRONT ENGINE MOUNTS	• K066-229 • 540.036 • K066229
AV023TRP		• FRONT ENGINE MOUNT KIT • SUITS KENWORTH T4 SERIES WITH MX-13 ENGINE & MOST MODELS WITH 15L ENGINES	• K066-404 • 540.106 • K066-405 • D13-1012 • K066-406
AV024TRP		• REAR ENGINE MOUNT KIT • HEAVY DUTY - 70 DURO, SUITS MOST KENWORTH MODELS WITH 15L ENGINES & BARRY TYPE REAR ENGINE MOUNTS	• D13-1001-1 • D13-1001-2 • D13-1001-3 • D13-1001-4 • 540.131 • K066-421
AV025TRP		• REAR ENGINE MOUNT • SUITS MOST KENWORTH T9, T6 & T4 SERIES MODELS WITH BUTTON TYPE REAR ENGINE MOUNTS	• K066-282 • 540.053 • K066-282
AV026TRP		• REAR ENGINE MOUNT • SUITS MOST KENWORTH C5 & K2 SERIES MODELS WITH BUTTON TYPE REAR ENGINE MOUNTS	• K066-247 • 540.064 • M506-70NR

* See page 44 for full anti-vibration range

ENGINE

EXHAUST

TRP® Exhaust components are designed to integrate perfectly into your heavy duty exhaust system. Providing reliable and efficient solutions which maximise performance and minimise emissions.

EXHAUST CLAMPS

PRODUCT INFORMATION

TRP® Exhaust Clamps are quality, cost effective products that provide exceptional value.
All parts have been tested to ensure high quality standards and to maximise performance.

FLAT EASY SEAL CLAMP

- Pre-attached hardware with force bars, nuts & reaction block
- High quality 304 Stainless Steel

PART NUMBER	DIAMETER	MATERIAL	CROSS REFERENCE
EC50EST	5”	STAINLESS STEEL	• 2577/JW • 89528K



PREFORMED LAP CLAMPS

- Stepped band design for lap joints provides fast, accurate installation and better seal
- High quality 304 Stainless Steel

PART NUMBER	DIAMETER	MATERIAL	CROSS REFERENCE
EC40PLS	4"	STAINLESS STEEL	• 2545/JW • 90366A
EC50PLS	5"	STAINLESS STEEL	• 2547/JW • 90368A
EC50PLA	5"	ALUMINIZED STEEL	• 2532/JW • 90358A



EC50PLS

U–CLAMPS

- High quality zinc or chrome plated steel

PART NUMBER	DIAMETER	FINISH	CROSS REFERENCE
EC40UCP	4"	CHROME PLATING	• 2478/JW • 0161CC102F
EC40UZP	4"	ZINC PLATING	• 2472/JW • 0161CZ102F
EC50UCP	5"	CHROME PLATING	• 2479/JW • 0161CC127F
EC50UZP	5"	ZINC PLATING	• 2473/JW • 0161CZ127F
EC60UCP	6"	CHROME PLATING	• 2480/JW • 0161CC152F
EC60UZP	6"	ZINC PLATING	• 2475/JW • 0161CZ152F



EC40UZP

ENGINE

FANS & FAN CLUTCHES

TRP® Fans & Fan Clutches provide effective solutions to keep your cooling system running efficiently, maintaining optimum fuel efficiency and maximum horsepower.


FAN CLUTCH REPAIR KIT

F35008TRP

ALL 9.5” DISC HORTON HT/S CLUTCHES

FEATURES & BENEFITS

- NBR (black) D-Ring & O-Ring seals
- Standard temperature seals
- Long life
- OEM carbon tip air-cartridge
- Designed & manufactured in Australia



ENGINE

HOSE, FITTINGS & V–BELTS

TRP® Belts have been designed to meet the high torque and power rhythms in today's demanding diesel engines. Manufactured in the USA, TRP® Belts are constructed with polyester cording which provides maximum power transfer and tension holding capability for the life of the belt.

POLY RIB BELTS



FEATURES & BENEFITS

- Heat-resistant and built to withstand wear and corrosion
- OE quality fit and construction for reliable, long-lasting performance
- Multiple rib design provides flexibility to easily thread around several pulleys in a congested engine compartment
- Polyester cording provides maximum power transfer and tension holding capability for the life of the belt
- EPDM rubber compound, helps extend belt life and wear whilst resisting heat, oil and grease degradation

PART NUMBER	DIMENSION (MM)	DIMENSION (INCH)	EQUIVALENTS
345K5BLT	5 RIBS X 875MM EL	5 RIBS X 34-1/2" EL	• 5PK875 • 5K344 • 4050345
465K8BLT	5 RIBS X 1181MM EL	5 RIBS X 46-1/2" EL	• 3028521 • 8K465 • 4080465
510K10BLT	10 RIBS X 1295MM EL	10 RIBS X 51" EL	• 10PK1295 • 10K510 • 4100510
585K8BLT	8 RIBS X 1485MM EL	8 RIBS X 58-1/2" EL	• 8PK1485 • 8K585 • 4080585
660K10BLT	10 RIBS X 1677MM EL	10 RIBS X 66" EL	• D1102-6362 • 10K658 • 4100660
685K8BLT	8 RIBS X 1740MM EL	8 RIBS X 68-1/2" EL	• 8PK1740 • 4080685
690K8BLT	8 RIBS X 1755MM EL	8 RIBS X 69" EL	• 8PK1755 • 4080690 • 8K690
760K8BLT	8 RIBS X 1930MM EL	8 RIBS X 76" EL	• 8PK1930 • 4080760
855K8BLT	8 RIBS X 2172MM EL	8 RIBS X 85-1/2" EL	• 4080855 • D84-1000-6082175 • 8PK2170
897K8BLT	8 RIBS X 2278MM EL	8 RIBS X 89-5/7" EL	• 8PK2285 • 4080897

POLY V–BELTS

FEATURES & BENEFITS

- Heat-resistant and built to withstand wear and corrosion
- OE quality fit and construction for reliable, long-lasting performance
- 3 ply construction helps prevent belt roll-over, reduces noise and protects against chemical-related deterioration
- Polyester cording provides maximum power transfer and tension holding capability for the life of the belt
- Full sidewall contact helps prevent slippage



17500BLT

PART NUMBER	DIMENSION (MM)	DIMENSION (INCH)	EQUIVALENTS
17335BLT	13MM TW X 852MM EL	17/32" TW X 33-1/2" EL	· 9335HD · 17335
17380BLT	13MM TW X 965MM EL	17/32" TW X 38" EL	· 9380HD · 17380
17400BLT	13MM TW X 1016MM EL	17/32" TW X 40" EL	· 9400HD · 17400 · 17401
17425BLT	13MM TW X 1080MM EL	17/32" TW X 42-1/2" EL	· 9425HD · 17425
17435BLT	13MM TW X 1105MM EL	17/32" TW X 43-1/2" EL	· 9447HD
17443BLT	13MM TW X 1100MM EL	17/32" TW X 43.3" EL	· 9435HD · 17435
17445BLT	13MM TW X 1129MM EL	17/32" TW X 44-1/2" EL	· 9447HD · 17447 · 17446
17450BLT	13MM TW X 1145MM EL	17/32" TW X 45" EL	· 9451HD · N9451 · 17451
17465BLT	13MM TW X 1180MM EL	17/32" TW X 46-1/2" EL	· 9465HD · 17465
17470BLT	13MM TW X 1194MM EL	17/32" TW X 47" EL	· 9470HD · 17470
17475BLT	13MM TW X 1208MM EL	17/32" TW X 47-1/2" EL	· 9476HD · 17476 · 17474
17490BLT	13MM TW X 1245MM EL	17/32" TW X 49" EL	· 9490HD · 17490 · 17491
17495BLT	13MM TW X 1258MM EL	17/32" TW X 49-1/2" EL	· 9495HD · 17495 · 17494
17500BLT	13MM TW X 1271MM EL	17/32" TW X 50 EL"	· 9500HD · 17500 · 17501

PART NUMBER	DIMENSION (MM)	DIMENSION (INCH)	EQUIVALENTS
17505BLT	13MM TW X 1283MM EL	17/32" TW X 50-1/2" EL	· 9505HD · 17505
17510BLT	13MM TW X 1295MM EL	17/32" TW X 51" EL	· 9510HD · 23520033 · 17511 · 17510
17525BLT	13MM TW X 1334MM EL	17/32" TW X 52-1/2" EL	· 9525HD · 17525
17530BLT	13MM TW X 1347MM EL	17/32" TW X 53" EL	· 9530HD · 17530 · 17531
17550BLT	13MM TW X 1397MM EL	17/32" TW X 55" EL	· 9550HD · 17550 · 17551
17555BLT	13MM TW X 1408MM EL	17/32" TW X 55-1/2" EL	· 9555HD · 17555
17560BLT	13MM TW X 1423MM EL	17/32" TW X 56" EL	· 9560HD · N9560 · 17561 · 17560
17570BLT	13MM TW X 1449MM EL	17/32" TW X 57" EL	· 9570HD · 17570
17580BLT	13MM TW X 1473MM EL	17/32" TW X 58-1/2" EL	· 9580HD · 17580 · 17581
17585BLT	13MM TW X 1486MM EL	17/32" TW X 58-1/2" EL	· 9585HD · 17585
17590BLT	13MM TW X 1500MM EL	17/32" TW X 59" EL	· 9590HD · 17590 · 17591
17601BLT	13MM TW X 1525MM EL	17/32" TW X 60" EL	· 9600HD · 17600 · 17601



17560BLT



17585BLT

PART NUMBER	DIMENSION (MM)	DIMENSION (INCH)	EQUIVALENTS
17605BLT	13MM TW X 1539MM EL	17/32" TW X 60-1/2" EL	· 9605HD · 17605
17620BLT	13MM TW X 1574MM EL	17/32" TW X 62" EL	· 9620HD · 17620 · 17621
17630BLT	13MM TW X 1601MM EL	17/32" TW X 63" EL	· 9630HD · 17630 · 17633
17640BLT	13MM TW X 1626MM EL	17/32" TW X 64" EL	· 9640HD · 17640 · 17641
22520BLT	15MM TW X 1303MM EL	22/32" TW X 51 1/2" EL	· TR22514 · T22514 · 22520
22560BLT	15MM TW X 1422MM EL	22/32" TW X 56" EL	· TR22553 · T22553 · 22560
22570BLT	15MM TW X 1435MM EL	22/32" TW X 56-1/2" EL	· 22570DY · 22570 · 5560
22574BLT	15MM TW X 1448MM EL	22/32" TW X 57" EL	· TR22570 · T22570 · 22574
22583BLT	15MM TW X 1480MM EL	22/32" TW X 58.3" EL	· 971HD
22590BLT	15MM TW X 1494MM EL	22/32" TW X 58.5" EL	· TR22588 · T22588 · 22590
22624BLT	15MM TW X 1575MM EL	22/32" TW X 62" EL	· TR20619 · T20619 · 22624
22634BLT	15MM TW X 1587MM EL	22/32" TW X 63" EL	· TR22625 · T22625 · 22634

PART NUMBER	DIMENSION (MM)	DIMENSION (INCH)	EQUIVALENTS
22650BLT	15MM TW X 1644MM EL	22/32" TW X 64-1/2" EL	· TR22648 · T22648 · 22650
22670BLT	15MM TW X 1688MM EL	22/32" TW X 66-1/2" EL	· TR22664 · T22664 · 22670
28403BLT	20MM TW X 1644MM EL	28/32" TW X 40" EL	· TR28400 · T28400 · 28403
28445BLT	20MM TW X 1131MM EL	28/32" TW X 44-1/2" EL	· TR28445 · 20A1130
28457BLT	20MM TW X 1155MM EL	28/32" TW X 45-1/2" EL	· 459 · T28454 · 28457
28477BLT	20MM TW X 1201MM EL	28/32" TW X 47" EL	· 20A1200 · 4338770 · 28477
28483BLT	20MM TW X 1221MM EL	28/32" TW X 48" EL	· TR28480 · 2L360 · 28483
28503BLT	20MM TW X 1270MM EL	28/32" TW X 50" EL	· 501
28513BLT	20MM TW X 1297MM EL	28/32" TW X 51" EL	· TR28510 · T28510 · 28513
28523BLT	20MM TW X 1327MM EL	28/32" TW X 52" EL	· TR28522 · T28522 · 28523
28553BLT	20MM TW X 1399MM EL	28/32" TW X 55" EL	· 20A1395 · 1117040 · 28553
28600BLT	20MM TW X 1524MM EL	28/32" TW X 60" EL	· D1102 -6003 · 4320755 · 28603

ENGINE

CHARGE AIR COOLERS (CACS) & HUMP HOSE

Australian Made TRP Ultra Seal® Charge Air Coolers eliminate premature failure by introducing a unique flexible silicon grommet joint between the brazed core and manifold. This technology isolates the core from the manifolds, eliminating stresses and provides leak free operation and extended service life.

The tube-to-header joint design is suited to the harsh Australian conditions and is proven to provide a level of performance and durability far in excess of mainstream brazed aluminium charge air coolers. TRP Ultra Seal® Charge Air Coolers are covered by a 2 year, unlimited kilometre warranty and are backed by PACCAR and a national network of parts and service professionals.

CHARGE AIR COOLER



FEATURES & BENEFITS

- Australian design and manufactured for Australian conditions; peace of mind for reliability on the road
- Unique silicone grommet system provides leak free operation and extended service life
- Greater vibration and load handling, eliminating premature failures
- Cuts vehicle operating costs by significantly reducing down time
- Direct replacement of original part
- No requirement for additional spacers and brackets
- 2 Year, unlimited kilometre warranty

PART NUMBER	APPLICATION	CROSS REFERENCE
TRP1405115-1	C500 / C509 / T409 / T409SAR / T659 / T904 / T909 /T950	· 1E5115
TRP1504392-1	T350 / T359 / T401 /T601	· 1E4392
TRP1604892-1	K100 / K104	· 1E4892
TRP1615726-1	K108	· 1E5726
TRP1704836-1	K108 / K104	· 1E4836
TRP1706053-1	T650 / T904 / T408 / T608 / T658 / T908 / C508 / T609 / T659 / T909 / C509 / T403	· 1E6053
TRP2306049-1	T404 / T604 / T650	· F31-6049

HUMP HOSE



HE6040WR



HE8699



HE8716



HE8761

PART NUMBER	MATERIAL	ID (INCH)	ID (INCH)	LENGTH (INCH)	ID (MM)	ID (MM)	LENGTH (MM)	NO. OF RINGS	CROSS REFERENCE
HE6040WR	FLOUROCARBON	4	4	6	101.6	101.6	160	3	· D50-6040
HE7735HR	FLOUROCARBON	4	4.5	6	101.6	114.3	160	3	· FLUR07735
HE8699	SILICONE	4	4	6	101.6	101.6	160	2	· D1029-8699 · D50-1078
HE8701	SILICONE	4	4	8	101.6	101.6	203.2	3	· FLX7727-0001
HE8716	SILICONE – DOUBLE HUMP	4	4	6	101.6	101.6	160	3	· D1029-8748
HE8761	SILICONE	4	4.5	6	101.6	114.3	160	3	· D1029-8761
HE8761XL	SILICONE	4	4.5	7	101.6	114.3	185	3	· D1029-8761XL · D50-1077



Spring back into action with quality steering and suspension parts that will keep your truck on the straight and narrow.

Our steering and suspension components are chosen to suit Australia's varied conditions covering popular truck and trailer applications to keep your truck and trailer performing year round.

TRP®
TRUCK & TRAILER PARTS

TRP®

TRUCK & TRAILER PARTS



SUSPENSION & STEERING

AIR SPRINGS

BUSHINGS

MECHANICAL SPRINGS & HARDWARE

SHOCK ABSORBERS

STEERING PARTS & HARDWARE

www.trpparts.com.au

SUSPENSION & STEERING

AIR SPRINGS

TRP® air springs are 100% leak tested before leaving the factory and are designed and engineered specifically for the aftermarket.



Manufactured by one of the largest OEM air spring suppliers, TRP® air springs provide exceptional value whilst never compromising on quality or safety.

AIR SPRINGS




FEATURES & BENEFITS

- Chemically formulated vulcanised rubber to withstand ozone effects
- High quality materials used in manufacturing including unique fabric material for higher burst rating and extended life
- Meets OEM performance standards
- Lightweight & 100% leak tested
- 12 month warranty


TRUCK AIR SPRINGS

NO.	FRONT ELEVATION	PLAN	PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
1			AS94220	KENWORTH K303-15	• W01-544-9614 • W01-358-9422 • 1R11-028
2			TRP9541AU	KENWORTH C81-1005	• C81-1005 • W01-358-9541
3			TRP9547AU	KENWORTH C81-1004	• C81-1004 • W01-358-9547 • 1R11-268
4			AS96160	KENWORTH K303-16	• K303-16 • W01-358-9616 • 1R11-242
5			AS96170	KENWORTH K303-18	• K303-18 • W01-358-9617 • 1R11-219









TRUCK AIR SPRINGS

NO.	FRONT ELEVATION	PLAN	PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
6			AS96221	KENWORTH K303-22	· K303-22 · W01-358-9622 · 1R11-221
7			AS96250	KENWORTH K303-25	· K303-25 · W01-358-9625 · 1R11-222
8			AS96750	KENWORTH K303-28	· K303-28 · W01-358-9675 · 1R11-221
9			TRP9780	NEWAY HOLLAND AD-130	· 1613810000 · W01-377-8536 · W01-377-9781
10			AS80910	HENDRICKSON INTRAAX AA250	· C-21784 · W01-358-8091 · 1R14-171






TRAILER AIR SPRINGS

NO.	FRONT ELEVATION	PLAN	PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
11			AS87090	HENDRICKSON INTRAAX AA230	• S-21800 • W01-358-8709 • 1R13-118
12			AS92700	HENDRICKSON INTRAAX HT230	• S-21208 • W01-358-9270 • 1R13-119
13			AS95800	HENDRICKSON HT250US	• C-20127 • W01-358-9580 • 1R13-149 • 1R13-118
14			AS96440	HENDRICKSON INTRAAX AA250L	• S-23721 • W01-358-9644
15			AS96460	HENDRICKSON INTRAAX AANL	• S-23611 • W01-358-9646

TRAILER AIR SPRINGS

NO.	FRONT ELEVATION	PLAN	PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
16			AS95010	NEWAY - AD246-10	• 90557212 • W01-358-9501 • 1R12-485
17			TRP8091	HENDRICKSON INTRAXX AA250	• C-21784 • C-20901 • W01-358-8091
18			TRP8093	BPW D30 - COMPLETE AIR SPRING	• 542943660 • W01-M58-8619
19			TRP8177	BPW D30K - COMPLETE AIR SPRING	• 542943650 • W01-M58-8613
20			TRP8104	BPW D36 - COMPLETE AIR SPRING	• 542943690 • W01-M58-8667

TRAILER AIR SPRINGS

NO.	FRONT ELEVATION	PLAN	PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
21			TRP8047	BPW D30 - SERVICE KIT	• 542942570 • W01-M58-8620
22			TRP8045	BPW D30K - SERVICE KIT	• 542942560 • W01-M58-8613
23			TRP8066	BPW D36 - SERVICE KIT	• 542942580 • W01-M58-8978
24			TRP21221307	VARIOUS ROR	• T03-AS3052-A • W01-M58-6297

SUSPENSION & STEERING

BUSHINGS

TRP® torque rod bush exhibits excellent torsional stiffness, offering maximum strength and durability at a competitive price.

TRUCK SUSPENSION

FEATURES & BENEFITS

- High quality, reliable and exhibit excellent torsional stiffness for maximum strength and durability
- Recommended for on highway use
- Excellent value
- 12 month warranty



TRB68250

PART NUMBER	DESCRIPTION	APPLICATION		CROSS REFERENCE
TRB68250	TORQUE ROD BUSH	KENWORTH	• KENWORTH AIRGLIDE SUSPENSION 200/230/400/460 • HENDRICKSON HA AIR SUSPENSION • MACK REAR ST34 TAPERED SPRING SUSPENSION • NEWAY SAF HOLLAND ADZ123/126 SUSPENSION	• 839310 • 836940 • GAFF11729 • SP1507 • SP1478 • E10303

TO SEE THE FULL RANGE, VISIT THE ANTI VIBRATION SECTION ON PAGE 44

TRAILER SUSPENSION

PART NUMBER		APPLICATION	DESCRIPTION	CROSS REFERENCE
AV001TRP		YORK	• SPRING EYE BUSH • SAF MODUL 112, 311, 314, 316 SERIES SUPENSION • RENAULT MAGNUM, MANAGER SERIES TRUCKS • YORK TECAIR SERIES SUSPENSION • FRUEHAUF	• 4177301000 • ARB001 • 5000815738 • 61506242 • M001502 • T03-1097
AV002TRP		BPW MERITOR WEWELER	• TORQUE ROD BUSH • BPW O, SL, AL SERIES SUSPENSION • MERITOR FL9000, FL9000L, FL9000M, FL11000, FP11000, FL11000L, FL1000/150 FL1000D SERIES • WEWELER ULTRA LITE	• 21222609 • 300.330 • 0203160600 • WC234264
AV003TRP		BPW	• SPRING EYE BUSH • BPW O, SL, AL SERIES AXLE	• 0203142400 • 300.194
AV004TRP		NEWAY	• PIVOT BUSH • SAF SK RLB 9019/9022, INTRADISC/INTRADRUM INTRADISC PLUS MEGA, INTRADISC EVOLUTION VU, VO SERIES SUSPENSION	• 4177303500 • 600.508 • 4177302800
AV005TRP		NEWAY HENDRICKSON	• BEAM END BUSH • NEWAY: ARD 5.250 WIDE HANGER AIR SUSPENSION • HENDRICKSON MT, MTL AIR SUSPENSION	• 90008006 • 620.015 • 90008219 • C21591 • S21591
AV006TRP		NEWAY	• BEAM END BUSH • NEWAY, REAR: AD123-246-369, AD126-252-378, AD130-260-390, DRIVE AIR SINGLE TANDEM - TRIAXLE SUSPENSION	• 90008008 • 620.016

TRAILER SUSPENSION

PART NUMBER		APPLICATION	DESCRIPTION	CROSS REFERENCE
AV007TRP		NEWAY	• BEAM END BUSH • NEWAY/HOLLAND - REAR: ARDST (123, 244, 246,250)-6, ARDSTM/L (123,246)-6 SUSPENSION • NEWAY/HOLLAND - REAR: ARDST (123, 244, 246, 250)-6, ARDSTM/L (123, 246)-6 SUSPENSION	• 90008151 • 620.050 • 90008252
AV008TRP		BPW	• SPRING EYE BUSH • BPW OT, SLM, SLO, SLU TYPE AXLE	• 0203169000 • 300.186
AV009TRP		YORK	• OUTER PIVOT BUSH • YORK FB VRH SERIES AIR SUSPENSION	• 61SB610366 • 901.039 • 61610012
AV010TRP		HENDRICKSON	• TORQUE ROD BUSH • BLUE BIRD BUS REAR: COMFORT AIR SUSPENSION • HINO REAR COMFORT AIR SUSPENSION • HENDRICKSON REAR HAULMAAX, PRIMAAX, FIREMAAX, HFS 360/400/40LH SERIES SUSPENSION • HENDRICKSON HAS 360/400/402, E-4 360 SERIES SUSPENSION • FREIGHTLINER FH34-38 4” SPRING, FH36-40 3” SPRING, FAS AIRLINER II SERIES TRUCKS • PETERBILT REAR FLEX AIR SUSPENSION	• 47691 • 10.055 • 47691-000 • 47691000 • 47691000L • A16119448000 • 47691-000-L
AV020TRP		BPW	• SPRING EYE BUSH KIT • BPW SPRING EYE BOLT ASSEMBLY (TO SUIT M30 SPRING EYE BOLTS, ALIGN ABLE HANGER)	• 0203142K1T-1ALT • 300.676

TO SEE THE FULL RANGE, VISIT THE ANTI VIBRATION SECTION ON PAGE 44

SUSPENSION & STEERING

MECHANICAL SPRINGS & HARDWARE

TRP® mechanical springs are available for most popular trailer makes and models.

CENTRE BOLT & NUTS



T03-7447AU



T03-7449AU



T03-7453AU

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE	LENGTH OF THREAD
T03-7447AU	SIZE - 6" X 1/2"	· SP7447 · CB6-1/2	4" (100MM)
T03-7449AU	SIZE - 7" X 1/2"	· SP7449	4" (100MM)
T03-7453AU	SIZE - 8" X 1/2"	· SP7453 · CB8-1/2 · IT7448	6" (150MM)
T03-7532AU	SIZE - 10" X 7/16"		7" (175MM)
T03-7533AU	SIZE - 12" X 1/2"	· SP7458	10" (250MM)

LEAF SPRINGS



T03-7401AU



T03-7410AU



T03-7411AU



T03-7412AU

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE		APPLICATION	LEAF SIZE
T03-7401AU	13 LEAF	· SP7401 · ULA1493 · IT013	· SXT-09-9405 · WTI-13	FRUEHAUF	76MM X 10MM
T03-7402AU	13 LEAF	· SP7402 · IT013-1	· SXT-09-9406 · WTI-13-1	FRUEHAUF	76MM X 10MM
T03-7407AU	10 LEAF, 1 HOOK	· 59901025		HAULMARK, YORK	76MM X 11MM
T03-7410AU	8 LEAF, 1 HOOK	· SP7410 · IT008 · SF1014	· SXT-09-9423 · R08 · 59770706	GENERAL PURPOSE	76MM X 12MM
T03-7411AU	8 LEAF, 2 HOOK	· SP7411 · IT008A	· SF1016 · SXT-09-9424	GENERAL PURPOSE	76MM X 12MM
T03-7412AU	8 & 9 LEAF	· SP7412 · IT008-1	· SXT-09-9425 · R08-1	GENERAL PURPOSE	

LEAF SPRINGS



T03-7415AU



T03-7418AU



T03-7438AU

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE		APPLICATION	LEAF SIZE
T03-7415AU	9 LEAF, 1 HOOK	· SP7415 · IT009 · SF1015	· SXT-09-9429 · R09 · 59770705	GENERAL PURPOSE	76MM X 12MM
T03-7418AU	9 LEAF, 2 HOOK	· SF1017 · IT009A	· SXT-09-9430	GENERAL PURPOSE	76MM X 12MM
T03-7438AU	9 LEAF	· SP7438 · IT453	· FRT-203-01453 · FI-9	FREIGHTER	90MM X 10MM
T03-7438HDAU	10 LEAF	· SP7438 · IT453	· FRT-203-01453 · FI-9	FREIGHTER	90MM X 10MM
T03-7439AU	10 LEAF	· SP7439 · IT453-1	· FI-9-1	FREIGHTER	
T03-7432AU	15 LEAF	· IT7448		IVECO, REYCO	

HARDWARE
T03-1201AU
EQUALISER PIN
SUITS T03-1101 BUSH



APPLICATION
- General purpose

CROSS REFERENCE
- SP1201-HD
- ULA5183
- IT1201HD
- SF0013
- SXT-09-9302
- WT1201C
- 59900013

HARDWARE
T03-1401AU
TORQUE ROD BOLT
SUITS 1301-P BUSH



APPLICATION
- General purpose


CROSS REFERENCE
- SP1401-HD
- ULA7822
- IT1401HD
- SF1012
- SXT-09-9240
- WT1401C
- 59901012

OUTSIDE DIAMETER	OVERALL LENGTH
32MM	165MM


TRAILER U-BOLTS (GRADE 5)

U-BOLT PART NUMBER CODE – SAMPLE

T03	–	U	BA	–	135
PACCAR PRODUCT GROUP		U-BOLT IDENTIFICATION	U-BOLT PROFILE CODE		LENGTH OF U-BOLT IN INCHES (135 = 131/2")



SQUARE BEND TYPE



ROUND BEND TYPE

NOTES

- Width of U-Bolts listed is inside width. Dimension A above.
- Length of U-Bolts listed is inside length. Dimension B above.
- All U-Bolts are grade 5 material which is only suitable for trailer applications
- Most U-Bolts are supplied with nuts and washers.
- All U-Bolt threads are UNF.
- Refer to OEM documentation for correct tightening torque.
- Always retorque U-Bolts at OEM recommended service intervals.

3” ROUND BEND X 7/8”
PROFILE CODE – A

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBA-145AU	14-1/2”	4”
T03-UBA-155AU	15-1/2”	4”
T03-UBA-165AU	16-1/2”	4”
T03-UBA-175AU	17-1/2”	4”



T03-UBA-145AU

5” ROUND BEND X 7/8”
PROFILE CODE – B
P/N T03-UBB-10 NOT SUPPLIED WITH NUTS & WASHERS

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBB-125AU	12-1/2”	3”
T03-UBB-135AU	13-1/2“	4”
T03-UBB-145AU	14-1/2“	4”
T03-UBB-155AU	15-1/2”	4”
T03-UBB-165AU	16-1/2“	4”




T03-UBB-145AU

5” SQUARE BEND X 7/8”
PROFILE CODE – C

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBC-125AU	12-1/2”	3”
T03-UBC-135AU	13-1/2”	4”
T03-UBC-145AU	14-1/2”	4”
T03-UBC-155AU	15-1/2”	4”



T03-UBC-135AU

3-1/2" ROUND BEND X 7/8"

PROFILE CODE – D

NO NUTS & WASHERS

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBD-145AU	14-1/2"	3"



T03-UBD-145AU

3-1/2" ROUND BEND X 3/4"


PROFILE CODE – E

NO NUTS & WASHERS

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBE-155AU	15-1/2"	3"



T03-UBE-155AU


5" ROUND BEND X 3/4"

PROFILE CODE – F

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBF-125AU	12-1/2"	3"
T03-UBF-135AU	13-1/2"	4"
T03-UBF-145AU	14-1/2"	4"



T03-UBF-135AU

SUSPENSION & STEERING

SHOCK ABSORBERS

With large bore sizes and increased oil capacity, TRP® shock absorbers can operate cooler over long distances and at constant high speeds.

The range covers most popular applications in the truck and trailer market and are manufactured by an OEM supplier.

FEATURES & BENEFITS

- Manufactured by an OE manufacturer
- Increased oil capacity vastly improves heat dissipation
- Large bore sizes and dampening forces to suit higher loads and Australian conditions
- Viton & HNBR seals along with high temperature oil helps withstand higher operating temperatures for longer
- 12 month warranty

KW FRONT
SA001TRP



APPLICATIONS

- Parabolic spring
- Truck

CROSS REFERENCE

- 90-2209SP1
- 90-2209SP3
- 90-2209SP3B
- CC155

COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
417	660	EYE	25MM X 50MM	EYE	25MM X 50MM

KW FRONT
SA002TRP



APPLICATIONS

- Multi-leaf spring
- Truck

CROSS REFERENCE

- 90-2209
- 090-209SP2B
- 90-2209SB2B
- CC156

COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
304	443	EYE	19MM X 45MM	EYE	19MM X 45MM

KW AIRGLIDE
SA003TRP

APPLICATIONS
- Airglide 200/400 10.5" ride height with stud type top mount
- Truck

CROSS REFERENCE
- 90-2478SP3
- 90-2478SP4
- C71-1006
- K374-38K1T
- P793
- HV2021



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
310	510	STUD	16MM	STUD	16MM

KW AIRGLIDE
SA018TRP

APPLICATIONS
- Airglide 200/400 9" ride height
- Truck

CROSS REFERENCE
- K374-41K1T
- K374-43
- 90-2477SP2
- HV2020
- P1041



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
285	460	STUD	16MM	STUD	16MM

TO SUIT HENDRICKSON
SA012TRP



APPLICATIONS

- HAS400
- HAS460 Air
- Truck

CROSS REFERENCE

- 47902-015
- 47902-024
- 57905-001
- 60670-005
- 60670-005-L
- 88-1704
- P42013

COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
472	780	EYE	19MM X 45MM	EYE	19MM X 45MM

TO SUIT HENDRICKSON
SA005TRP



APPLICATIONS

- Monopivot
- Trailer

CROSS REFERENCE

- S-20889
- S-21699
- S-24023
- 90-2396
- 90-2396SP1
- 91-2641
- P126
- P161

COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
299	442	EYE	19MM X 45MM	EYE	19MM X 45MM

TO SUIT HENDRICKSON
SA006TRP

APPLICATIONS

- HT230
- HT300
- T15/17
- Trailer

CROSS REFERENCE

- S-21699
- S-24023
- S-23743
- 98583-011
- 91-2641SP1
- P322



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
304	443	EYE	19MM X 45MM	EYE	19MM X 45MM

TO SUIT HENDRICKSON
SA008TRP

APPLICATIONS

- HT250US
- Trailer

CROSS REFERENCE

- S-21994
- S-23649
- S-23743
- P178



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
287	405	EYE	19MM X 45MM	EYE	19MM X 45MM

TO SUIT HENDRICKSON
SA015TRP

APPLICATIONS

- INTRAAX AAEDT
- Trailer

CROSS REFERENCE

- S-25436



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
396	630	EYE	19MM X 45MM	EYE	19MM X 45MM

TO SUIT SAF (NEWAY)
SA004TRP

APPLICATIONS

- AD246-10”
- Truck

CROSS REFERENCE

- 3501001
- 90045504
- P102
- 90-2466SP1



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
387	605	EYE	19MM X 50MM	EYE	19MM X 50MM

TO SUIT TMC, YORK
SA007TRP

APPLICATIONS
- LMC
- Tecair FB/VRH
- Trailer

CROSS REFERENCE
- 61.610052
- 471700131057
- T03-610052
- 88-1564
- P171



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
394	627	EYE	16/20MM X 50MM	EYE	16/20MM X 50MM

TO SUIT TMC, YORK
SA009TRP

APPLICATIONS
- Duratrac
- Tecair2
- LMC
- Trailer

CROSS REFERENCE
- 401700124223
- 61610442/B0GE
- 61-610442
- 787803
- 91-2756
- P184



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
273	387	EYE	24MM X 58MM	EYE	24MM X 58MM

TO SUIT SAF (HOLLAND)
SA010TRP

APPLICATIONS

- All 2000 series
- Trailer

CROSS REFERENCE

- 90-2022
- 90-2227
- 91-2227
- 21215742
- 21215751
- 2501192
- P227



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
297	430	EYE	20MM X 62MM	EYE	20MM X 62MM

TO SUIT MERITOR (ROR, FLEXAIR, RFS)
SA011TRP

APPLICATIONS

- FI9000I & 2000 Series
- Trailer

CROSS REFERENCE

- 21224331
- 21224745
- 90-2368SP1
- 90-2368SP2
- 90-2400
- 91-2400
- P342



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
297	436	EYE	24MM X 58MM	EYE	24MM X 58MM

TO SUIT BPW
SA013TRP



APPLICATIONS
- Airlight 2 / HD series
- Trailer

CROSS REFERENCE
- 0237021800
- 237021800
- 02.3702.18.00HD
- 02.3702.18.02
- 90-2024SP1
- 90-2024SP3
- 401700112790
- P42550

COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
478	800	EYE	24MM X 55MM	EYE	24MM X 55MM

TO SUIT BPW
SA014TRP



APPLICATIONS
- AL 2 , AL/SL, M42/2907
- Trailer

CROSS REFERENCE
- 02.3702.14.00
- 02.3702.52.00
- 02.3722.83.00
- 02.3722.83.02
- 401700112757
- 90-2207
- 91-2207
- P53024
- T03-4000
- 237228302

COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
273	387	EYE	24MM X 58MM	EYE	24MM X 58MM

TRUCK & TRAILER PARTS

TRP® SOMERTON





FIND US AT

2/15 Cooper Street
Campbellfield VIC 3061

Phone: (03) 9219 6601



" The TRP Somerton store is staffed by a highly experienced team, supported by excellent availability on a full range of quality parts for all makes of trucks. As with our successful Geelong and Ballarat TRP stores, our aim is to help customers maximise vehicle uptime by providing a friendly, expert and efficient local service."

- John Everett, Parts Manager.

SUSPENSION & STEERING

STEERING PARTS & HARDWARE

With a range of service parts for your steering system, think TRP® next time you need to fix that leak, or sharpen up that responsiveness.


STEERING GEAR SEAL KIT

FEATURES & BENEFITS


- Quality seals manufactured to meet ISO 9000 series standards
- Complete rebuild content including sector seals, sealing rings & O-Rings
- Components specifically engineered to service aftermarket rebuilders



TAS000001TRP



TAS650012TRP



TAS850005TRP

During installation it is recommended to use the manufacturer's complete service manual with the provided illustration sheet. Please reference service manuals for required tools and methods of installation.

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
TAS000001TRP	KIT-GEAR SEAL TAS 40,55,65,85	· TAS000001
TAS650012TRP	KIT-GEAR SEAL TAS 65	· TAS650012
TAS850005TRP	KIT-GEAR SEAL TAS 85	· TAS850005

DRAGLINK END – HEAVY DUTY

FEATURES & BENEFITS

- Suitable for use on 8x4 twin steer applications
- 12 month, unlimited km warranty
- Made in the USA
- Manufactured by leading OEM manufacturer



DL002TRP

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
DL003TRP	DRAGLINK END RH HEAVY DUTY – SUIT KW APPLICATIONS	· 44-120113-04
DL002TRP	DRAGLINK END LH HEAVY DUTY – SUIT KW APPLICATIONS	· 44-120123-02
DL001TRP	DRAGLINK TO SUIT WESTERN STAR STEERING GEAR TAS855020AR	· L24VT9245A11

REMAN STEERING COLUMN

REMANUFACTURED PROCESS

- Remanufactured means the steering gear has been fully broken down into its parts components and each part is cleaned and inspected
- Each individual component is then inspected and if found to be in excellent condition, then used again
- If there are any faults found, then the components are replaced with new, genuine TRW components
- All TRP® remanufactured gears have the sector shaft and bearings replaced with new, genuine TRW components to ensure the TRP® Reman Gear is as close to new as possible
- Each steering gear is remanufactured to strict guidelines and adheres to the ZF/TRW standard for OEM specifications

REBUILT / RECONDITIONED PROCESS

- A steering gear that has been rebuilt or reconditioned usually only involves fixing a problem
- The faulty part is removed from the steering gear and in most cases is replaced by another second hand part pulled from an old steering gear
- Rebuilders DO NOT use genuine TRW components as they are not authorised distributors of the genuine components



10CS0002

PART NUMBER	DESCRIPTION	APPLICAITON
10CS0001	GEN 2, TILT/TELESCOPIC LONG	T401, T404, T604, T650, C500, C501,C510, T605
10CS0002	GEN 2, TILT/TELESCOPIC SHORT	K104, K104B,K108, K200
10CS0016	GEN 2.5, TILT/TELESCOPIC SHORT	K108EX, K200
10CS0019	GEN 2.5, TILT/TELESCOPIC MEDIUM	T909, T359, T409, T409SAR, T609
10CS0023	GEN 2.5, TILT/TELESCOPIC MEDIUM	T909, T359, T409, T409SAR, T609
10CS0024	GEN 2.5, TILT/TELESCOPIC SHORT	K108EX, K201
10CS0025	GEN 2, TILT/TELESCOPIC MEDIUM	T904, T950, T905, T300, T350, T404S, T908, T608, T408, T408SAR, T658, T358, C508, T359, T409, T409SAR, T609, T659, T909, C509
10CS0028	GEN 2, TILT/TELESCOPIC	C510

REMAN STEERING GEARS

FEATURES & BENEFITS

- Great value alternative to genuine fit
- Only genuine TRW replacement components used
- Sector shaft and bearings replaced on TAS steering gears
- 12 month, unlimited kilometre warranty



TAS85124AR

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES	
TAS85124AR	TAS 85 REMAN STEERING BOX T6/T4/T9 KENWORTH	· TAS85124A	
TAS85123AR	TAS 85 REMAN STEERING BOX K104	· TAS85123A	
TAS65205AR	TAS 65 REMAN STEERING BOX T3/T4	· TAS65205A	
TAS85156AR	TAS 85 REMAN STEERING BOX T408SAR	· TAS85156A	· J87-1000
TAS85125AR	TAS 85 REMAN STEERING BOX C500	· TAS85125A	
TAS85020AR	TAS 85 REMAN STEERING BOX WESTERN STAR MOST LATE MODELS	· TAS85020A	
8098V2TRP	ZF STEERING BOX, SUITS VOLVO 2002-2012 FM9/FM12/FH12	· 8098955631 · 8098955703 · 8098955741 · 8098955865	· 250367 · 250330 · 250337 · 250352

TRUCK & TRAILER PARTS

TRP® WARRNAMBOOL





FIND US AT

987 Raglan Parade
Warrnambool VIC 3280

Phone: (03) 5560 5477



“ The TRP product is an important part of our DNA and through the TRP brand, we have quality product available at very competitive prices.”

- Matthew Neilson, Parts Manager.



When they're turning, you're earning.

TRP® wheel end components don't compromise on quality. Backed with 12 month unlimited kilometre warranty and 5 year warranty on our aluminium wheels, TRP® wheel end products are the value alternative to keep your truck moving.

Where there's a wheel there's a way.

TRP®
TRUCK & TRAILER PARTS

TRP®

TRUCK & TRAILER PARTS



WHEEL END

ALUMINIUM WHEELS

HUBCAPS & ACCESSORIES

BEARINGS

www.trpparts.com.au

WHEEL END

ALUMINIUM WHEELS

TRP® aluminium wheels are up to 50% lighter than most steel wheels. Lighter wheels help extend the life of suspension components and tyres and can even help improve fuel efficiencies.

TRP® aluminium wheels also run cooler than steel wheels which reduces stress on tyres and braking components.

ALUMINIUM WHEELS

FEATURES & BENEFITS

- Aluminium wheels can be up to 50% lighter than most steel wheels
- Aluminium dissipates heat better than steel, means cooler running and less stress on tyres and braking components
- Aluminium wheels are tougher than steel and when measured under the same road conditions, can experience substantially less damage
- Dynamic radial fatigue tested to 3363.6kg (7,400lbs) as per SAE J267
- 5 year warranty
- Maximum load 3750kg
- Maximum PSI 130
- Bolt hole size 26mm

PRE-STRESS TECHNOLOGY

- Pre-stress technology is a process where specific pressure is applied on the wheel surface during the manufacturing process. By applying force in certain areas of the wheel, the residual stress on the surface is reduced and the overall hardness of the aluminium is improved.
- SAE J267 standard require aluminium wheels to show no visual defects at 190,000 cycles in the radial fatigue test. TRP wheels with pre-stress technology have been independently tested to SAE J267 and show no visual defects at 1,000,000 cycles.
- Pre-stress technology Increases the internal strength of the wheel as well as the surface resulting in improved fatigue resistance and longer life. The brightness of the wheel is also improved through the process.



8-22-335P-32MM1

PART NUMBER	PRODUCT DESCRIPTION	APPLICATION	CROSS REFERENCES	SIZE	PCD	FINISH	WEIGHT	BOLT HOLE SIZE
8-22-285B3	10 X 285 PCD 22.5" X 8.25" MACHINE FINISH		· 883677	22.5 X 8.25	285.75 X 10	BUFFED	21.5KG	26MM
8-22-285P3	10 X 285 PCD 22.5" X 8.25" POLISHED BOTH SIDES		· 883671 · 883672	22.5 X 8.25	285.75 X 10	POLISHED BOTH SIDES	21.5KG	26MM
8-22-335P-32MM1	10 X 335 PCD 22.5" X 8.25" POLISHED BOTH SIDES	EURO TRUCKS	· 882517 · 882513 · 1976504 · 1976505	22.5 X 8.25	335.75 X 10	POLISHED BOTH SIDES	22.7KG	32MM
8-22-335P1	10 X 335 PCD 22.5" X 8.25" MACHINE FINSH		· 886521 · 886522	22.5 X 8.25	335.75 X 10	POLISHED BOTH SIDES	22.9KG	26MM

WHEEL END

WHEEL SPACERS

TRP® wheel spacers are manufactured with an enhanced corrugated channel and tall, edged flange for improved strength and performance.

Available in either 4” or 4.25”, TRP® wheel spacers have been designed to OEM specifications to ensure the highest quality, safety and performance.

CORRUGATED SPACERS
SPOKE HUBS – TRUCK & TRAILER

FEATURES & BENEFITS

- Great value alternative to OEM part
- Meets SAE J851 specifications
- 12 month, unlimited kilometre warranty



PART NUMBER	DIMENSIONS	CROSS REFERENCE
TRPWS002	20” X 4”	• 720-2040CC • RS7511
TRPWS003	20” X 4.25”	• SB14F148 • 720-2042CC • RS7513

WHEEL END


HUBCAPS & ACCESSORIES

TRP® hub caps cover the most popular truck and trailer applications and include mounting gasket and filler plug. The use of aluminium in the cap design assists in preventing warping and allows optimal heat dissipation.

HUBCAPS & ACCESSORIES

FEATURES & BENEFITS

- Die cast aluminium design prevents warping & allows more efficient heat dissipation
- Oil level view window allows for fast & easy oil level checks

PART NUMBER		PRODUCT DESCRIPTION	BOLT CIRCLE DIA.	BOLT SIZE	NO. OF BOLT HOLES	OVERALL DEPTH	INSIDE DEPTH	FLANGE INNER DIA.
HA4009		HUBCAP - OIL, TN 4009, 5.5	5.5"	5/16"	6	2-11/16"	1-5/16"	4-3/8"
HA4024		HUBCAP - OIL, STEER 4024, 4.5	4.5"	5/16"	6	2-5/8"	1-7/8"	3-1/2"
HG4009		GASKET - SUITS HABCAP HA4009						
HG4024		GASKET - SUITS HUBCAP HA4024						
HP4009		PLUG - SUITS HUBCAP HA4009						

WHEEL END

BEARINGS

TRP® bearings are European designed and engineered to the highest quality and standard. Bearing kits contain everything required for reliable and long term repair (hub caps are included in steer and trailer kits). Seals come pre-lubricated (and are OE approved in many countries). Hub Caps are made from Zytel, being stronger than aluminium and compatible with all popular oils and grease.

BEARING KITS

PRODUCT INFORMATION

TRP Wheel Bearing Kits cover the most popular truck and trailer applications, and have been developed to handle the demands of the harsh Australian environment.

All of the products in the TRP Wheel Bearing Kits are manufactured using OEM quality materials and meet ISO/TS 16949:2009 standards. You can be sure that TRP Wheel Bearing Kits will help keep your costs down and your truck moving.

FEATURES & BENEFITS

- High Performance bearings that work, even under adverse conditions
- Each Bearing is inspected to zero defect level
- Quality seals provide longer service life whilst preventing oil leaks or contamination
- Exterior coating on hub seals provides a better seal than metal to metal
- Hubcaps are made from a material that is lighter than steel and stronger than aluminium. The Hubcaps also have multiple barriers, which help protect bearings and seals from contamination



TRP5802

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE	APP.	INNER BEARING	OUTER BEARING	SEAL	SEAL TYPE	HUB CAP
TRP5802	STEER AXLE BEARING KIT - INCLUDES STANDARD SEAL & HUB CAP KIT	• WBK4SUCR • VKBA5802	STEER	SET413TRP	SET409TRP	532021-98	TOOL FIT	534631-51
TRP5805	STEER AXLE BEARING KIT - INCLUDES STANDARD SEAL & HUB CAP KIT	• WBK4SCHB • VKBA5805	STEER	SET423TRP	SET424TRP	43764	TOOL FIT	534631-51
TRP5806	DRIVE AXLE BEARING KIT - INCLUDES STANDARD SEAL KIT	• WBK3DCR • VKBA5806	DRIVE	SET403TRP	SET401TRP	539358-98	TOOL FIT	N/R
TRP5807	DRIVE AXLE BEARING KIT - INCLUDES HIGH TEMPERATURE SEAL KIT	• WBK3DCRV • VKBA5807	DRIVE	SET403TRP	SET401TRP	539358-98	TOOL FIT	N/R
TRP5820	STEER AXLE BEARING KIT - INCLUDES STANDARD SEAL & HUB CAP KIT	• WBK4SCR • VKBA5820	STEER	SET413TRP	SET406TRP	532021-98	TOOL FIT	545445-10
TRP5821	TRAILER AXLE BEARING KIT - INCLUDES STANDARD SEAL & HUBCAP KIT	• WBK1TCR • VKBA5821	TRAILER	SET414TRP	SET413TRP	531922-98	HAND FIT	1643
TRP5822	TRAILER AXLE BEARING KIT - INCLUDES STANDARD SEAL & HUBCAP KIT	WBK1TSTG, VKBA5822	TRAILER	SET414TRP	SET413TRP	46303	HAND FIT	1343

BEARING SETS

PRODUCT INFORMATION

The TRP® wheel bearing program offers the most popular wheel bearing sets for truck and trailer applications. TRP Bearings are manufactured with high quality steel and meet ISO/TS 16949:2009 standards.

TRP-packaged tapered roller bearing sets are designed to meet the quality and exceed the performance requirements demanded In Australian applications.

FEATURES & BENEFITS

- High load carrying and running accuracy
- Each Bearing is inspected to the zero defect level
- High performance even under adverse conditions
- Lower Level of vibration and lower noise intensity
- Bearing kits SET401TRP & SET403TRP are both rated transmission quality bearings and are specifically produced to suit drive axles



SET401TRP



SET406TRP

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE		COMPONENTS
SET401TRP	DRIVE AXLE - OUTER	• SET401 • SET401TIM • SET401SKF	• AP0644KT • APBSET401TIM	580/572/Q
SET403TRP	DRIVE AXLE - INNER	• SET403 • SET403TIM • SET403SKF	• AP0646KT • APBSET403TIM	594 A/592 A/Q
SET406TRP	STEER AXLE - OUTER	• SET406 • SET406TIM • SET406SKF	• AP0642KT • APBSET406TIM • AMSET406	3782/3720
SET409TRP	STEER AXLE - OUTER	• SET409 • SET409TIM	• SET409SKF • AP0657KT	45280/45220
SET413TRP	INNER STEER & TRAILER AXLE - OUTER	• SET413 • SET413TIM • SET413SKF	• AP0608KT • DWSET413HY • APBSET413TIM	HM 212049/011
SET414TRP	TRAILER AXLE - INNER	• SET414 • SET414TIM • SET414SKF	• AP0610KT • APBSET414TIM	HM 218248/210
SET415TRP	TRAILER AXLE - INNER & OUTER	• SET415 • SET415TIM • SET415SKF	• APBSET415TIM • APBSET415STM	HM 518445/410
SET423TRP	STEER AXLE - INNER	• SET423 • SET423TIM • SET423SKF	• AP0742KT • APBSET423TIM • APBKIT104TIM	6461A/6420
SET424TRP	STEER AXLE - OUTER	• SET424 • SET424TIM • SET424SKF	• AP0740KT • APBSET424TIM	555S/552A

TRUCK & TRAILER PARTS

TRUSTED. RELIABLE. PROVEN.

WHAT IS PRIVILEGES PLUS?

IT'S YOUR PRIVILEGE. AND IT'S FREE!



We value your loyalty. And to prove it we've partnered with PACCAR Parts and extended the PRIVILEGES rewards program to TRP®. We're promoting selected TRP® Products at special member prices. To see these special prices, look for the P logo in the catalogue. The benefits begin the moment you join in and each month you'll be updated directly on the latest offers. And here's another big plus - joining is easy.

To join, visit your local TRP® Dealer for a Privileges card or visit our website to register: **www.trpparts.com.au/privileges**



PRIVILEGES CARD IS VALID ACROSS 57 DEALERSHIPS AUSTRALIA-WIDE

To see the latest catalogue with the Privileges offers, visit **trpparts.com.au/catalogues**

PRIVILEGES PLUS

TRUCK & TRAILER PARTS

TRP® BROWN & HURLEY STORES



TRP® EMERALD
FIND US AT

10 Gregory Highway
Emerald QLD 4720

Phone: (07) 4897 2000

TRP® BUNDABERG
FIND US AT

104 Scotland St
Bundaberg East
QLD 4670

Phone: (07) 4153 1849





TRP® ROMA
FIND US AT

144 Raglan Street
Roma QLD 4455

Phone: (07) 4578 8000



TRP® WARWICK
FIND US AT

13011 Cunningham Hwy
Sladeville, Warwick QLD 4370

Phone: (07) 4598 3100

TRUCK & TRAILER PARTS

TRUSTED. RELIABLE. PROVEN

DON'T MISS OUT ON THE LATEST DEALS!

Sign up to our Catalogue now!



www.trpparts.com.au/catalogues

TRUCK & TRAILER PARTS

PARTS INDEX

PART NUMBER	PAGE
0908134	102 112 113
0908137	103 118 119 137
0908138	103 126 127 137
0908142	102 110 111
10CS0001	263
10CS0002	263
10CS0016	263
10CS0019	263
10CS0023	263
10CS0024	263
10CS0025	263
10CS0028	263
1532471	149
1536482	149
1536932	103 120 121 137
1536934	102 116 117
1536935	103 124 125 137
1540192	102 112 113
17335BLT	226
17380BLT	226
17400BLT	226
17425BLT	226
17435BLT	226
17443BLT	226
17445BLT	226
17450BLT	226
17465BLT	226
17470BLT	226

PART NUMBER	PAGE
17475BLT	226
17490BLT	226
17495BLT	226
17500BLT	226
17505BLT	226
17510BLT	226
17525BLT	226
17530BLT	226
17550BLT	226
17555BLT	226
17560BLT	226
17570BLT	226
17580BLT	226
17585BLT	226
17590BLT	226
17601BLT	226
17605BLT	227
17620BLT	227
17630BLT	227
17640BLT	227
1961734	102 108 109
1961736	103 114 115 137
1962267	103 122 123
1962431	102 116 117
1962432	103 128 129
1962436	102 104 105 137
1963747	149
22520BLT	227
22560BLT	227
22570BLT	227

PART NUMBER	PAGE
22574BLT	227
22583BLT	227
22590BLT	227
22624BLT	227
22634BLT	227
22650BLT	227
22670BLT	227
275491G0V	61
28403BLT	227
28445BLT	227
28457BLT	227
28477BLT	227
28483BLT	227
28503BLT	227
28513BLT	227
28523BLT	227
28553BLT	227
28600BLT	227
345K5BLT	225
465K8BLT	225
510K10BLT	225
585K8BLT	225
660K10BLT	225
685K8BLT	225
690K8BLT	225
760K8BLT	225
8-22-285B3	269
8-22-285P3	269
8-22-335P-32MM1	269
8-22-335P1	269
8098V2TRP	264
855K8BLT	225
897K8BLT	225
ABC275176	59
AD1527SD	102 106 107
ALLC00L-205M	217

PART NUMBER	PAGE
ALLC00L-205U	217
ALLC00L-20M	217
ALLC00L-20U	217
ALLC00L-5M	217
ALLC00L-5U	217
ALLC00L-WF	217
AS2728	202
AS2729	202
AS2730	202
AS2731	202
AS7001	202
AS7002	203
AS7003	203
AS7004	203
AS7005	203
AS7006	203
AS80910	234
AS87090	235
AS92700	235
AS94220	233
AS95010	236
AS95800	235
AS96160	233
AS96170	233
AS96221	234
AS96250	234
AS96440	235
AS96460	235
AS96750	234
AV001TRP	52 240
AV002TRP	52 240
AV003TRP	52 240
AV004TRP	52 241
AV005TRP	52 241
AV006TRP	52 241
AV007TRP	53 241

PART NUMBER	PAGE
AV008TRP	53 240
AV009TRP	53 240
AV010TRP	53 241
AV012TRP	48 153
AV013TRP	48 153
AV014TRP	48 153
AV015TRP	48 153
AV016TRP	48 153
AV017TRP	48 153
AV018TRP	49 219
AV020TRP	53 240
AV021TRP	51
AV022TRP	51
AV023TRP	49 219
AV024TRP	49 219
AV025TRP	49 219
AV026TRP	49 219
BA12450	150
CA10000	150
CA10040	150
CA400TRP	65
CA700TRP	65
CB0010	215
CB0205	215
CB1000	215
CD10000	150
DB001TRP	78
DB003TRP	78
DB005TRP	78
DB008TRP	78
DB011TRP	78
DB014TRP	78
DB015TRP	78
DB016TRP	79
DB017TRP	79
DB018TRP	79

PART NUMBER	PAGE
DB020TRP	79
DB021TRP	79
DB190PDC	79
DL001TRP	262
DL002TRP	262
DL003TRP	262
EC40UCP	221
EC40UZP	221
EC50EST	221
EC50PLA	221
EC50PLS	221
EC50UCP	221
EC50UZP	221
EC60UCP	221
EC60UZP	221
F35008TRP	223
FD10200	150
GB10050	150
GD11350	147
HA16450	150
HA4009	273
HA4024	273
HD10150	149
HE6040WR	229
HE7735HR	229
HE8699	229
HE8701	229
HE8716	229
HE8761	229
HE8761XL	229
HG4009	273
HG4024	273
HP4009	273
LL011010AU	27
LL011110AU	27
LL011210AU	26
LL011310AU	26
LL011410AU	26

PART NUMBER	PAGE
LL011610AU	27
LL011810AU	27
LL040103AU-6	23
LL040201AU	25
LL040202AU	23
LL040202AU-6	23
LL040405AU-6	24
LL040710AU	23
LL041101AU	23
LL041101AU-6	23
LL041202AU-6	24
LL041305AU-6	24
LL041405AU	26
LL041405AU-6	26
LL041501AU	25
LL041501AU-4	25
LL041605AU	25
LL041701AU-6	24
LL041803AU	24
LL041902AU-6	24
LL042004AU-6	24
LL042101AU	24
LL042101AU-6	24
LL042203AU	24
LL042203AU-6	24
LL042302AU-6	24
LL042404AU-6	24
LL050513AU	28
LL050613AU	28
LL070205AU	27
LL090101AU-10	28
LL090202AU-10	28
LL090310AU-10	28
LL100310AU	27
LL100410AU	27
LL100510AU	27
MD1185	39
MW-1WAC	43

PART NUMBER	PAGE
MW-1WCD	43
MW-1WEC	43
MW-5WAC	43
MW-5WCC	43
MW-5WEC	43
MW-8NHC	43
MW-8THC	43
MW107RBK	41
MW1262	41
R801073	75
S31-TP-1000	151
SA001TRP	251
SA002TRP	251
SA003TRP	252
SA004TRP	255
SA005TRP	253
SA006TRP	254
SA007TRP	256
SA008TRP	254
SA009TRP	256
SA010TRP	257
SA011TRP	257
SA012TRP	253
SA013TRP	258
SA014TRP	258
SA015TRP	255
SA018TRP	252
SA1140A	75
SA52	158
SA8.5S-FE	158
SB2424CCAUS	70
SB2430CCAUS	70
SB2430CCAUS-320	71
SB3030CCAUS	71
SB3030CCAUS-320	72
SB3636CCAUS	72
SC1SR16860BLCA	18
SC1SR16860BLSB	18

PART NUMBER	PAGE
SC1SR16860BLSC	18
SC1SR16860BLSG	18
SC1SR16860BLSM	18
SC1SR16860BLSU	18
SC1SR16860BRCA	18
SC1SR16860BRSB	18
SC1SR16860BRSC	18
SC1SR16860BRSG	18
SC1SR16860BRSM	18
SC1SR16860BRSU	18
SC1SR1686MBLCA	19
SC1SR1686MBLSC	19
SC1SR1686MBRCA	19
SC1SR1686MBRSC	19
SC1SR1ARCAL	18 19
SC1SR1ARCAR	18 19
SC1SR1BHLCA	18
SC1SR1BHLSB	18
SC1SR1BHLSC	18
SC1SR1BHLSG	18
SC1SR1BHLSM	18
SC1SR1BHLSU	18
SC1SR1BHRCA	18
SC1SR1BHRSB	18
SC1SR1BHRSC	18
SC1SR1BHRSG	18
SC1SR1BHRSM	18
SC1SR1BHRSU	18
SC554BHLCA	20
SC554BHLSB	20
SC554BHLSC	20
SC554BHLSG	20
SC554BHLSM	20
SC554BHLSU	20
SC554BHRCA	20
SC554BHRSB	20
SC554BHRSC	20
SC554BHRSG	20

PART NUMBER	PAGE
SC554BHRSM	20
SC554BHRSU	20
SC554HCA	19
SC554HSB	19
SC554HSC	19
SC554HSG	19
SC554HSM	19
SC554HSU	19
SCDAFBLCA	14
SCDAFBLSB	14
SCDAFBLSC	14
SCDAFBLSG	14
SCDAFBLSM	14
SCDAFBLSU	14
SCDAFBRCA	14
SCDAFBRSB	14
SCDAFBRSC	14
SCDAFBRSG	14
SCDAFBRSM	14
SCDAFBRSU	14
SCELDCA	16
SCELDSB	16
SCELDSC	16
SCELDSG	16
SCELDSM	16
SCELDSU	16
SCGSXBLCA	20
SCGSXBLSB	20
SCGSXBLSC	20
SCGSXBLSG	20
SCGSXBLSM	20
SCGSXBLSU	20
SCGSXBRCA	20
SCGSXBRSB	20
SCGSXBRSC	20
SCGSXBRSG	20
SCGSXBRSM	20
SCGSXBRSU	20

PART NUMBER	PAGE
SCHERCA	17
SCHERSB	17
SCHERSC	17
SCHERSG	17
SCHERSM	17
SCHERSU	17
SCLF2DAFBLCA	15
SCLF2DAFBLSB	15
SCLF2DAFBLSC	15
SCLF2DAFBRCA	15
SCLF2DAFBRSB	15
SCLF2DAFBRSC	15
SCLFDAFBLCA	15
SCLFDAFBLSB	15
SCLFDAFBLSC	15
SCLFDAFBLSG	15
SCLFDAFBLSM	15
SCLFDAFBLSU	15
SCLFDAFBRCA	15
SCLFDAFBRSB	15
SCLFDAFBRSC	15
SCLFDAFBRSG	15
SCLFDAFBRSM	15
SCLFDAFBRSU	15
SCXFDAFBLCA	14
SCXFDAFBLSB	14
SCXFDAFBLSC	14
SCXFDAFBLSG	14
SCXFDAFBLSM	14
SCXFDAFBLSU	14
SCXFDAFBRCA	14
SCXFDAFBRSB	14
SCXFDAFBRSC	14
SCXFDAFBRSG	14
SCXFDAFBRSM	14
SCXFDAFBRSU	14
SCXTHD2BHRCA	17
SCXTHD2BHRSB	17

PART NUMBER	PAGE
SCXTHD2BHRSC	17
SCXTHD2BHRSG	17
SCXTHD2BHRSM	17
SCXTHD2BHRSU	17
SCXTHDBHRCA	16
SCXTHDBHRSB	16
SCXTHDBHRSC	16
SCXTHDBHRSG	16
SCXTHDBHRSM	16
SCXTHDBHRSU	16
SET401TRP	275 276
SET403TRP	275 276
SET406TRP	275 276
SET409TRP	275 276
SET413TRP	275 276
SET414TRP	275 276
SET415TRP	276
SET423TRP	275 276
SET424TRP	275 276
SKB-S16-0000	159
SKB-S19-0000	159
SKB-T16-0000	159
SKB-T19-0000	159
SKB-WCB-000B	159
SMB-01R-0000	155
SMB-M00-0611	155
SMB-M00-6515	155
SMB-M00-6516	155
SMB-M00-6518	155
SMB-M10-6518	155
SMS-0HR-0000	156 159
SMS-G00-6518	159
SMS-G00-7516	159
SMS-M00-6518	156
SMS-M00-7516	156
SMS-MC1-7516	156

PART NUMBER	PAGE
SMS-MH1-7516	156
SNB-00S-0604	157
SNS-00S-0005	157
SNS-00S-0006	157
SNS-00S-0007	157
SNS-00S-0085	157
SNS-00S-0604	157
T02-2300-AU	84
T02-2304-AU	84
T02-2306HD-AU	84
T02-2412-AU	81
T02-2412S-AU	81
T02-2413-AU	81
T02-2413S-AU	81
T02-3108-AU	85
T02-3109-AU	85
T02-3110-AU	85
T02-3200AU	82
T02-3237AU	82
T02-3302AU	82
T02-3304AU	82
T02-3304WAU	82
T02-3403AU	83
T02-3403KAU	83
T02-3404AU	83
T02-3404KAU	83
T02-3405AU	83
T02-3405KAU	83
T02-3415AU	82
T03-1201AU	246
T03-7401AU	244
T03-7402AU	244
T03-7407AU	244
T03-7410AU	244
T03-7411AU	244
T03-7412AU	244
T03-7415AU	245
T03-7418AU	245

PART NUMBER	PAGE
T03-7432AU	245
T03-7438AU	245
T03-7438HDAU	245
T03-7439AU	245
T03-7447AU	243
T03-7449AU	243
T03-7453AU	243
T03-7532AU	243
T03-7533AU	243
T03-UBA-145AU	248
T03-UBA-155AU	248
T03-UBA-165AU	248
T03-UBA-175AU	248
T03-UBB-125AU	248
T03-UBB-135AU	248
T03-UBB-145AU	248
T03-UBB-155AU	248
T03-UBB-165AU	248
T03-UBC-125AU	248
T03-UBC-135AU	248
T03-UBC-145AU	248
T03-UBC-155AU	248
T03-UBD-145AU	249
T03-UBE-155AU	249
T03-UBF-125AU	249
T03-UBF-135AU	249
T03-UBF-145AU	249
T13-MER0224PAC	36
T13-MER0224PAC-10-AU	36
T13-MER0225PAC	36
T13-MER0225PAC-10-AU	36
T13-WC1086	33
T13-WC2556A	33
T13-WC3783	33
TAS000001TRP	261
TAS650012TRP	261
TAS65205AR	264
TAS850005TRP	261

PART NUMBER	PAGE
TAS85020AR	264
TAS85123AR	264
TAS85124AR	264
TAS85125AR	264
TAS85156AR	264
TRB68250	47 239
TRP-24HD	210
TRP-24LHD	210
TRP-31HD	210
TRP-700HD	210
TRP-A1R-3MLT	39
TRP-A1R-3MST	39
TRP-ACH01	39
TRP-BMS-12L	209
TRP-BMS-24L	209
TRP-BMS-KW-12L	209
TRP-CK001	35
TRP-EBS-1224MV	39
TRP-ELC-1S1L	39
TRP-ELC-ADPT	39
TRP-HD5000LGE	143
TRP-HFN3NT100	143
TRP-HFN3NT50	143
TRP-PA1040	35
TRP-PA500	35
TRP-QSDLGE	143
TRP-QSSL1M	143
TRP-T6F075SV	143
TRP-T6F150SV	143
TRP-TF600LGE	143
TRP-TFTAPE33	143
TRP-TP-7P1N	39
TRP-TS-6MC	39
TRP-UDN088BK	143
TRP-UEN100BK	143
TRP0457C125S	169
TRP0457C70S	169
TRP0550C125A	169

PART NUMBER	PAGE
TRP0550C125AP	169
TRP0559C117S	161 169
TRP0559C150A	169
TRP0559C150AP	169
TRP0559C81S	169
TRP060LCV3	31
TRP0622C185A	169
TRP0622C185AP	169
TRP0622C220A	169
TRP0622C220AP	169
TRP0625C220A	169
TRP0625C220AP	169
TRP0660C130A	169
TRP0660C130AP	169
TRP0660C208A	169
TRP0660C208AP	169
TRP07006C220A	169
TRP07006C220AP	169
TRP0700C260A	169
TRP0700C260AP	169
TRP0730C200A	169
TRP0730C200AP	169
TRP0730C400A	169
TRP0730C400AP	169
TRP0M1N126	169
TRP1000TS	175
TRP100TCL	173
TRP101197	65
TRP102277	64
TRP103009	65
TRP103010	65
TRP106165	65
TRP106834	66
TRP106835	66
TRP109001	65
TRP1098	141
TRP109914	67
TRP10BBH	186

PART NUMBER	PAGE
TRP10QBH	186
TRP10SSP	188
TRP10WBEFT	186
TRP1124TS	175
TRP1155TS	175
TRP1200TS	175
TRP123	60
TRP12QBH	186
TRP1350TS	175
TRP13BBH	186
TRP1400TS	175
TRP1405115-1	229
TRP1447TS	175
TRP1500TS	175
TRP1504392-1	229
TRP1535TS	175
TRP15BBH	186
TRP1604892-1	229
TRP1615726-1	229
TRP16TBP	175
TRP1706053-1	229
TRP182-2	141
TRP182-2R	141
TRP18WPFT	185
TRP19032/21/95	91
TRP19032/21/NG	91
TRP19094/21/95	91
TRP211308Q	91
TRP21221307	237
TRP213	141
TRP214311E	91
TRP214514Q	91
TRP214515FQ	91
TRP214515P	91
TRP214515PSS-01	92
TRP214515Q	92
TRP214524Q	92
TRP214707QP	92

PART NUMBER	PAGE
TRP214709E2	92
TRP214710QP	92
TRP214711QP	92
TRP214715QP	92
TRP214720QP	92
TRP228729	59
TRP2306049-1	229
TRP231308Q	93
TRP232	141
TRP234515FQ	93
TRP234515P	93
TRP234515PSS-01	93
TRP234515Q	93
TRP234524Q	93
TRP234707QP	93
TRP234709E2	93
TRP234715QP	93
TRP234720QP	93
TRP234725E	93
TRP241	141
TRP244	141
TRP255	141
TRP257-2	141
TRP25WB	187
TRP25WP	185
TRP25WPFT	185
TRP27000	67
TRP274746	62
TRP275107	68
TRP275176	59
TRP275796	59
TRP277147	63
TRP277863	60
TRP279000	68
TRP279180	65
TRP280809	58
TRP281946	59
TRP283700	62

PART NUMBER	PAGE
TRP284726	59
TRP286364	66
TRP286460	63
TRP286689	60
TRP287280	59
TRP288251	64
TRP288570	63
TRP288605	68
TRP289129	60
TRP289144	61
TRP289288	61
TRP2JWS	187
TRP32WPFT	185
TRP3802	66
TRP38TC	173
TRP38WS	187
TRP3DL120	30 31
TRP3DL120BRACKET	31
TRP3DL120LCC	31
TRP3DL60	30 31
TRP3DL60BRACKET	31
TRP3LB120	31
TRP3LB60	31
TRP3TCG	175
TRP3WP	185
TRP440TX	148
TRP457JBKT	171
TRP457K1T2	170
TRP457K1T3	170
TRP457PUK	164
TRP457RUB	172
TRP457RUS	172
TRP457SMS	172
TRP457SSS	172
TRP457TBA	174
TRP457TEA	174
TRP457TES	174
TRP457UBKT	171

PART NUMBER	PAGE
TRP472170	62
TRP5003393	64
TRP5003395	64
TRP5003980	58
TRP5003987	58
TRP5003990	58
TRP5005646	59
TRP5050WCM	188
TRP50TCL	173
TRP54007	67
TRP54241	67
TRP54271	67
TRP54TC	173
TRP54TCV	173
TRP54TNS	173
TRP550K1T2	170
TRP550K1T3	170
TRP550LBKT	171
TRP550PUK	167
TRP550RUS	172
TRP550SSS	172
TRP550TBA	174
TRP550TEA	174
TRP555J	207
TRP555P	207
TRP559JBKT	171
TRP559K1T2	170
TRP559K1T3	170
TRP559PUK	164
TRP559RUB	172
TRP559RUS	172
TRP559SMS	172
TRP559SSS	172
TRP559TBA	174
TRP559TBS	174
TRP559TEA	174
TRP559TES	174
TRP559UBKT	171

PART NUMBER	PAGE
TRP574TS	175
TRP574TSHS	175
TRP5802	275
TRP5805	275
TRP5806	275
TRP5807	275
TRP5820	275
TRP5821	275
TRP5822	275
TRP600TS	175
TRP615K1T2	170
TRP615K1T3	170
TRP615LBKT	171
TRP615PUK	166
TRP615RUS	172
TRP615SSS	172
TRP615TBA	174
TRP615TEA	174
TRP622JBKT	171
TRP622JSM	171
TRP622K1T2	170
TRP622K1T2SM	170
TRP622K1T3	170
TRP622K1T3SM	170
TRP622PUK	165
TRP622RUB	172
TRP622RUS	172
TRP622SSM	172
TRP622SSS	172
TRP622T1A	174
TRP622TBA	174
TRP622TBS	174
TRP622TEA	174
TRP622TES	174
TRP622TPP	175
TRP622UBKT	171
TRP625K1T2	170
TRP625K1T3	170

PART NUMBER	PAGE
TRP625LBKT	171
TRP625PUK	166
TRP650K1T2	170
TRP650K1T3	170
TRP650LBKT	171
TRP650PUK	166
TRP650RUS	172
TRP650SSS	172
TRP650TBA	174
TRP650TEA	174
TRP660JBKT	171
TRP660JSM	171
TRP660JSMH	171
TRP660K1T2	170
TRP660K1T2SM	170
TRP660K1T3	170
TRP660K1T3SM	170
TRP660PUK	165
TRP660RUB	172
TRP660RUS	172
TRP660SSM	172
TRP660SSS	172
TRP660SSM	172
TRP660T1A	174
TRP660TBA	174
TRP660TBS	174
TRP660TEA	174
TRP660TES	174
TRP660TPP	175
TRP6758CH	188
TRP7006K1T2	170
TRP7006K1T3	170
TRP7006LBKT	171
TRP7006PUK	166
TRP7006RUS	172
TRP7006SSS	172
TRP7006T1A	174
TRP7006TBA	174

PART NUMBER	PAGE
TRP7006TEA	174
TRP700K1T2	170
TRP700K1T3	170
TRP700LBKT	171
TRP700PUK	167
TRP700RUS	172
TRP700SSS	172
TRP700T1A	174
TRP700TBA	174
TRP700TEA	174
TRP724JBKT	171
TRP724JSM	171
TRP724JSMH	171
TRP724K1T2	170
TRP724K1T2SM	170
TRP724K1T3	170
TRP724K1T3SM	170
TRP724PUK	165
TRP724RUB	172
TRP724RUS	172
TRP724SSM	172
TRP724SSS	172
TRP724T1A	174
TRP724TBA	174
TRP724TEA	174
TRP724TPP	175
TRP730K1T2	170
TRP730K1T3	170
TRP730LBKT	171
TRP730PUK	167
TRP730RUS	172
TRP730SSS	172
TRP730T1A	174
TRP730TBA	174
TRP730TEA	174
TRP760TS	175
TRP76TC	173
TRP76TCL	173

PART NUMBER	PAGE
TRP76TCL-P	173
TRP76TCV	173
TRP76TCVL	173
TRP76TCVL-P	173
TRP76TN	173
TRP76TN1	173
TRP76TNS	173
TRP76TR	173
TRP800350	67
TRP8045	237
TRP8047	237
TRP8066	237
TRP8091	236
TRP8093	236
TRP80TCL	173
TRP80TNB	173
TRP8104	236
TRP8177	236
TRP892	175
TRP89TC	173
TRP89TN1	173
TRP9541AU	233
TRP9547AU	233
TRP9780	234
TRP997TX	148
TRP9TP2	161
TRPAC4069AUS	147
TRPAC4260AUS	147
TRPAC4398AUS	147
TRPAC8083AUS	147
TRPAS20	195
TRPAS5	195
TRPAS750	195
TRPATN10	31
TRPAW20	193
TRPAW200	193
TRPBC20	197
TRPBC200	197

PART NUMBER	PAGE
TRPBC5	197
TRPBUFFBALL	189
TRPCAF0001	148
TRPCC20	196
TRPCC5	196
TRPCC750	196
TRPDR001	136
TRPDR002	136
TRPDR003	136
TRPDR005-1	136
TRPDR006	136
TRPDR007	136
TRPDR008	136
TRPEC1000	197
TRPEC20	197
TRPEC200	197
TRPEC5	197
TRPF0622L150A	161 168
TRPF0622L150AP	168
TRPF0622R150A	168
TRPF0622R150AP	168
TRPF0660L110A	168
TRPF0660L110AP	168
TRPF0660L180A	168
TRPF0660L180AP	168
TRPF0660R110A	168
TRPF0660R110AP	168
TRPF0660R180A	168
TRPF0660R180AP	168
TRPF457L130A	164
TRPF457L130AP	164
TRPF457L165S	164
TRPF457L200S	164
TRPF457L220A	164
TRPF457L220AP	164
TRPF457L220S	164
TRPF457R130A	164
TRPF457R165S	164

PART NUMBER	PAGE
TRPF457R200S	164
TRPF457R220A	164
TRPF457R220AP	164
TRPF457R220S	164
TRPF457UB220A	168
TRPF550L156A	167
TRPF550L156AP	167
TRPF550L240A	167
TRPF550L240AP	167
TRPF550L310A	167
TRPF550L310AP	167
TRPF550R156A	167
TRPF550R156AP	167
TRPF550R240A	167
TRPF550R240AP	167
TRPF550R310A	167
TRPF550R310AP	167
TRPF559L200S	164
TRPF559L225A	164
TRPF559L225AP	164
TRPF559L250S	164
TRPF559L300A	164
TRPF559L300AP	164
TRPF559L300S	164
TRPF559L370A	164
TRPF559L370AP	164
TRPF559R200S	164
TRPF559R225A	164
TRPF559R225AP	164
TRPF559R250S	164
TRPF559R300A	164
TRPF559R300AP	164
TRPF559R300S	164
TRPF559R370A	164
TRPF559R370AP	164
TRPF559UB190A	168
TRPF615L160A	166
TRPF615L160AP	166

PART NUMBER	PAGE
TRPF615L190A	166
TRPF615L190AP	166
TRPF615L285A	166
TRPF615L285AP	166
TRPF615R160A	166
TRPF615R160AP	166
TRPF615R190A	166
TRPF615R190AP	166
TRPF615R285A	166
TRPF615R285AP	166
TRPF622L270A	165
TRPF622L270AP	165
TRPF622L270S	165
TRPF622L360A	165
TRPF622L360AP	165
TRPF622L360S	165
TRPF622L450A	165
TRPF622L450AP	165
TRPF622R270A	165
TRPF622R270AP	165
TRPF622R270S	165
TRPF622R360A	165
TRPF622R360AP	165
TRPF622R360S	165
TRPF622R450A	165
TRPF622R450AP	165
TRPF622UB450A	168
TRPF625L385A	166
TRPF625L385AP	166
TRPF625L490A	166
TRPF625L490AP	166
TRPF625L600A	166
TRPF625L600AP	166
TRPF625R385A	166
TRPF625R385AP	166
TRPF625R490A	166
TRPF625R490AP	166
TRPF625R600A	166

PART NUMBER	PAGE
TRPF625R600AP	166
TRPF650L177A	166
TRPF650L177AP	166
TRPF650L255A	166
TRPF650L255AP	166
TRPF650L325A	166
TRPF650L325AP	166
TRPF650R177A	166
TRPF650R177AP	166
TRPF650R255A	166
TRPF650R255AP	166
TRPF650R325A	166
TRPF650R325AP	166
TRPF660L270A	165
TRPF660L270AP	165
TRPF660L360A	165
TRPF660L360AP	165
TRPF660L400A	165
TRPF660L400AP	165
TRPF660L440A	165
TRPF660L440AP	165
TRPF660L440S	165
TRPF660L494A	165
TRPF660L494AP	165
TRPF660R270A	165
TRPF660R270AP	165
TRPF660R360A	165
TRPF660R360AP	165
TRPF660R400A	165
TRPF660R400AP	165
TRPF660R440A	165
TRPF660R440AP	165
TRPF660R440S	165
TRPF660R494A	165
TRPF660R494AP	165
TRPF7006L385A	166
TRPF7006L385AP	166
TRPF7006L490A	166

PART NUMBER	PAGE
TRPF7006L490AP	166
TRPF7006L600A	166
TRPF7006L600AP	166
TRPF7006R385A	166
TRPF7006R385AP	166
TRPF7006R490A	166
TRPF7006R490AP	166
TRPF7006R600A	166
TRPF7006R600AP	166
TRPF700L500A	167
TRPF700L500AP	167
TRPF700L550A	167
TRPF700L550AP	167
TRPF700L610A	167
TRPF700L610AP	167
TRPF700L650A	167
TRPF700L650AP	167
TRPF700R500A	167
TRPF700R500AP	167
TRPF700R550A	167
TRPF700R550AP	167
TRPF700R610A	167
TRPF700R610AP	167
TRPF700R650A	167
TRPF700R650AP	167
TRPF724L360A	165
TRPF724L360AP	165
TRPF724L400A	165
TRPF724L400AP	165
TRPF724L450A	165
TRPF724L450AP	165
TRPF724L550A	165
TRPF724L550AP	165
TRPF724R360A	165
TRPF724R360AP	165
TRPF724R400A	165
TRPF724R400AP	165
TRPF724R450A	165

PART NUMBER	PAGE
TRPF724R450AP	165
TRPF724R550A	165
TRPF724R550AP	165
TRPF730L625A	167
TRPF730L625AP	167
TRPF730L670A	167
TRPF730L670AP	167
TRPF730L720A	167
TRPF730L720AP	167
TRPF730L770A	167
TRPF730L770AP	167
TRPF730R625A	167
TRPF730R625AP	167
TRPF730R670A	167
TRPF730R670AP	167
TRPF730R720A	167
TRPF730R720AP	167
TRPF730R770A	167
TRPF730R770AP	167
TRPFLANAUS-10	189
TRPHC20	198
TRPHC5	198
TRPLB8MM	35
TRPLC8MM	35
TRPLS500	199
TRPLUBE	199
TRPMC20	194
TRPMC200	194
TRPMC5	194
TRPMC750	194
TRPMW1000	195
TRPMW20	195
TRPMW200	195
TRPMW5	195
TRPN15759BA	63
TRPN70ZZH	210
TRPP1N-K1TL	175
TRPP1N-K1TS	175

PART NUMBER	PAGE
TRPPW1000	194
TRPPW20	194
TRPPW200	194
TRPPW5	194
TRPRS12M	35
TRPRS9M	35
TRPS12M	35
TRPS9M	35
TRPSM1818	145
TRPSQRUB2	172
TRPSW1000	193
TRPSW20	193
TRPSW200	193
TRPSW5	193
TRPTBP	175
TRPTCC	175
TRPTP2	162 175
TRPTRP	175
TRPTS20	198
TRPTS5	198
TRPTSF	175
TRPTSFG	175
TRPTSFS	175
TRPTSH1RTAUS-1.5	189
TRPTSH1RTAUS-10	189
TRPTSSB	175
TRPWA1	196
TRPWA20	196
TRPWA5	196
TRPWA500	196
TRPWN119Y	41
TRPWN131Y	41
TRPWN132RC	41
TRPWN132Y	41
TRPWN132YC	41
TRPWN132YCL	41
TRPWN133Y	41
TRPWN133YC	41

PART NUMBER	PAGE
TRPWN133YCL	41
TRPWN133YM	41
TRPWN141Y	41
TRPWPT1P	185
TRPWS002	271
TRPWS003	271
WW330B6	178
WW380B15	178 179
WW380R15	178 179
WW460B15	178 179
WW460R125	178
WW460R15	178 179
WW510B125	178
WW510R125	178
WW550B8B	180
WW560B6	180
WW600B8B	178
WW600B8H	180
WW610R6	178 180
WW610RP6	178 180
WW650B8B	178
WW710R8	178
WW710RP8	178


TRP
TRUCK & TRAILER PARTS
TRUSTED. RELIABLE. PROVEN
TRP® is one of Australia's fastest growing truck and trailer parts businesses, offering an extensive and ever-expanding range, ideal for owner drivers and workshop mechanics.
The TRP® parts range is designed for all makes of heavy trucks and trailers, including American and European drivelines.
As a part of the PACCAR Parts group, TRP® offers reliable and affordable parts backed by the quality you expect from PACCAR Parts with a minimum 12 month warranty.
FREECALL* 1800 TRPART (877 278)
ONE PHONE NUMBER TO CONNECT WITH 57 DEALERS AUSTRALIA WIDE
* Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.
trpparts.com.au

TRUCK & TRAILER PARTS

TRP® DEALERS

FIND YOUR NEAREST DEALER ON
www.trpparts.com.au/find-a-dealer

VICTORIA	
TRP Ballarat	03 5339 5856
TRP Geelong	03 5274 2646
TRP Pakenham	03 8796 9155
TRP Somerton	03 9219 6601
TRP Warrnambool	03 5560 5477
Bayswater Truck Centre	03 8796 9999
GTC Kenworth DAF Bairnsdale	03 5152 1616
GTM Kenworth DAF Shepparton	03 5821 3977
Hallam Truck Centre	03 8796 9100
Kenworth DAF Horsham	03 5382 6110
Kenworth DAF Melbourne	03 9396 9100
MTC Kenworth DAF Mildura	03 5051 2800
TCTC Kenworth DAF Wodonga	02 6049 8888
Transall Motors Morwell	03 5134 4383
TTS Kenworth DAF Swan Hill	03 5033 1372

QUEENSLAND	
TRP Bundaberg	07 4153 1849
TRP Emerald	07 4897 2000
TRP Roma	07 4578 8000
TRP Warwick	
Brown & Hurley Kenworth DAF Caboolture	07 3385 4800
Brown & Hurley Kenworth DAF Darra	07 3363 8000
Brown & Hurley Kenworth DAF Mackay	07 4952 3722
Brown & Hurley Kenworth DAF Rockhampton	07 4923 8000
Brown & Hurley Kenworth DAF Toowoomba	07 4690 7300
Brown & Hurley Kenworth DAF Townsville	07 4758 4000
Brown & Hurley Kenworth DAF Yatala	07 3441 7000

SOUTH AUSTRALIA	
TRP Adelaide	08 8280 4800
BMG Kenworth DAF Mt Gambier	08 8721 3400
Kenworth DAF Adelaide	08 8139 4000
Kenworth DAF Riverland - Berri	08 8582 2944
Tatiara Truck & Trailers Bordertown	08 8752 0077

TASMANIA	
CJD Kenworth DAF Burnie	03 6431 7833
CJD Kenworth DAF Hobart	03 6262 6200
CJD Kenworth DAF Launceston	03 6345 4100

NEW SOUTH WALES	
TRP Gosford	02 4964 0697
Advanced Automotive Taree	02 6552 6733
Brown & Hurley Kenworth DAF Coffs Harbour	02 6648 2222
Brown & Hurley Kenworth DAF Kyogle	02 6632 0333
Brown & Hurley Kenworth DAF Tamworth	02 5778 2777
CTR Kenworth DAF Canberra	02 6297 3862
Gilbert & Roach Kenworth DAF Huntingwood	02 8825 3000
Gilbert & Roach Kenworth DAF Narellan	02 4647 7377
Gilbert & Roach Kenworth DAF Newcastle	02 4964 8641
Illawarra Truck Repairs & Spares	02 4274 9070
Inland Kenworth DAF Dubbo	02 6881 7900
Inland Kenworth DAF Griffith	02 6963 2900
Inland Kenworth DAF Orange	02 6394 9200
Inland Kenworth DAF Wagga Wagga	02 6932 9900
Suttons Kenworth DAF Arncliffe	02 9335 9080

WESTERN AUSTRALIA	
TRP Bibra Lake	08 9359 7480
CJD Kenworth DAF Albany	08 6820 2400
CJD Kenworth DAF Bunbury	08 9722 8100
CJD Kenworth DAF Geraldton	08 9960 8000
CJD Kenworth DAF Kalgoorlie	08 9080 0500
CJD Kenworth DAF Perth	08 9359 7400
CJD Kenworth DAF Port Hedland	08 9140 0200

NORTHERN TERRITORY	
CJD Kenworth DAF Alice Springs	08 8959 0500
CJD Kenworth DAF Darwin	08 8935 9100

PAPUA NEW GUINEA	
Boroko Motors Kenworth Port Moresby	0011 (675) 325 5255
Boroko Motors Kenworth Lae Morobe	0011 (675) 472 1144

NEW ZEALAND	
TRP New Plymouth	0011 64 (6) 262 0009
TRP Palmerston North	0011 64 (6) 222 3400
TRP Timaru	0011 64 (3) 264 6000
Southpac Trucks Kenworth Auckland	0011 64 (9) 262 3181
Southpac Trucks Kenworth Christchurch	0011 64 (3) 344 0252
Southpac Trucks Kenworth Hamilton	0011 64 (7) 222 2041
Southpac Trucks Kenworth Rotorua	0011 64 (7) 345 9761

TRUCK & TRAILER PARTS

PRODUCT RANGE GUIDE 2023

FREECALL* 1800 (TRPART) 877 278 NOW TO SPEAK TO YOUR LOCAL DEALER



TRP® PARTS

1800 877 278
info@trpparts.com.au

For further information and full warranty details visit our website **www.trpparts.com.au/range**

Copyright ©2023 property of PACCAR Australia. Unauthorised reproduction in whole or part without our express written permission is strictly prohibited. Information and diagrams are provided for guidance only. PACCAR Australia reserves the right to alter product offerings and specifications at any time, without notice. PACCAR Australia makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic or typographic errors. Product designs vary across different vehicle makes and models, and installed components should be identified by part number before attempting repair or replacement. Products should only be installed or replaced by a suitably qualified tradesperson.

* Calls from Australian landlines are generally free of charge whilst calls from mobile phones are typically charged based on the rate determined by the caller's mobile service provider. Please check with your mobile service provider for call rates.

APRIL 2023 EDITION