




TRP[®]
TRUCK & TRAILER PARTS



SUSPENSION & STEERING

AIR SPRINGS

BUSHINGS

MECHANICAL SPRINGS & HARDWARE

SHOCK ABSORBERS

STEERING PARTS & HARDWARE

www.trpparts.com.au

SUSPENSION & STEERING

AIR SPRINGS

TRP® air springs are 100% leak tested before leaving the factory and are designed and engineered specifically for the aftermarket.

Manufactured by one of the largest OEM air spring suppliers, TRP® air springs provide exceptional value whilst never compromising on quality or safety.



AIR SPRINGS

FEATURES & BENEFITS











- Chemically formulated vulcanised rubber to withstand ozone effects
- High quality materials used in manufacturing including unique fabric material for higher burst rating and extended life
- Meets OEM performance standards
- Lightweight & 100% leak tested
- 12 month warranty

TRUCK AIR SPRINGS

NO.	FRONT ELEVATION	PLAN	PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
1			AS94220	KENWORTH K303-15	<ul style="list-style-type: none"> • W01-544-9614 • W01-358-9422 • 1R11-028
2			TRP9541AU	KENWORTH C81-1005	<ul style="list-style-type: none"> • C81-1005 • W01-358-9541
3			TRP9547AU	KENWORTH C81-1004	<ul style="list-style-type: none"> • C81-1004 • W01-358-9547 • 1R11-268
4			AS96160	KENWORTH K303-16	<ul style="list-style-type: none"> • K303-16 • W01-358-9616 • 1R11-242
5			AS96170	KENWORTH K303-18	<ul style="list-style-type: none"> • K303-18 • W01-358-9617 • 1R11-219



TRUCK AIR SPRINGS

NO.	FRONT ELEVATION	PLAN	PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
6			AS96221	KENWORTH K303-22	<ul style="list-style-type: none"> • K303-22 • W01-358-9622 • 1R11-221
7			AS96250	KENWORTH K303-25	<ul style="list-style-type: none"> • K303-25 • W01-358-9625 • 1R11-222
8			AS96750	KENWORTH K303-28	<ul style="list-style-type: none"> • K303-28 • W01-358-9675 • 1R11-221
9			TRP9780	NEWAY HOLLAND AD-130	<ul style="list-style-type: none"> • 1613810000 • W01-377-8536 • W01-377-9781
10			AS80910	HENDRICKSON INTRAAX AA250	<ul style="list-style-type: none"> • C-21784 • W01-358-8091 • 1R14-171













TRAILER AIR SPRINGS

NO.	FRONT ELEVATION	PLAN	PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
11			AS87090	HENDRICKSON INTRAAX AA230	<ul style="list-style-type: none"> • S-21800 • W01-358-8709 • 1R13-118
12			AS92700	HENDRICKSON INTRAAX HT230	<ul style="list-style-type: none"> • S-21208 • W01-358-9270 • 1R13-119
13			AS95800	HENDRICKSON HT250US	<ul style="list-style-type: none"> • C-20127 • W01-358-9580 • 1R13-149 • 1R13-118
14			AS96440	HENDRICKSON INTRAAX AA250L	<ul style="list-style-type: none"> • S-23721 • W01-358-9644
15			AS96460	HENDRICKSON INTRAAX AANL	<ul style="list-style-type: none"> • S-23611 • W01-358-9646



TRAILER AIR SPRINGS

NO.	FRONT ELEVATION	PLAN	PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
16			AS95010	NEWAY - AD246-10	<ul style="list-style-type: none"> • 90557212 • W01-358-9501 • 1R12-485
17			TRP8091	HENDRICKSON INTRAXX AA250	<ul style="list-style-type: none"> • C-21784 • C-20901 • W01-358-8091
18			TRP8093	BPW D30 - COMPLETE AIR SPRING	<ul style="list-style-type: none"> • 542943660 • W01-M58-8619
19			TRP8177	BPW D30K - COMPLETE AIR SPRING	<ul style="list-style-type: none"> • 542943650 • W01-M58-8613
20			TRP8104	BPW D36 - COMPLETE AIR SPRING	<ul style="list-style-type: none"> • 542943690 • W01-M58-8667



TRAILER AIR SPRINGS

NO.	FRONT ELEVATION	PLAN	PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
21			TRP8047	BPW D30 - SERVICE KIT	<ul style="list-style-type: none"> • 542942570 • W01-M58-8620
22			TRP8045	BPW D30K - SERVICE KIT	<ul style="list-style-type: none"> • 542942560 • W01-M58-8613
23			TRP8066	BPW D36 - SERVICE KIT	<ul style="list-style-type: none"> • 542942580 • W01-M58-8978
24			TRP21221307	VARIOUS ROR	<ul style="list-style-type: none"> • T03-AS3052-A • W01-M58-6297

SUSPENSION & STEERING

BUSHINGS

TRP® torque rod bush exhibits excellent torsional stiffness, offering maximum strength and durability at a competitive price.



TRUCK SUSPENSION

FEATURES & BENEFITS

- High quality, reliable and exhibit excellent torsional stiffness for maximum strength and durability
- Recommended for on highway use
- Excellent value
- 12 month warranty



TRB68250

PART NUMBER	DESCRIPTION	APPLICATION		CROSS REFERENCE
TRB68250	TORQUE ROD BUSH	KENWORTH	<ul style="list-style-type: none">• KENWORTH AIRGLIDE SUSPENSION 200/230/400/460• HENDRICKSON HA AIR SUSPENSION• MACK REAR ST34 TAPERED SPRING SUSPENSION• NEWAY SAF HOLLAND ADZ123/126 SUSPENSION	<ul style="list-style-type: none">• 839310• 836940• GAFF11729• SP1507• SP1478• E10303

TO SEE THE FULL RANGE, VISIT THE ANTI VIBRATION SECTION ON PAGE 44



TRAILER SUSPENSION

PART NUMBER		APPLICATION	DESCRIPTION	CROSS REFERENCE
AV001TRP		YORK	<ul style="list-style-type: none"> • SPRING EYE BUSH • SAF MODUL 112, 311, 314, 316 SERIES SUSPENSION • RENAULT MAGNUM, MANAGER SERIES TRUCKS • YORK TECAIR SERIES SUSPENSION • FRUEHAUF 	<ul style="list-style-type: none"> • 4177301000 • ARB001 • 5000815738 • 61506242 • M001502 • T03-1097
AV002TRP		BPW MERITOR WEWELER	<ul style="list-style-type: none"> • TORQUE ROD BUSH • BPW O, SL, AL SERIES SUSPENSION • MERITOR FL9000, FL9000L, FL9000M, FL11000, FP11000, FL11000L, FL1000/150 FL1000D SERIES • WEWELER ULTRA LITE 	<ul style="list-style-type: none"> • 21222609 • 300.330 • 0203160600 • WC234264
AV003TRP		BPW	<ul style="list-style-type: none"> • SPRING EYE BUSH • BPW O, SL, AL SERIES AXLE 	<ul style="list-style-type: none"> • 0203142400 • 300.194
AV004TRP		NEWAY	<ul style="list-style-type: none"> • PIVOT BUSH • SAF SK RLB 9019/9022, INTRADISC/INTRADRUM INTRADISC PLUS MEGA, INTRADISC EVOLUTION VU, VO SERIES SUSPENSION 	<ul style="list-style-type: none"> • 4177303500 • 600.508 • 4177302800
AV005TRP		NEWAY HENDRICKSON	<ul style="list-style-type: none"> • BEAM END BUSH • NEWAY: ARD 5.250 WIDE HANGER AIR SUSPENSION • HENDRICKSON MT, MTL AIR SUSPENSION 	<ul style="list-style-type: none"> • 90008006 • 620.015 • 90008219 • C21591 • S21591
AV006TRP		NEWAY	<ul style="list-style-type: none"> • BEAM END BUSH • NEWAY, REAR: AD123-246-369, AD126-252-378, AD130-260-390, DRIVE AIR SINGLE TANDEM - TRIAXLE SUSPENSION 	<ul style="list-style-type: none"> • 90008008 • 620.016



TRAILER SUSPENSION

PART NUMBER		APPLICATION	DESCRIPTION	CROSS REFERENCE
AV007TRP		NEWAY	<ul style="list-style-type: none"> • BEAM END BUSH • NEWAY/HOLLAND - REAR: ARDST (123, 244, 246,250)-6, ARDSTM/L (123,246)-6 SUSPENSION • NEWAY/HOLLAND - REAR: ARDST (123, 244, 246, 250)-6, ARDSTM/L (123, 246)-6 SUSPENSION 	<ul style="list-style-type: none"> • 90008151 • 620.050 • 90008252
AV008TRP		BPW	<ul style="list-style-type: none"> • SPRING EYE BUSH • BPW OT, SLM, SLO, SLU TYPE AXLE 	<ul style="list-style-type: none"> • 0203169000 • 300.186
AV009TRP		YORK	<ul style="list-style-type: none"> • OUTER PIVOT BUSH • YORK FB VRH SERIES AIR SUSPENSION 	<ul style="list-style-type: none"> • 61SB610366 • 901.039 • 61610012
AV010TRP		HENDRICKSON	<ul style="list-style-type: none"> • TORQUE ROD BUSH • BLUE BIRD BUS REAR: COMFORT AIR SUSPENSION • HINO REAR COMFORT AIR SUSPENSION • HENDRICKSON REAR HAULMAAX, PRIMAAX, FIREMAAX, HFS 360/400/40LH SERIES SUSPENSION • HENDRICKSON HAS 360/400/402, E-4 360 SERIES SUSPENSION • FREIGHTLINER FH34-38 4" SPRING, FH36-40 3" SPRING, FAS AIRLINER II SERIES TRUCKS • PETERBILT REAR FLEX AIR SUSPENSION 	<ul style="list-style-type: none"> • 47691 • 10.055 • 47691-000 • 47691000 • 47691000L • A16119448000 • 47691-000-L
AV020TRP		BPW	<ul style="list-style-type: none"> • SPRING EYE BUSH KIT • BPW SPRING EYE BOLT ASSEMBLY (TO SUIT M30 SPRING EYE BOLTS, ALIGN ABLE HANGER) 	<ul style="list-style-type: none"> • 0203142K1T-1ALT • 300.676

TO SEE THE FULL RANGE, VISIT THE ANTI VIBRATION SECTION ON PAGE 44

SUSPENSION & STEERING

MECHANICAL SPRINGS & HARDWARE

TRP® mechanical springs are available for most popular trailer makes and models.



CENTRE BOLT & NUTS



T03-7447AU



T03-7449AU



T03-7453AU

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE	LENGTH OF THREAD
T03-7447AU	SIZE - 6" X 1/2"	<ul style="list-style-type: none">• SP7447• CB6-1/2	4" (100MM)
T03-7449AU	SIZE - 7" X 1/2"	<ul style="list-style-type: none">• SP7449	4" (100MM)
T03-7453AU	SIZE - 8" X 1/2"	<ul style="list-style-type: none">• SP7453• CB8-1/2• IT7448	6" (150MM)
T03-7532AU	SIZE - 10" X 7/16"		7" (175MM)
T03-7533AU	SIZE - 12" X 1/2"	<ul style="list-style-type: none">• SP7458	10" (250MM)



LEAF SPRINGS



T03-7401AU



T03-7410AU



T03-7411AU



T03-7412AU

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE	APPLICATION	LEAF SIZE	
T03-7401AU	13 LEAF	<ul style="list-style-type: none"> • SP7401 • ULA1493 • IT013 	<ul style="list-style-type: none"> • SXT-09-9405 • WTI-13 	FRUEHAUF	76MM X 10MM
T03-7402AU	13 LEAF	<ul style="list-style-type: none"> • SP7402 • IT013-1 	<ul style="list-style-type: none"> • SXT-09-9406 • WTI-13-1 	FRUEHAUF	76MM X 10MM
T03-7407AU	10 LEAF, 1 HOOK	<ul style="list-style-type: none"> • 59901025 		HAULMARK, YORK	76MM X 11MM
T03-7410AU	8 LEAF, 1 HOOK	<ul style="list-style-type: none"> • SP7410 • IT008 • SF1014 	<ul style="list-style-type: none"> • SXT-09-9423 • R08 • 59770706 	GENERAL PURPOSE	76MM X 12MM
T03-7411AU	8 LEAF, 2 HOOK	<ul style="list-style-type: none"> • SP7411 • IT008A 	<ul style="list-style-type: none"> • SF1016 • SXT-09-9424 	GENERAL PURPOSE	76MM X 12MM
T03-7412AU	8 & 9 LEAF	<ul style="list-style-type: none"> • SP7412 • IT008-1 	<ul style="list-style-type: none"> • SXT-09-9425 • R08-1 	GENERAL PURPOSE	



LEAF SPRINGS



T03-7415AU



T03-7418AU



T03-7438AU

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCE		APPLICATION	LEAF SIZE
T03-7415AU	9 LEAF, 1 HOOK	<ul style="list-style-type: none"> • SP7415 • IT009 • SF1015 	<ul style="list-style-type: none"> • SXT-09-9429 • R09 • 59770705 	GENERAL PURPOSE	76MM X 12MM
T03-7418AU	9 LEAF, 2 HOOK	<ul style="list-style-type: none"> • SF1017 • IT009A 	<ul style="list-style-type: none"> • SXT-09-9430 	GENERAL PURPOSE	76MM X 12MM
T03-7438AU	9 LEAF	<ul style="list-style-type: none"> • SP7438 • IT453 	<ul style="list-style-type: none"> • FRT-203-01453 • FI-9 	FREIGHTER	90MM X 10MM
T03-7438HDAU	10 LEAF	<ul style="list-style-type: none"> • SP7438 • IT453 	<ul style="list-style-type: none"> • FRT-203-01453 • FI-9 	FREIGHTER	90MM X 10MM
T03-7439AU	10 LEAF	<ul style="list-style-type: none"> • SP7439 • IT453-1 	<ul style="list-style-type: none"> • FI-9-1 	FREIGHTER	
T03-7432AU	15 LEAF	<ul style="list-style-type: none"> • IT7448 		IVECO, REYCO	



HARDWARE

T03-1201AU

EQUALISER PIN
SUITS T03-1101 BUSH

APPLICATION

- General purpose

CROSS REFERENCE

- SP1201-HD
- ULA5183
- IT1201HD
- SF0013
- SXT-09-9302
- WT1201C
- 59900013



HARDWARE

T03-1401AU

TORQUE ROD BOLT
SUITS 1301-P BUSH

APPLICATION

- General purpose

CROSS REFERENCE

- SP1401-HD
- ULA7822
- IT1401HD
- SF1012
- SXT-09-9240
- WT1401C
- 59901012




OUTSIDE DIAMETER	OVERALL LENGTH
32MM	165MM




TRAILER U-BOLTS (GRADE 5)

U-BOLT PART NUMBER CODE – SAMPLE

T03	–	U	–	BA	–	135
PACCAR PRODUCT GROUP		U-BOLT IDENTIFICATION		U-BOLT PROFILE CODE		LENGTH OF U-BOLT IN INCHES (135 = 131/2")



SQUARE BEND TYPE



ROUND BEND TYPE

NOTES

- Width of U-Bolts listed is inside width. Dimension A above.
- Length of U-Bolts listed is inside length. Dimension B above.
- All U-Bolts are grade 5 material which is only suitable for trailer applications
- Most U-Bolts are supplied with nuts and washers.
- All U-Bolt threads are UNF.
- Refer to OEM documentation for correct tightening torque.
- Always retorque U-Bolts at OEM recommended service intervals.



3" ROUND BEND X 7/8"

PROFILE CODE – A

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBA-145AU	14-1/2"	4"
T03-UBA-155AU	15-1/2"	4"
T03-UBA-165AU	16-1/2"	4"
T03-UBA-175AU	17-1/2"	4"



T03-UBA-145AU

5" ROUND BEND X 7/8"

PROFILE CODE – B

P/N T03-UBB-10 NOT SUPPLIED WITH NUTS & WASHERS

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBB-125AU	12-1/2"	3"
T03-UBB-135AU	13-1/2"	4"
T03-UBB-145AU	14-1/2"	4"
T03-UBB-155AU	15-1/2"	4"
T03-UBB-165AU	16-1/2"	4"



T03-UBB-145AU

5" SQUARE BEND X 7/8"

PROFILE CODE – C

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBC-125AU	12-1/2"	3"
T03-UBC-135AU	13-1/2"	4"
T03-UBC-145AU	14-1/2"	4"
T03-UBC-155AU	15-1/2"	4"



T03-UBC-135AU



3-1/2" ROUND BEND X 7/8"

PROFILE CODE – D

NO NUTS & WASHERS

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBD-145AU	14-1/2"	3"



T03-UBD-145AU

3-1/2" ROUND BEND X 3/4"

PROFILE CODE – E

NO NUTS & WASHERS

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBE-155AU	15-1/2"	3"



T03-UBE-155AU

5" ROUND BEND X 3/4"

PROFILE CODE – F

APPLICATION

- Trailer

PART NUMBER	LENGTH	LENGTH OF THREAD
T03-UBF-125AU	12-1/2"	3"
T03-UBF-135AU	13-1/2"	4"
T03-UBF-145AU	14-1/2"	4"



T03-UBF-135AU

SUSPENSION & STEERING

SHOCK ABSORBERS

With large bore sizes and increased oil capacity, TRP® shock absorbers can operate cooler over long distances and at constant high speeds.

The range covers most popular applications in the truck and trailer market and are manufactured by an OEM supplier.



FEATURES & BENEFITS

- Manufactured by an OE manufacturer
- Increased oil capacity vastly improves heat dissipation
- Large bore sizes and dampening forces to suit higher loads and Australian conditions
- Viton & HNBR seals along with high temperature oil helps withstand higher operating temperatures for longer
- 12 month warranty

KW FRONT SA001TRP



APPLICATIONS

- Parabolic spring
- Truck

CROSS REFERENCE

- 90-2209SP1
- 90-2209SP3
- 90-2209SP3B
- CC155

COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
417	660	EYE	25MM X 50MM	EYE	25MM X 50MM

KW FRONT SA002TRP



APPLICATIONS

- Multi-leaf spring
- Truck

CROSS REFERENCE

- 90-2209
- 090-209SP2B
- 90-2209SB2B
- CC156

COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
304	443	EYE	19MM X 45MM	EYE	19MM X 45MM



KW AIRGLIDE SA003TRP

APPLICATIONS

- Airglide 200/400 10.5" ride height with stud type top mount
- Truck

CROSS REFERENCE

- 90-2478SP3
- 90-2478SP4
- C71-1006
- K374-38K1T
- P793
- HV2021



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
310	510	STUD	16MM	STUD	16MM

KW AIRGLIDE SA018TRP

APPLICATIONS

- Airglide 200/400 9" ride height
- Truck

CROSS REFERENCE

- K374-41K1T
- K374-43
- 90-2477SP2
- HV2020
- P1041



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
285	460	STUD	16MM	STUD	16MM



TO SUIT HENDRICKSON SA012TRP

APPLICATIONS

- HAS400
- HAS460 Air
- Truck

CROSS REFERENCE

- 47902-015
- 47902-024
- 57905-001
- 60670-005
- 60670-005-L
- 88-1704
- P42013



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
472	780	EYE	19MM X 45MM	EYE	19MM X 45MM

TO SUIT HENDRICKSON SA005TRP

APPLICATIONS

- Monopivot
- Trailer

CROSS REFERENCE

- S-20889
- S-21699
- S-24023
- 90-2396
- 90-2396SP1
- 91-2641
- P126
- P161



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
299	442	EYE	19MM X 45MM	EYE	19MM X 45MM



TO SUIT HENDRICKSON SA006TRP

APPLICATIONS

- HT230
- HT300
- T15/17
- Trailer

CROSS REFERENCE

- S-21699
- S-24023
- S-23743
- 98583-011
- 91-2641SP1
- P322



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
304	443	EYE	19MM X 45MM	EYE	19MM X 45MM

TO SUIT HENDRICKSON SA008TRP

APPLICATIONS

- HT250US
- Trailer

CROSS REFERENCE

- S-21994
- S-23649
- S-23743
- P178



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
287	405	EYE	19MM X 45MM	EYE	19MM X 45MM



TO SUIT HENDRICKSON SA015TRP

APPLICATIONS

- INTRAAX AAEDT
- Trailer

CROSS REFERENCE

- S-25436



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
396	630	EYE	19MM X 45MM	EYE	19MM X 45MM

TO SUIT SAF (NEWAY) SA004TRP

APPLICATIONS

- AD246-10"
- Truck

CROSS REFERENCE

- 3501001
- 90045504
- P102
- 90-2466SP1



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
387	605	EYE	19MM X 50MM	EYE	19MM X 50MM



TO SUIT TMC, YORK SA007TRP

APPLICATIONS

- LMC
- Tecair FB/VRH
- Trailer

CROSS REFERENCE

- 61.610052
- 471700131057
- T03-610052
- 88-1564
- P171



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
394	627	EYE	16/20MM X 50MM	EYE	16/20MM X 50MM

TO SUIT TMC, YORK SA009TRP

APPLICATIONS

- Duratrac
- Tecair2
- LMC
- Trailer

CROSS REFERENCE

- 401700124223
- 61610442/B0GE
- 61-610442
- 787803
- 91-2756
- P184



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
273	387	EYE	24MM X 58MM	EYE	24MM X 58MM



TO SUIT SAF (HOLLAND) SA010TRP

APPLICATIONS

- All 2000 series
- Trailer

CROSS REFERENCE

- 90-2022
- 90-2227
- 91-2227
- 21215742
- 21215751
- 2501192
- P227



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
297	430	EYE	20MM X 62MM	EYE	20MM X 62MM

TO SUIT MERITOR (ROR, FLEXAIR, RFS) SA011TRP

APPLICATIONS

- FI9000I & 2000 Series
- Trailer

CROSS REFERENCE

- 21224331
- 21224745
- 90-2368SP1
- 90-2368SP2
- 90-2400
- 91-2400
- P342



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
297	436	EYE	24MM X 58MM	EYE	24MM X 58MM



TO SUIT BPW SA013TRP

APPLICATIONS

- Airlight 2 / HD series
- Trailer

CROSS REFERENCE

- 0237021800
- 237021800
- 02.3702.18.00HD
- 02.3702.18.02
- 90-2024SP1
- 90-2024SP3
- 401700112790
- P42550



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
478	800	EYE	24MM X 55MM	EYE	24MM X 55MM

TO SUIT BPW SA014TRP

APPLICATIONS

- AL 2 , AL/SL, M42/2907
- Trailer

CROSS REFERENCE

- 02.3702.14.00
- 02.3702.52.00
- 02.3722.83.00
- 02.3722.83.02
- 401700112757
- 90-2207
- 91-2207
- P53024
- T03-4000
- 237228302



COLLAPSED LENGTH (MM)	EXTENDED LENGTH (MM)	TOP MOUNT	TOP FITTING	BOTTOM MOUNT	BOTTOM FITTING
273	387	EYE	24MM X 58MM	EYE	24MM X 58MM

SUSPENSION & STEERING

STEERING PARTS & HARDWARE


With a range of service parts for your steering system, think TRP® next time you need to fix that leak, or sharpen up that responsiveness.



STEERING GEAR SEAL KIT

FEATURES & BENEFITS

- Quality seals manufactured to meet ISO 9000 series standards
- Complete rebuild content including sector seals, sealing rings & O-Rings
- Components specifically engineered to service aftermarket rebuilders



During installation it is recommended to use the manufacturer's complete service manual with the provided illustration sheet. Please reference service manuals for required tools and methods of installation.

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
TAS000001TRP	KIT-GEAR SEAL TAS 40,55,65,85	• TAS000001
TAS650012TRP	KIT-GEAR SEAL TAS 65	• TAS650012
TAS850005TRP	KIT-GEAR SEAL TAS 85	• TAS850005



DRAGLINK END – HEAVY DUTY

FEATURES & BENEFITS

- Suitable for use on 8x4 twin steer applications
- 12 month, unlimited km warranty
- Made in the USA
- Manufactured by leading OEM manufacturer



DL002TRP

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES
DL003TRP	DRAGLINK END RH HEAVY DUTY – SUIT KW APPLICATIONS	• 44-120113-04
DL002TRP	DRAGLINK END LH HEAVY DUTY – SUIT KW APPLICATIONS	• 44-120123-02
DL001TRP	DRAGLINK TO SUIT WESTERN STAR STEERING GEAR TAS855020AR	• L24VT9245A11



REMAN STEERING COLUMN

REMANUFACTURED PROCESS

- Remanufactured means the steering gear has been fully broken down into its parts components and each part is cleaned and inspected
- Each individual component is then inspected and if found to be in excellent condition, then used again
- If there are any faults found, then the components are replaced with new, genuine TRW components
- All TRP® remanufactured gears have the sector shaft and bearings replaced with new, genuine TRW components to ensure the TRP® Reman Gear is as close to new as possible
- Each steering gear is remanufactured to strict guidelines and adheres to the ZF/TRW standard for OEM specifications

REBUILT / RECONDITIONED PROCESS

- A steering gear that has been rebuilt or reconditioned usually only involves fixing a problem
- The faulty part is removed from the steering gear and in most cases is replaced by another second hand part pulled from an old steering gear
- Rebuilders DO NOT use genuine TRW components as they are not authorised distributors of the genuine components



10CS0002

PART NUMBER	DESCRIPTION	APPLICAITON
10CS0001	GEN 2, TILT/TELESCOPIC LONG	T401, T404, T604, T650, C500, C501,C510, T605
10CS0002	GEN 2, TILT/TELESCOPIC SHORT	K104, K104B,K108, K200
10CS0016	GEN 2.5, TILT/TELESCOPIC SHORT	K108EX, K200
10CS0019	GEN 2.5, TILT/TELESCOPIC MEDIUM	T909, T359, T409, T409SAR, T609
10CS0023	GEN 2.5, TILT/TELESCOPIC MEDIUM	T909, T359, T409, T409SAR, T609
10CS0024	GEN 2.5, TILT/TELESCOPIC SHORT	K108EX, K201
10CS0025	GEN 2, TILT/TELESCOPIC MEDIUM	T904, T950, T905, T300, T350, T404S, T908, T608, T408, T408SAR, T658, T358, C508, T359, T409, T409SAR, T609, T659, T909, C509
10CS0028	GEN 2, TILT/TELESCOPIC	C510



REMAN STEERING GEARS

FEATURES & BENEFITS

- Great value alternative to genuine fit
- Only genuine TRW replacement components used
- Sector shaft and bearings replaced on TAS steering gears
- 12 month, unlimited kilometre warranty



TAS85124AR

PART NUMBER	PRODUCT DESCRIPTION	CROSS REFERENCES	
TAS85124AR	TAS 85 REMAN STEERING BOX T6/T4/T9 KENWORTH	• TAS85124A	
TAS85123AR	TAS 85 REMAN STEERING BOX K104	• TAS85123A	
TAS65205AR	TAS 65 REMAN STEERING BOX T3/T4	• TAS65205A	
TAS85156AR	TAS 85 REMAN STEERING BOX T408SAR	• TAS85156A	• J87-1000
TAS85125AR	TAS 85 REMAN STEERING BOX C500	• TAS85125A	
TAS85020AR	TAS 85 REMAN STEERING BOX WESTERN STAR MOST LATE MODELS	• TAS85020A	
8098V2TRP	ZF STEERING BOX, SUITS VOLVO 2002-2012 FM9/FM12/FH12	• 8098955631 • 8098955703 • 8098955741 • 8098955865	• 250367 • 250330 • 250337 • 250352